

SNCRX530N/B

360 PTZ dome type multi-codec IP camera - Black

Image

Specifications:	Detail:
	640 x 480
Image Size	320 x 240 160 x 120 (JPEG/MPEG-4/H.264)
Frame Rate	30 fps (640 x 480) 10 fps (640 x 480)

Camera

Specifications:	Detail:
Effective Pixels	768 x 494 pixels
Minimum Object Distance	290 mm (wide) 800 mm (tele)
Electronic Shutter	1 to 1/10000 s
Gain	Auto/Manual (-3 to +28 dB)
Exposure Control	Auto Full Auto Shutter-Priority Iris-Priority Manual EV Compensation Backlight Compensation
Minimum Illumination	0.7 lx (50IRE F1.4 AGC ON) 0.15 lx (50IRE F1.4 AGC ON)
White Balance Mode	Auto Indoor Outdoor One-push WB ATW Manual
Zoom Ratio	18x Optical Zoom (216x with Digital Zoom)
F-Number	F1.4 (wide) F3.0 (tele)
Image Device	1/4-type CCD with Exwave HAD technology
Horizontal Viewing Angle	2.8 to 48.0 degrees
Lens Type	Auto-Focus Zoom Lens
Focal Length	f=4.1 to 73.8 mm
Pan Angle	360 Degrees

Pan Speed	300 degrees
Tilt Angle	-90 to 0 degrees
Tilt Speed	300 degrees
Type	IP
Day Night	YES
Horizontal Resolution	470 TV lines
Compression Format	Multi codec capability (JPEG/MPEG-4/H.264)
Specs	360° PTZ Exwave DEPA™

Analog Video Output

Specifications: Detail:

S/N Ratio more than 50 dB

Signal System NTSC

Audio

Specifications: Detail:

Audio Compression G.711/G.726 (40
32
24
16 Kb/s)

Interface

Specifications:

Detail:

Serial Interface	RS-232C
Analog Video Output	BNC x1 1.0 V _{p-p} 75 Ω
I/O Port	Sensor in x 2 Alarm out x 2
External Microphone Input	Mini-jack (monaural) 2.2 KΩ 2.5 V plug-in power)
Audio Line Output	Mini-jack (monaural) Max Output Level: 1 V _{rms}
Network	10Base-T/100Base-TX

General

Specifications:	Detail:
Weight	4 lb 13 oz (2.2 kg)
Power Requirements	AC 24 V/DC 12 V
Dimensions (W x H x D)	6 3/8 x 6 3/8 x 9 1/8 inches (160 x 160 x 230 mm)
Power Consumption	24 W max.
Operating Temperature	32 to 122 °F (0 to 50 °C)
Storage Temperature	-4 to 140 °F (-20 to 60 °C)
Finish	Black

Network

Specifications:	Detail:
Protocols	TCP/IP
	HTTP
	ARP
	ICMP
	FTP
	SMTP
	DHCP
	DNS
	NTP
	SNMP (MIB-2)
RTP/RTCP	
Number of Clients	20.0
Authentication	IEEE802.1X

System Requirements

Specifications:	Detail:
Processor	CPU: Intel Pentium® IV 1.5 GHz or higher
Operating System	Microsoft Windows® 2000/XP
Memory	RAM: 256 MB or more
Web Browser	Microsoft Internet Explorer® Ver. 6.0 or later