## MATERIAL SAFETY DATA SHEET



# LinoBASE Linoleum Sealer

HMIS NFF			Personal protective equipment		
Health	1	1			
Fire Hazard	0	0	None / Aucune / Ninguno		
Reactivity	0	0			

Version Number: 2 Preparation date: 2008-10-04

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LinoBASE Linoleum Sealer

**MSDS #**: MS0300082 **Product Code**: 04189, 5104888

Recommended use: Industrial/Institutional. Floor care.

Manufacturer, importer, supplier:

US Headquarters
JohnsonDiversey, Inc.

8310 16th St.

Canadian Headquarters
JohnsonDiversey - Canada, Inc.
2401 Bristol Circle

MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

# 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

Principle routes of exposure:Eye contact. Skin contact. Inhalation.Eye contact:May be mildly irritating to eyes.Skin contact:May be mildly irritating to skin.

Inhalation: None Ingestion: None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Hazardous ingredients** 

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Dipropylene glycol methyl ether	34590-94-8	1 - 5%	5135	9500 mg/kg	Not available
Diethylene glycol monoethyl ether	111-90-0	1 - 5%	1920	=4200 μL/kg	5.24 g/m <sup>3</sup>

## 4. FIRST AID MEASURES

**Eye contact:** Flush immediately with plenty of water. If irritation develops, get medical attention. **Skin contact:** Flush immediately with plenty of water. If irritation develops, get medical attention.

Inhalation:No specific first aid measures are required.Ingestion:No specific first aid measures are required.

Aggravated Medical Conditions: None known.

# **5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable Unusual hazards: None known

Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or

equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

LinoBASE Linoleum Sealer 1 of 3

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Environmental precautions and clean-up methods: Contaminated surfaces will be extremely slippery. Use personal protective equipment. Clean-up methods - large spillage. Use appropriate containment to avoid environmental contamination. Soak up with oil absorbent material. Sweep up and shovel into suitable containers for disposal. Use a

No information available

No information available.

No information available

water rinse for final clean-up.

### 7. HANDLING AND STORAGE

#### Handling:

Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

#### Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

**Personal Protective Equipment** 

Eye protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditionsSkin and body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
Dipropylene glycol methyl ether	34590-94-8	150 ppm (STEL)	Skin	900 mg/m³ (STEL)
		100 ppm (TWA)	100 ppm (TWA)	150 ppm (STEL)
		,, , ,	600 mg/m <sup>3</sup> (TWA)	100 ppm (TWA)
				60 mg/m <sup>3</sup> (TWA)

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Bulk density:
pH: 7.7 Dilution pH:
Appearance: Liquid Vapor density:
Color: Opaque White Evaporation Rate

 Color:
 Opaque White
 Evaporation Rate
 No information available

 Odor:
 Mild Characteristic
 Boiling point/range:
 Not determined

 Specific gravity:
 1.03
 Melting point/range:
 Not determined

Specific gravity: 1.03 Melting point/range: Not determined

Density: 8.56 lbs/gal Decomposition temperature: Not determined

VOC: 2.58% \* Autoignition temperature: No information available

Flash point: >200°F >93.3°C Partition coefficient (n-octanol/water): No information available
Solubility: Dispersible Solubility in other solvents: No information available

Viscosity: No information available Elemental Phosphorus: 0 %P

### 10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerization does not occur

Hazardous decomposition products: None reasonably foreseeable.

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg

Component Information: See Section 3

Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known Mutagenic effects: None known Reproductive toxicity: None known Target organ effects: None known

## 12. ECOLOGICAL INFORMATION

Environmental Information: No data available

LinoBASE Linoleum Sealer 2 of 3

<sup>\* -</sup> Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

### 12. ECOLOGICAL INFORMATION

## 13. DISPOSAL CONSIDERATIONS

### Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

# 14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

## 15. REGULATORY INFORMATION

### International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

#### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

### STATE RIGHT TO KNOW

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Modified acrylic polymers	30261-69-9	-	-	-	-
Modified acrylic polymers	25766-58-9	-	-	-	-
Dipropylene glycol methyl ether	34590-94-8	X	X	X	X
Diethylene glycol monoethyl ether	111-90-0	_	-	-	-

### **CERCLA/ SARA**

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether	X		

### SARA 311/312 Hazard Categories

Immediate:
Delayed:
Fire:
Reactivity:
Sudden Release of Pressure:

#### Canada

WHMIS hazard class: Non-controlled.

# **16. OTHER INFORMATION**

Reason for revision:
Prepared by:
Additional advice:
Not applicable
NAPRAC
None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

LinoBASE Linoleum Sealer 3 of 3