



Olympus LS-10 Linear PCM Stereo Digital Voice Recorder

Studio-Grade Recording to Go. Combining the advanced technologies derived from Olympus' decades of experience in the recording field, the compact and portable LS-10 brings you high-fidelity sound recording that's ideal for everything from live music to the singing of birds. The LS-10: unparalleled sound quality, anytime, anywhere

High Quality Recording

The LS-10 features uncompressed 24 bit/96kHz Linear PCM recording capability, to capture the rich sound quality of music performances. It has the versatility to record and play back in the WAV, MP3 and WMA formats. The LS-10 can record with its internal microphone or by plugging in an external microphone. The LS-10's value extends beyond the realm of music. Students will find it useful for recording lectures and journalists for recording high-quality interviews for broadcasts and podcasts.

Elegant and Intuitive Design

An enlarged, backlit LCD is easy to read and shows file information, recording time and events clearly. The device is outfitted with an ergonomic dial thumb pad allowing the user to play or stop a recording, adjust the volume level, fast-forward and rewind with the touch of one button. The Erase and Folder/Index buttons are positioned individually below the thumb dial for easy access.

Durability

The LS-10 has a lightweight and durable aluminum body. This keeps the weight of the LS-10 to a mere 5.8 ounces including batteries.

Memory Capacity and Expandability

The LS-10 has two gigabytes of internal flash memory to capture lengthy recordings. The LS-10 also features an SD/SDHC removable media card slot to further expand its capacity. During a busy day of recording, changing SD cards is an easy way for users to capture more audio without taking the time to download files to a computer.

Recording and Listening

The LS-10 can play back the high-quality audio it records and play it back on its built-in stereo speakers with vibrancy and clarity. These speakers allow more than one person to

listen to a new recording simultaneously to help collaborating musicians evaluate recording progress on the fly.

Wireless Control

The optional exclusive wireless remote controller allows users to start and stop the recording of the LS-10 from a distance. This is ideal for live performances when the LS-10 can be placed near the stage and activated from several rows back.

Battery Life

The LS-10 can record 12 hours on two AA batteries, longer than many competing Linear PCM recorders and long enough for an all-day event.

Specification

Model	LS-10 Linear PCM Recorder
Recording Format	Linear PCM (Pulsed Code Modulation) WAVE
	MP3 (MPEG-1/MPEG-2 Audio Layer 3)
	WMA (Windows Media Audio)
Recording Media	Built-in 2 GB NAND Flash memory
	SD Card (512 MB to 8 GB)
Recording Time	Built-in 2 GB memory
	Linear PCM: Up to 3 hours 10 minutes
	MP3: Up to 35 hours 35 minutes
	WMA: Up to 69 hours 35 minutes
Card Format	SD, SDHC
Input Level	MIC SENSE HIGH -59 dBv
	MIC SENSE LOW -39 dBv
	LINE IN jack input -6 dBv
PC Interface	USB
LCD	35 x 29 mm
LED	1 color (red)
Folder Messages	5 folders, 200 messages per folder, plus MUSIC folder
Speaker	2 16mm round dynamic speakers, 8 ohms, 200 mW output
MIC Jack	3.5mm stereo mini-jack, impedance 2 kohms
LINE IN Jack	3.5mm stereo mini-jack, impedance 2 kohms
EAR Jack	3.5mm stereo mini-jack, impedance 8 ohms
Maximum Headphone Output	3 mW per channel at a load of 16 ohms

Batteries	2 AA Alkaline, Lithium, or NiMH batteries
External Power Supply	Olympus D-7AC AC Adapter
Size	131.5 mm x 48 mm x 22.4 mm (without protrusions)
Weight	165 grams (including alkaline batteries)
OS Supported	Windows: 2000/XP/VISTA
	Macintosh: Mac OS 10.2 or later
CPU and RAM	Windows: Intel Pentium or AMD Athlon 1.4 GHz processor, 512 MB RAM
	Macintosh: Power Mac G4 1 GHz or Core Solo 1.5 GHz, 512 MB RAM
Sound Board	Windows: Windows DirectX compatible, ASIO compatible sound card recommended for low latency performance
	Macintosh: Core Audio compatible audio hardware
Removable drive	DVD-ROM drive required for installation of Steinberg Cubase LE4 software
Video Card and Display	1024 x 768 pixels, 256 color or more
USB Port	One free port
Audio Output	Earphone output or speakers

Package Contents

- LS-10 Linear PCM Recorder
- Strap
- Carrying Case
- USB Cable/Audio Cable
- Wind Screen
- 2 AA Batteries
- Warranty Card
- Software (CUBASE)
- Instruction Manual

For info or to purchase it call us @ 888-222-3839 or go to www.aaaprice.com