

**EXTERIOR CARE**

Wolfgang Auto Bathe  
Wolfgang Clay Lubricant  
Wolfgang Elastic Poly Clay  
Wolfgang Paintwork Polish Enhancer  
Wolfgang Total Swirl Remover  
Wolfgang Finishing Glaze  
Wolfgang Deep Gloss Spritz Sealant  
Wolfgang Deep Gloss Paint Sealant  
Wolfgang Polishing Pad Rejuvenator

**INTERIOR CARE**

Wolfgang Leather Care Cleaner  
Wolfgang Leather Care Conditioner  
Wolfgang Carpet & Upholstery Restorer  
Wolfgang Spot Eliminator  
Wolfgang Vinyl & Rubber Protectant

**TIRES & WHEELS**

Wolfgang Tire & Wheel Cleaner  
Wolfgang Black Diamond Tire Gel

**LENS CARE**

Wolfgang Plastik Lens Cleaner  
Wolfgang Plastik Lens Glaze  
Wolfgang Plastik Surface Sealant



**WolfgangCarCare.com**

**Stuart, FL 34997**

**Toll Free (800) 869-3011 • Local (772) 286-2701 • Fax (772) 286-2712**





## A message from Max, *Founder and Owner of Palm Beach Motoring Accessories...*

Upon venturing into the premium care car market 25 years ago, I suddenly realized my life-long passion. I was fascinated by waxes, paint sealants, leather conditioners; what goes into them, how and why they work, which combinations yield the best outcomes. In 1997, I launched the award-winning Detailer's Pride Professional Detailing Products, which has since evolved into DP American Made Car Care Products. After collaborating on the development of Pinnacle Natural Brilliance, I am now the sole proprietor of this complete line of car care products built around a pure carnauba wax. Both DP and Pinnacle have their roots in car care tradition with carnauba wax as their foundations. With all the innovations in surface care technology, I set out to design a collection of products that is purely engineered, that takes advantage of modernizations in car care. I reached this goal in 2004 with the introduction of Wolfgang Concoars Series, a complete series of world-class car care products.

Wolfgang Concoars Series was researched and developed over the course of two years. My senior chemist, the staff at the Manufacturing Division of Palm Beach Motoring Accessories, and I set up stringent guidelines for the development of new line that we would eventually introduce to

the car-loving public. Our collective vision was of a complete line of exclusive car care products that would be an exceptional value based on superb effectiveness, employing cutting-edge research and development, encompassing all aspects of car care applications. But our foremost goal was the creation of a paint sealant that could bridge the gap between carnauba waxes and long-lasting paint sealants—combining their most desirable traits.

We became consumed with successfully completing this mission. We were confident but still searching for the one thing that would make our line truly outstanding in the automotive care world. My lead chemist was adamant that he must go to Germany where chemists excelled in state-of-the-art molecular science, leaps and bounds ahead of the rest of the scientific world. Here, in German laboratories, he would find the missing link.

During the trips abroad, one German chemist, Wolfgang Determan, became increasingly interested in our undertaking and wished to contribute his experience and knowledge. Wolfgang eagerly joined our team to help create an American-made, German formula like none other. Incidentally, this chemist extraordinaire is the proud namesake of

our Wolfgang Concoars-Series.

After years of trials and testing, research and experimentation, we finally launched a complete system of Concoars-worthy products with a high-tech paint sealant at its nucleus. Thanks to German-discovered "super polymers," the foundation of our formula, we've created a revolutionary paint protector that has the personality of a pure carnauba wax with the genetic make-up of paint sealant. We proudly manufacture, bottle and market Wolfgang in America, and wouldn't have it any other way. This arrangement is comparable to the tradition in the automobile industry; German and Japanese technology is brought to America and utilized by American automotive companies. As we see it, this provides to you the best of both worlds. Wolfgang Concoars-Series will delight even the most critical, educated car enthusiast.

Granted, there is a good selection of premium car care products available, all with their strong points, and everyone has their favorites. I am confident that, once you try any one of the terrific products of Wolfgang Concoars-Series, it will become an integral part of your car care regimen.

Sincerely,

  
Max

### WOLFGANG CONCOARS-SERIES

The ultimate in fine car care products!

- Created by a team of scientists, chemists, professional detailers, and auto enthusiasts exclusively for the discriminating car care lover.
- Formulated with state-of-the-art German scientific innovations in molecular chemistry.
- Built and manufactured on years of experience in the car care industry (by the manufacturer of DP and Pinnacle Natural Brilliance).
- Professional-grade products that are designed for ease of application, even in climates of high heat and humidity.
- Complete line of non-abrasive, paint-friendly, oil-in-water emulsion products, for total interior and exterior care and protection.
- Quality, long-lasting products for exceptional value.
- Paint sealant-based regimen, for enduring shine and protection.
- Modeled after the finest characteristics of the best carnauba waxes (deep, wet, gorgeous shine), without the stereotypical sterile shine associated with run-of-the-mill paint sealants.
- Withstands frequent washings, extreme climates, ultraviolet rays, salt water, and environmental contaminants.



[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)



**Strength, superior jetting, carnauba-like finish!  
Experience the outstanding difference of this  
distinctive, exceptional sealant!**

Wolfgang Deep Gloss Paint Sealant replicates the finer qualities of the best carnauba waxes, but is superior in terms of longevity, durability and protection. Just a few drops will produce a show-stealing shine that withstands the elements, ultraviolet rays, salt water, and environmental pollutants and armors your paint for months. It is much quicker and easier to apply than a carnauba wax and the shine is remarkably close. The surface of your car is left super-slick, yielding a glossy, rich, liquid shimmer that undulates with energy.

The difference lies in the **paint-friendly, water-based formula.** Foregoing the synthetic solvents found in most sealants, Wolfgang Deep Gloss Paint Sealant is an **oil-in-water emulsion with high-tech "super polymers."** Each polymer is designed to perform a different task: some have **high surface bonding characteristics**, some offer **superior gloss**, some are **extremely water-repellant**, some are **resistant to extreme temperatures.** The crystal-like structures generate an incredible, vivid shine, much like high-quality diamonds.

*Deep Gloss Paint Sealant, unlike a wax, is incredibly simple and quick to apply. For best results, start with a very small amount on a dry applicator pad, then wipe the paint sealant onto the surface using small circular motions. Allow Deep Gloss Paint Sealant to **dry completely** before buffing. Cover the entire vehicle first, then come back and buff. Because our unique formula is oxygen-activated, avoid contact with water for 12 hours in order for the sealant to completely cure. Once cured, the sealant will provide optimum gloss and protection for 4-6 months.*

*Because Deep Gloss Paint Sealant is mild and water-based, you can apply multiple layers to deepen the shine without compromising your paint or clear coat.*

*In hot, humid environments, this sealant will last four to six months or more. In less severe climates Wolfgang Deep Gloss Paint Sealant will protect for approximately seven to eight months. This product is truly a blessing for the modern, hectic lifestyle.*

- 16 oz. WG-5500
- 64 oz. WG-5501
- 1 gal. WG-5502

[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)



**Gently polishes paint to a deep, lustrous shine!**

Enhance your vehicle's gloss and depth to create that elusive, show-ready shine with Wolfgang Paintwork Polish Enhancer. This fine polish enhances and preserves your vehicle's paint by removing impurities, including old wax and mild oxidation, and infusing the paint with nourishing oils. The resulting paint is glassy smooth, clean, and incredibly glossy - the best possible surface for applying a paint sealant.

Wolfgang Paintwork Polish Enhancer is truly in a class of its own. Most polishes get their shine-power from potent VOC solvents-not exactly kind to paintwork. Our Paintwork Polish Enhancer is a mild oil-in-water emulsion. This lotion will not dull or dry the paint, even with dedicated use. This gentle water-based formula is ideal to use on custom finishes and antique, collectible, and show cars.

Wolfgang Paintwork Polish Enhancer does not level or abrade the paint. It is a moisturizing lotion that uncovers the shimmering gloss of like-new paint by removing dull layers of old wax and surface impurities. Micro-fine fillers settle into light swirls and scratches to create a smooth, uniform surface. Minor imperfections will disappear. The removal of old paint protection will encourage maximum bonding and gloss of Wolfgang Deep Gloss Paint Sealant. This combination of products will leave your vehicle with an absolutely stunning shine.



*Hand Application: Apply a nickel-size amount onto a clean microfiber applicator pad. (This amount should be sufficient for half the hood or an entire fender.) Apply the polish in side-to-side overlapping strokes. Allow a slight haze to form. Use a soft microfiber towel to buff the surface to a sparkle.*

*Machine Application: For the best results, use a dual action polisher. Apply a nickel-size amount of Paintwork Polish Enhancer to a foam polishing pad. Spread the polish at a moderate speed in a figure eight motion until it begins to dry to a film. Use a microfiber bonnet on your polisher or a microfiber towel to buff the paint to a glossy, smooth shine. Follow with Wolfgang Deep Gloss Paint Sealant. Note: This product is not designed for use with a high speed rotary polisher.*

- 16 oz. WG-2000
- 64 oz. WG-2001
- 1 gal. WG-2002

[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)





# Wolfgang Deep Gloss Spritz Sealant

## *Spray on the shine and protection with Wolfgang's glossy sealant spritz!*

This spray-on sealant is a revolution in paint protection. Wolfgang Deep Gloss Spritz Sealant is a direct descendant of our remarkable wipe-on sealant, Wolfgang Deep Gloss Paint Sealant. The two share virtually the same blueprint, with one exception. **Deep Gloss Spritz Sealant has engineered liquefied polymers that disperse easily through the spray nozzle and then regroup on the paint surface to form one solid polymer coat over the paint finish.** The slick coating shields the paint from UV rays, airborne pollution, and road grime for months rather than weeks. Its incredible slickness allows dirt and water to just roll off.

The multi-tiered, crystalline polymer structure of the sealant allows it to create a vivid, multi-dimensional shine that far exceeds the capabilities of ordinary sealants. The shine is comparable to what you get from a carnauba wax. Now that's shiny! And if water-beading is the true test of a quality sealant, then Deep Gloss Spritz Sealant is a proven winner. Water will bead on the surface for weeks with regular use!

Wolfgang Deep Gloss Spritz Sealant is formulated to work hand in hand with Wolfgang Deep Gloss Paint Sealant. As with any sealant, it may not bond well on top of a carnauba wax. For the best protection, use Wolfgang Deep Gloss Spritz Sealant on the edges of panels and on the front of the vehicle where your existing paint protection will wear faster. The spray formula makes it easy to maintain optimum protection and gloss for months.

*Mist your vehicle generously with Wolfgang Deep Gloss Spritz Sealant. Use a folded microfiber towel to spread the sealant over a panel. Flip the towel and buff the paint to a rich, reflective shine. Before applying a second coat, allow the sealant to cure for one hour. This product buffs to a streak-free gloss on all paint, even red and black. Use it any time, even in hot, humid weather, to give your vehicle a quick coat of gloss and protection.*



16 oz. WG-3200  
64 oz. WG-3201  
1 gal. WG-3202  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)

## *An extravagant shampoo that pampers your vehicle!*

Auto Bathe, Wolfgang's **state-of-the-art car shampoo**, is a natural and gentle yet very effective, **non-toxic, biodegradable cleanser**. It surpasses other similar products in cleansing power and **preservation of your car's surface**. Thanks to technological advances stemming from years and years of German research, input from professional detailers, auto paint and finish technicians, our team of American chemists were wildly successful in formulating an advanced car shampoo unlike any other on the market today.

Auto Bathe is a concentrated gel-shampoo bearing Wolfgang's signature scent. Though tough against paint-damaging agents, Auto Bathe is amazingly surface-friendly. This concentrated shampoo gel is built around TUFF SUDS II, foam that suspends **natural oils and German "super polymers"** within each bubble—allowing built-up dirt and grime to be effortlessly swiped away. The natural oils act as lubricants, encapsulating each dirt particle, reducing the chances of washing swirls. Gritty and abrasive residue is rinsed away without scratching the paint. TUFF SUDS II creates an **abundance of long-lasting, luxurious, aromatic bubbles, even in hard water!** Auto Bathe will not strip wax or any kind of polymer surface protectant from your vehicle. Wolfgang Auto Bathe leaves behind an ultra-thin coat of gloss resulting in a beautiful shine.



We at Wolfgang set the bar high when it comes to environmental matters. We're committed to our **products being earth-friendly**. With a perfect, neutral pH balance of seven, Wolfgang Auto Bathe is completely safe for your skin and the environment. You won't find any harsh detergents, dangerous toxins, wax stripping agents, or sub-quality ingredients in our Auto Bathe—or in any of our products.

*To use, thoroughly rinse vehicle to remove excess dirt. Pour an ounce of Auto Bathe into a bucket, then dilute with a heavy jet of water to activate suds. For best results, wash vehicle from the top down with a sponge or mitt, rinsing frequently to avoid water spotting. Dry vehicle with a soft microfiber waffle-weave drying towel or chamois.*

16 oz. WG-1000  
64 oz. WG-1001  
1 gal. WG-1002  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)



# Wolfgang Auto Bathe



**A non-abrasive lubricant to enhance our surface-purifying clay!**

The most thorough car shampoo cannot rinse away every last bit of embedded residue and overspray that contaminates, and eventually eats away, at your car's paint. To get that show quality, silky-smooth finish, twice a year you will need to follow the wash with a clay bar treatment. This step is essential to attain a pristine surface, especially desirable before applying wax or paint sealant.

Wolfgang Clay Lubricant is specifically designed to be used with Wolfgang Elastic Poly Clay to create an **ultra-fine, slick protective layer** between the paint and the clay. This allows the clay to glide across the surface, **acting as a magnet for any foreign particles left behind after the wash.** You will be amazed at how much debris is lifted from the car with each pass. Then you feel no grabbing or resistance whatsoever between the car and the clay, the claying is complete. Simply wipe away any residue with a clean towel. When this step is complete, your car's surface will be exfoliated, "purified" and free of contamination. You are left with a gorgeous, flawless finish.

A lubricant of sorts must be used with all types of clay. Soapy water can work, but it can't provide protection for your paint. Some detergents react with the clay and cause it to deteriorate. Wolfgang Clay Lubricant is a **non-abrasive, high-tech formula containing super polymers**, which provide a sheer, ultra smooth surface and enhance the effectiveness of the clay. Its **high-lubricity** formula makes the process extra-gentle on your car's finish-loosened particles are safely lifted away with your poly clay bar without scratching even the delicate clear coat.

*Use on a clean, freshly washed surface. Spray a fine mist of Wolfgang Clay Lubricant on a two-foot square area, then gently rub clay bar across lubricated area. When the surface is immaculate, the bar will slide smoothly. If the clay does not glide, apply additional lubricant. Gently buff the surface clean, then move on to the next section. When complete, mist the clay bar with Wolfgang Clay Lubricant and store in its original plastic case.*

16 oz. WG-1100  
64 oz. WG-1101  
1 gal. WG-1102  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)



**Easily and effectively remove stubborn environmental contaminants, tar and bugs for a mirror-smooth finish!**

Regardless of the time and care spent maintaining your car's factory-fresh finish, **paint contaminants are inevitable.** Some contaminants, such as bugs, tar, and overspray are visible, but pollutants from environmental fallout, rail and brake dust cannot be detected with the naked eye. Evidence is rough, gritty spots when you run your hands across the paint surface. Over time airborne particles abrade the paint, allow oxidation to begin, and cause tiny rust spots in your paint. No amount of washing or polishing alone can remove these impurities. With Wolfgang Elastic Poly Clay, these harmful particles are eliminated from paintwork quickly and effectively.

Claying, designed in the 1990s in Japan, is a procedure where a clay bar acts as a magnet literally pulling embedded, paint-fouling grime away from the surface of the paint. **Wipe away residue to reveal an ultra-smooth, unpolluted finish.** This is the optimum surface for applying polish and a paint sealant. **Without this step, you will lock in these harmful particles underneath the sealant, doing more damage than good.**

Wolfgang Elastic Poly Clay is a **non-abrasive product, safe for all aluminum, chrome, fiberglass, paint and finishes.** It packs great cleaning power-enough to **remove stubborn tree sap, tar, acid rain and water spots** without harsh chemicals or abrasive particles. Wolfgang Elastic Poly Clay will not dry out with age or decompose with frequent use. Simply moisten with Wolfgang Clay Lubricant and store in a sealed plastic bag.

*Kneading the clay to expose a fresh, unused surface will activate the super polymers. Spray a small area of your car's surface with Wolfgang Clay Lubricant. Be sure to keep the car well lubed. Using moderate pressure, pass clay across the paint until you don't feel any more "grabbing." The clay will move freely when all pollutants have been removed. Check clay often for any particles that might scratch the surface, and fold them into the center of the clay. When you're finished,*

*buff the clay off with a towel to remove any residue. Rinse and dry your car. For the ultimate outcome, follow claying with Wolfgang Paintwork Polish Enhancer, then protect and seal in the shine with Deep Gloss Paint Sealant. This will yield an unbelievable showroom-quality finish.*



4 oz. Bar WG-9000  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)





## Wolfgang Total Swirl Remover

10

### **The all-in-one swirl remover cures all types of paint imperfections!**

The difference between a heavy cut and a medium cut swirl remover is often subtle. The performance of a polish is determined not just by its formula, but also by pad selection. **Wolfgang Total Swirl Remover is a true all-in-one swirl remover.** Its sophisticated formula works in accordance with the pad used to finish like a fine polish and give you the intended results every time.

Wolfgang Total Swirl Remover is made with millions of tiny diminishing abrasives in a sea of lubricants. **The abrasives will perform as a light swirl remover or a heavy swirl remover, depending on what pad you choose.** A polishing pad will allow you to brighten the paint and correct minor imperfections while a light cutting pad will remove more prominent paint flaws. Total Swirl Remover also removes oxidized paint, overspray, and most scratches. This polish does it all!

The abrasives gradually shrink in size under the friction of the pad until they completely disappear. **This diminishing action enables the polish to refine itself so that you're not left with rough, hazy, dusty paint after polishing.** If a slight haze does occur, simply use a polishing pad with Wolfgang Finishing Glaze to restore the smooth, shiny appearance.

Polish smarter with Wolfgang Total Swirl Remover. A balance of lubricating oils and diminishing abrasives allows you to correct a wide range of paint imperfections with just one swirl remover.

*For the best results, use a dual action polisher. Apply a nickel size amount of Wolfgang Total Swirl Remover to a polishing, light cutting or cutting pad, depending on the severity of your vehicle's flaws. Spread the swirl remover over a 2 x 2 square foot area with the machine turned off and then at a low speed. Then work the swirl remover into the paint at a moderate speed. Use minimal pressure. Once the swirl remover is completely broken down and appears as a thin film, turn the machine off. Buff away the residue with a soft microfiber bonnet or a microfiber towel. Follow up with Wolfgang Finishing Glaze if needed. Then apply a coat of Wolfgang Deep Gloss Paint Sealant.*

16 oz. WG-8600

64 oz. WG-8601

[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)



### **The finishing touch to smooth and refine polished paint.**

The last step before applying paint protection is the first impression your vehicle will make. **Waxes and paint sealants reflect the finish underneath them; if it's smooth and shiny, the paint protection will reflect only perfection.** Use Wolfgang Finishing Glaze to ensure that your vehicle reflects well on you.

Wolfgang Finishing Glaze is a fine grade polish full of lubricating oils and micro fine diminishing abrasives. It smoothes and brightens the paint while eliminating any roughness that may have resulted from swirl removal. The oils "wet" the paint to achieve a deep, liquid gloss that exceeds the results of wax alone. Use Finishing Glaze prior to the application of a wax or sealant for a stunning, high gloss shine.

The mild diminishing abrasives contained in Wolfgang Finishing Glaze are too small to be seen with the naked eye. They gently refine the paint surface and gradually vanish under the friction of the pad. **The abrasives do not harm the clear coat or contribute to swirls.** Instead, they polish the paint surface on a minute level in order to create an overall brilliant shine. Often regarded as an optional step, glaze is essential if you want the deep gloss that is seen on show cars and collectibles.

Use Wolfgang Finishing Glaze after an application of Wolfgang Total Swirl Remover to amplify the shine and polish the paint to silky smoothness. Once you apply Wolfgang Deep Gloss Paint Sealant, your vehicle will have a slick, wet-looking gloss with no imperfections.

*Hand Application: Use a foam applicator pad to spread a thin coat, using side to side strokes, over a 2 x 2 square foot area. Work the polish in until it begins to dry. Buff away with a soft microfiber towel.*

*Machine Application: For the best results use a dual action polisher. Apply a nickel size amount of glaze onto a white polishing pad. Spread the finishing glaze over a 2 x 2 square foot area with the machine turned off and then at a low speed. Then work the glaze into the paint at a moderate speed. Use minimal pressure. Once the glaze appears as a thin film, turn the machine off. Buff away the residue with a soft microfiber bonnet or a microfiber towel.*

16 oz. WG-8400

64 oz. WG-8401

[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)



## Wolfgang Finishing Glaze

11



## A three-part system to restore and clean clear plastic headlight lenses!

**Don't get a ticket!** Virtually every state has, or is currently drafting, legislation to make cloudy headlight lenses a ticketable offense. In states with vehicle inspections, unsafe headlights are already grounds for a vehicle to fail inspection. **At their worst, cloudy lenses can block up to 90% of the light you depend on to illuminate the road ahead of you.** Don't get a ticket or worse because of unsafe headlights.

Plastic headlight lenses, though durable, are susceptible to drying and cracking as a result of overexposure to UV rays. The first signs of this damage can appear in less than a year of purchasing a new vehicle.

Reverse the negative effects of UV exposure on your vehicle's headlight lenses with Wolfgang's revolutionary Plastik Lens Cleaning System. **Developed for today's plastic lenses, the products in this kit are proven safe and incredibly effective at polishing away surface cloudiness, scratches and yellow haze.** In just a few minutes, you can restore the clarity and smoothness to your vehicle's headlight lenses, without any special tools or experience.



The Wolfgang Plastik Lens Cleaning Kit includes the following products:

### Plastik Lens Cleaner

Wolfgang Plastik Lens Cleaner is an aggressive polish that removes scratches and haze from clear plastic. **Diminishing abrasives smooth rough spots and even out the edges of scratches to restore the uniform appearance of the plastic.** By cleaning out dirt and debris and leveling the outermost layer of damaged plastic, Wolfgang Plastik Lens Cleaner restores the clarity of the plastic to like-new condition.



Plastik Lens Cleaning System WG-8700  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)

### Plastik Lens Glaze

After cleaning your lens covers with Plastik Lens Cleaner, use Wolfgang Plastik Lens Glaze to refine the surface. **The glaze has mild cleaning properties to make the surface smooth and slick again.** Think of it as a finishing glaze for your headlights.

### Plastik Surface Sealant

Wolfgang Plastik Surface Sealant forms a clear barrier over your plastic lenses to shield them from contamination and UV rays. **The sealant is formulated to seal clear plastic without streaking or yellowing.** It dries crystal clear so your headlights look and perform better. Rather than lighting the road ahead with a dull, filtered glow, you'll see bright beams of light shining on everything in your path. By blocking out UV rays, this sealant prevents the clouding that occurs as the vehicle ages. **Wolfgang Plastik Surface Sealant is the best way to protect a new vehicle's headlight lenses from the first day of ownership.**



*The products and accessories in the Wolfgang Plastik Lens Cleaning System are recommended for use with your electric drill. Please visit [Wolfgangcarcare.com](http://Wolfgangcarcare.com) to learn how to use the kit with your polisher.*

- 1. Clean loose debris and dirt from the lenses. Tape off the paint around the lenses using blue painter's tape.*
- 2. Pour a circle of Wolfgang Plastik Lens Cleaner onto the included orange foam pad. If you are using a cordless drill, polish at the highest speed. Use the lowest speed on an electric drill. Go over the lens several times in different directions until the polish starts to dry. Use a microfiber towel to buff away the residue.*
- 3. Switch to a black pad. Pour a circle of Wolfgang Plastik Lens Glaze onto the pad. Press it to the lens cover and turn the drill on at the speeds listed above. Work in different directions until the glaze starts to dry. Buff off the residue with a microfiber towel.*
- 4. As a final step, use Wolfgang Plastik Surface Sealant to seal and protect your lenses. Use it on plastic convertible top windows and motorcycle windshields, too.*

*The Wolfgang Plastik Lens Kit includes detailed instructions.*

Kit contents are also sold individually.

4 oz. Lens Cleaner WG-8100  
4 oz. Lens Glaze WG-8200  
8 oz. Surface Sealant WG-8300  
16 oz. Surface Sealant WG-8301  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)





## Formulated for versatility, this cleaner is equally gentle and effective on wheels as on tires!

This is the only product needed to safely and thoroughly clean your tires and wheels, restoring them to their original, grime- and dust-free state. Wolfgang Tire & Wheel Cleaner boasts **industrial strength cleaning power** in a **100% water-based formulal**. This new breed of cleansers (out of Germany) replaces the outdated acid, butyl, or petroleum distillate based products. It contains **emulsifiers, wetting agents and environmentally safe deep cleansers** to penetrate below the surface of the rubber to extract deep, ground in dirt and abrasives, further protecting the life of your tires.

Wolfgang Tire & Wheel Cleaner is **biodegradable, non-toxic, non-caustic, non-abrasive** and **gentle on skin**. But this **thick, concentrated miracle gel** packs quite a punch when it comes to quickly and easily removing brake dust, road grime, oil and grease. Rest assured that Wolfgang Tire & Wheel Cleaner is **safe to use on all kinds of wheels**—including aluminum, painted, polished, anodized, clear coated and billet wheels. Emulsifiers in the cleaner capture dirt and dust on the wheel and allow them to be whisked away from even the most sensitive, expensive wheels without danger of scratching or harming your investment. The gel cleaner measures at a pH of 7.5, but its state-of-the-art cleaning agents give it superior cleaning muscle.

*When applying, tires and wheels must be cool to the touch. Concentrate on one wheel at a time. Thoroughly wet wheel with water. Cover the tire and wheel with a fine mist of Wolfgang Tire & Wheel Cleaner. Allow cleaner to sit and penetrate for about 30 seconds.*

*Wolfgang Tire & Wheel Cleaner requires light agitation with a sponge or brush to facilitate deep cleaning action and break the bond between the surface of your tires and wheels and stubborn brake dust and other grime. Rinse well with fresh water. Pat dry with a clean towel to prevent water spots. This results in a thoroughly cleaned, spotless finish on both tires and wheels. Use out of direct sunlight if possible.*

16 oz. WG-4600  
64 oz. WG-4601  
1 gal. WG-4602  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)



## This thick gel penetrates beneath the surface to give your tires a long-lasting true glow!

When applied regularly, Wolfgang Black Diamond Tire Gel **prolongs the life of your tires**, maintaining that showroom luster. It **delivers a stunning semi-gloss, satiny finish**, even on older tires. This concentrated gel, unlike spray on dressings, applies evenly, is absorbed into the rubber, **repelling UV rays, rain, and detergents**. Black Diamond prolongs the life of your tires, conditioning and revitalizing them for up to two weeks, including a couple of washings! More than a tire dressing, Black Diamond Tire Gel **keeps tire walls supple and hydrated**.

While engineering the tire dressing for Wolfgang, chemists were instructed to address certain issues that plague spray-on tire dressings: sling-off factor, hazardous chemical make-up, short life-span, and an unnatural, greasy look and feel that other dressings are known for. Wolfgang Black Diamond Tire Gel has conquered these hurdles! It's environmentally safe, produces a realistic deep black finish, lasts up to three or four times longer, and doesn't sling-off onto your car's panels. **The Wolfgang Black Diamond Tire Gel formula is a pioneer among tire dressings.**

Consisting of **German super-polymers, deep conditioning agents, and a penetrating gloss**, this unique gel formula achieves **spectacular results** without relying on drying butyls, alcohols or petroleum distillates. No harsh chemicals or additives, that can harm the environment or tires, go into Black Diamond Tire Gel. One 16 ounce bottle of Wolfgang Black Diamond Tire Gel is equivalent to three or four 16 ounce bottles of spray-on tire dressing.

*Carefully apply one thin, even layer of Black Diamond Tire Gel, swiped over the surface which gives a **handsome, well-dressed gloss**. If you prefer a heavier, glossier shine, wait ten minutes and reapply. For less shine, follow the initial application by immediately wiping tire with a clean cloth. Pay special attention to areas around raised letters and the bead between the wheel and tires where the gel tends to puddle. **Allow the gel to cure for an hour** before driving. A tire cleaner will remove tire dressing, which will need to be reapplied for continued protection.*



16 oz. WG-4700  
64 oz. WG-4701  
1 gal. WG-4702  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)





**Tough stains and stubborn ground in dirt don't stand a chance against the Spot Eliminator!**

Our vehicles' interiors suffer an onslaught of dirt, grime, wear and tear every time we climb in. In addition, food, soda, coffee, perspiration, ink, gum, and hundreds of other everyday substances pose a threat to the beauty of your carpets and seats.

The ultimate in spot removers, Wolfgang Spot Eliminator goes to the source of the stain and blasts through to effectively eradicate ugly spots from your carpets, seats, or literally any interior surface, even on the dash, door panels, vinyl and leather facings. This unique, state-of-the-art cleaner was formulated using **Industrial strength water-based cleaners**, additional wetting agents and a **technologically advanced surfactants** making it powerful against dirt and grease but gentle to fibers and surfaces. Spot Eliminator is designed for ease of use, **repelling future stains** and coating and protecting individual fibers.

Don't give up or give in to unsightly stains that blemish and flaw an otherwise attractive surface. Wolfgang Spot Eliminator is **safe to use on virtually any surface**, fabric or carpet. You'll want to have this handy in the home, RV, boat, as well as your car. Wipe down your dash and door panels to remove grease, grime and dressing build up before applying protective dressings. You'll be amazed at how quickly and easily Wolfgang Spot Eliminator makes stains vanish!

*For overall, general cleaning, begin with Wolfgang Carpet & Upholstery Cleaner. Vacuum well then apply to desired surface. Agitate with a damp towel or carpet and upholstery brush, wipe dry, then vacuum again. Use Wolfgang Spot Eliminator for any super-stubborn stains that remain. Spray Spot Eliminator directly onto the stain. Allow to soak for 30 seconds, agitate with a brush or damp sponge, then pat dry. For extra tough stains, a second application may be necessary.*

16 oz. WG-5000  
64 oz. WG-5001  
1 gal. WG-5002  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)



**Attacks stains, dirt, and grime that taint and tarnish your car's interior!**

Wolfgang Carpet & Upholstery Restorer is the answer to the dirt and grime that are introduced daily to your car's interior, and more times than not, ground into your upholstery and carpet. These ground-in pollutants require more than a vacuum if they are to be successfully extracted. This water-based, concentrated formula contains powerful cleaning agents used by professional detailers that **detect and attract dirt particles in fibers, lifting them away**, and the **latest technology in fiber protection** to repel future stains and coat and shield individual fibers. Only gentle agitation is required to loosen ground in dirt and grime, and leave invisible stain repellent protection.

**Safe and effective on any surface.** Though strong enough to conquer tough dirt and stains, Wolfgang Carpet & Upholstery Restorer will not fade or spot, will not affect the color of fabric or carpet, and will not break down fibers. It does not contain harsh chemicals or release harmful fumes. In fact, Carpet & Upholstery Cleaner smells quite nice as it bears **Wolfgang's aromatic, signature scent**. Use it on carpets, upholstery, walls, floors, high traffic areas, and fabrics in the home, boat or RV. Use it on door mats, door panels, fabric and velour seats, steering wheel, and headliners. You will be amazed at how quickly and easily your car's interior—or anything else you use it on—is restored!



*Vacuum to remove loose particles before spraying Wolfgang Upholstery & Carpet Cleaner, and again afterwards for best results. It requires no dilution whatsoever. Spray Wolfgang Carpet & Upholstery Cleaner across surface, concentrating on any stubborn stains. Allow to penetrate for 20-30 seconds. Agitate gently with a brush.*

*Wipe dry with a terry or microfiber detailing towel. When completely dry, vacuum the area again to remove dirt particles that were loosened by the cleaner. For "impossible" stains, spills and spots try Wolfgang Spot Eliminator—an extra-concentrated version of Carpet & Upholstery cleaner with double the cleaning force.*

16 oz. WG-5200  
64 oz. WG-5201  
1 gal. WG-5202

[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)





***This pH balanced leather cleaner utilizes the natural cleaning strength of citrus to remove virtually any dirt or stain!***

Keep your leather looking its very best. Wolfgang Leather Care Cleaner is a **gentle, pH balanced, 100% biodegradable** cleaner which utilizes the natural cleaning strength of citrus to remove virtually any dirt, grease, ink, oil, or spills from your leather. Even with the most meticulous care, dust and tiny airborne particles find their way into the pores and accumulate without proper maintenance. Leather Care Cleaner penetrates deep into the pores and **gently lifts away foreign particles, pollution and contaminants**, including microscopic dirt particles that naturally build up over time.

This **water-based**, pure cleaner contains no petroleum distillates, silicon oils or dehydrating acids, therefore **will not dull, stain or cause drying** of your leather. Wolfgang Leather Care Cleaner is a **safe, state-of-the-art, deep cleaning formula** with German-developed, non-ionic surfactant and non-alkaline cleaning agents replacing harmful butyl, butyl ether and acid-based cleansers. After using Wolfgang Leather Care Cleaner, the surface of the leather is **dirt-free and subtly fragrant**.

*Apply Wolfgang Leather Care Cleaner to a damp terry or microfiber applicator pad. Work cleaner into the leather using short, even, firm strokes. Pay attention to excessively dirty or stained areas; agitate with an upholstery brush. Allow cleaner to penetrate for a few minutes, then wipe dry with a clean terry or microfiber towel. Follow with a Wolfgang Leather Care Conditioner to protect and enhance the surface.*

*Wolfgang Leather Care Cleaner should not be used on napped leathers like suede or glove soft leathers. Leather that is already in a hard, cracked condition cannot be restored by this product or any other means.*

16 oz. WG-2500  
64 oz. WG-2501  
1 gal. WG-2502

[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)



***Soft, sumptuous, supple leather for years to come!***

Your leather interior deserves nothing but the best in leather care and conditioning. Wolfgang Leather Care Conditioner is a silky, lavish lotion that **penetrates and nourishes leather** of all ages, even surface- and vat-dyed hides. It contains ingredients derived from nature, such as **lanolin, mink oil and other natural oils**—essential to the vibrant health and long life of your leather. This formula is potent enough to restore neglected leather to its former beauty and resiliency. **UV protection** is added to Wolfgang Leather Conditioner to **preserve and protect from sun damage, fading, drying, cracking and brittleness** that occurs naturally with age. Regular use of Wolfgang Leather Care Conditioner will leave your leather soft, supple and inviting, with a warm, natural leather aroma.

Our formula for Wolfgang Leather Care Conditioner results from many clinical studies of the world's best leather conditioners. Wolfgang set out to formulate a conditioner that would surpass all others in the following categories: longevity, absorption rate, realistic leather aroma, effectiveness on dry, stiff leather, surface enhancement, absence of residue, and overall quality. **Specially formulated to armor against stains and for advanced water beading**. Nothing is better for your leather! Wolfgang Leather Care Conditioner matches the leather's own pH rating of seven for maximum conditioning.



*For the best possible results, prepare leather for conditioning by first using Wolfgang's Leather Care Cleaner. Shake well then apply Wolfgang Leather Care Conditioner to a clean, damp cloth or a microfiber applicator. Wipe down leather with the lotion, using a circular motion to massage into the pores. Allow the conditioner a few minutes to penetrate, then buff off excess with a clean towel. After allowing leather to dry, a quick buff with a soft Cobra microfiber towel will yield a **glowing, satin finish**.*

*Wolfgang Leather Care Conditioner should not be used on napped leathers like suede or glove-soft leathers. Leather that is already in a hard, cracked condition cannot be restored by this product or any other means. With proper cleaning, conditioning and care, your leather will endure.*

16 oz. WG-2600  
64 oz. WG-2601  
1 gal. WG-2602

[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)





## **Penetrates below the surface to maintain pliability and integrity of vinyl and rubber! Protects from the suns damaging rays!**

Just as ultraviolet rays are detrimental to our skin and cause premature aging, vinyl and rubber surfaces inside your vehicle suffer the same fate. The windows actually magnify sunlight, accelerating discoloration, fading, embrittlement and cracking on the steering wheel, dash and seats. Wolfgang Vinyl & Rubber Protectant **restores and conditions dull surfaces**, bringing them to life. This is a **water-based conditioner** that penetrates beyond the surface to help maintain pliability and integrity of the covering. Wolfgang Vinyl & Rubber Protectant is **pH balanced and provides a natural, rich, smooth, satin finish** that lasts. It also **contains sunscreens to block out powerful UV rays**. Protection for your vinyl and rubber is *crucial* as these materials readily absorb UV light and are quickly damaged (known as photo degradation). To avoid this deterioration, the application of a protectant containing a UV stabilizer and a quencher (an agent that supplies competitive absorption) must occur. These molecules are absent in many "protectants" that claim to effectively block radiation. Since there has yet to be invented a permanent UV stabilizer, application of Wolfgang Vinyl & Rubber Protectant should be part of your car care routine.

Most competing products contain petroleum distillates as their shine agent. These sit atop the vinyl as an oily, greasy film that looks and feels unnatural. These petroleum products can actually speed up drying and cracking of the top layer of vinyl over time.

*Spray Wolfgang Vinyl & Rubber Protectant onto a terry applicator pad or a microfiber applicator pad and gently wipe down interi- or vinyl: seats, door panels, dash and trim. We suggest applying it to the cloth or applicator pad rather than spraying directly, to avoid overspray onto the windows. Surfaces will be enhanced with a non-reflective,, satin glow which reduces glare from the dash. Don't neglect door seals! Let the protectant sit and soak in for a few minutes. Wipe dry and voila! - A beautiful, natural finish with long-lasting protection. If you prefer a less satiny finish simply buff surfaces with a microfiber towel.*

16 oz. WG-2700  
64 oz. WG-2701  
1 gal. WG-2702  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)



## **Rejuvenate foam and wool pads with this potent citrus cleaner!**

Wolfgang Polishing Pad Rejuvenator is a strong citrus cleaner that penetrates foam and wool to release thick polishes, waxes, and compounds. **Just one ounce of this concentrated powder mixed with 3-4 gallons of water is enough solution to clean all your foam and wool polishing pads**, no matter how soiled. Instead of throwing out caked pads, use Wolfgang Polishing Pad Rejuvenator to restore and reuse your current pads.

If polish is allowed to dry on wool pads and inside the pores of foam pads, it can cause the pads to harden. Stiff pads pose a risk to your vehicle because foam may become brittle and hard clumps of wool can cause micro-marring.

**Wolfgang Polishing Pad Rejuvenator removes products as well as the oily residue they can often leave behind.** The concentrated detergent contains a strong degreaser that eliminates every trace of residue inside the pads. Once the pads dry, they will look, feel, and perform like new!

**Clean your microfiber products and bonnets with Wolfgang Polishing Pad Rejuvenator.** The citrus cleaner will penetrate the microfiber's weave to release residues and leave microfiber feeling fluffy and residue-free.

*Each package includes a 1 ounce scoop. One scoop of Wolfgang Polishing Pad Rejuvenator will create 3-4 gallons of powerful pad-cleaning concentrate.*



*When detailing your vehicle by machine, it's best to keep a 5 gallon bucket of pad-cleaning solution on hand to soak the pads as soon as you use them. Dissolve one scoop of concentrated powder in 3-4 gallons of water. Toss your used pads into the bucket and allow them to soak for 5-15 minutes. Agitate with a foam conditioning brush and rinse thoroughly. To encourage faster drying, Put each pad onto your polisher and give it a quick spin to remove all the excess water. Lay the pads in the sun to dry. Your pads will regain their shape and texture instantly!*

Follow the same directions to clean microfiber. You can tumble dry towels on low heat in your clothes dryer if desired.

8 oz. WG-4200  
16 oz. WG-4201  
[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)





Car care: *What's the goal? What's the bottom line?*

From the novice who frequents the local drive-through car wash to the car care enthusiast who meticulously attends to every detail of proper auto care, we're all after one thing -protecting the paint. In years past, washing and waxing were thought to be sufficient. Unfortunately, not.

Stating it simply, a complete regimen for protecting a car's paint has three main components: **washing, decontaminating, and protecting.** Washing removes the majority of dust, dirt, and other visible grime. No automatic or hand car wash, regardless how thorough, can remove bonded or embedded contaminants which ultimately eat away at the paint or clear coat. Likewise, no wax or paint sealant can prevent this contamination. These airborne pollutants come from a variety of sources—brake dust, rail dust, overspray, sap, and tar—and must be exfoliated from the paint before applying any kind of protectant. **The only effective, non-abrasive method of paint decontamination is claying and polishing.** Claying, done about every six months, attracts foreign matter from beneath the surface and pulls them away safely for a deep-down clean. Clay even removes particles invisible to the naked eye for a glass-smooth finish. Polishing works in accordance by rejuvenating the top layer, smoothing tiny scratches

and swirl marks with micro fine abrasives, and restoring the paint's deep vibrant colors. **Skipping these steps before protecting the paint locks in paint-fouling dirt, and blemishes causing more damage down the road.**

**There are only two means of paint protection: waxing and sealing.** Traditionally, the much sought-after, liquid-like, deep shine is attained through a pure carnauba paste wax. But, even car buffs will admit that carnaubas are moderately difficult and time consuming, tend to streak, haze, and deteriorate in high humidity and temperatures. Most have solvents that eventually dry and dull paint. The biggest complaint concerning waxes is their short life span of eight to ten weeks, at best.

Liquid paint sealants, unlike waxes, are quick and easy to apply, suitable for extreme climates, resistant to salt, UV rays, and humidity. The most dramatic difference between a paint



sealant and a paste wax is the duration of the protection it offers. A paint sealant lasts four to six months, even in the hottest climates. The biggest complaint about typical paint sealants is the cold, superficial shine.

Everyone longs for that rich, wet-looking carnauba gloss finish, but few have time for proper upkeep. **Wolfgang Deep Gloss Paint Sealant has bridged the gap between carnauba waxes and paint sealants,** combining their most desirable traits. Thanks to German-discovered "super polymers," the foundation of our formula, we've created a revolutionary paint protector that has the appearance of a pure carnauba wax, but the genetic make-up of a paint sealant. Wolfgang Deep Gloss Paint Sealant lasts about five times longer than any wax, takes a fraction of the time and effort to apply, and is gentler to paint. Like armor, it is highly resistant to harsh temperatures, raging elements and environmental pollutants. **The technology behind Deep Gloss Paint Sealant is the future of paint protection.**

### BENEFITS OF WOLFGANG DEEP GLOSS PAINT SEALANT

- **Durable:** Withstands frequent washings, extreme climates, ultraviolet rays, salt water, and environmental contaminants.
- **Protective:** Armors your car's finish.
- **Long-lasting:** Five to six months in severe climates, longer in milder conditions.
- **High-tech:** Formulated with state-of-the-art German scientific innovations in molecular chemistry.
- **Easy:** Apply liquid, allow to dry, wipes off!
- **Quick:** Applies in under an hour.
- **Mild:** Non-abrasive, super polymer based emulsion, for total protection.
- **Attractive:** Deep, wet gorgeous shine.
- **Economical:** Quality, long-lasting products are an exceptional value.



[www.wolfgangcarcare.com](http://www.wolfgangcarcare.com)