

HOLSTER SELECTOR CHART

CALIBER	GUN MODEL	BARREL LENGTH	LEATHER CONCEALMENT	LEATHER SPORTSMAN	LEATHER DUTY	ACCUMOLD, ELITE™ / ACCUMOLD® DUTY	ACCUMOLD®/RANGER™ CONCEALMENT	ACCUMOLD®/RANGER™ SPORTSMAN	MILITARY / TACTICAL
BERETTA									
.25	950 JETFIRE, MINX M20	2.0	6, 105						
.32	3032 TOMCAT	2.5	6, 6D, 100, 105, 106						
.380	84, 84F, 85, 85F	3.8	6, 6D, 19L, 100, 215, X15, 105 & 106 (F VER-SION ONLY)	19L, X15			4597, 4601, 4620, 4750, 7500, 7506, 7700	7000	
9mm	9000S TYPE F	3.5	7, 82, 106						
.40, 9mm	8000F, 8040F	3.6	6D, 7, 19L, 59, 100, 105, 106, 215, X15	19L		7105, 7115, 7125	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	UM84I, UM92I
.40, 9mm	92F, 96F, 92/96F CENTURION, 92FC, 92FCM, 92C	4.5, 5.0	3S, 5, 6, 6D, 7, 19, 19L, 59, 82, 83, 84, 105, 106, 111, 215, X15, X16, X16L	19, 19L, 111, X15	19L-2, 390	7105, 7120, 7125, 7130, 7920, 7930	4597, 4601, 4620, 7500, 7506, 7700	7000, 7001	M12, T6500, T6505, UM84I, UM92I
.40, 9mm	92D/96D BRIGADIER	5.0	3S, 5, 6, 7, 82, 83, 84, 111	111		7105, 7115, 7120, 7130, 7930	7500	7001	UM84I, UM92I
.40, 9mm	92FS/96 VERTEC	5.0	5, 82, 83, 84, 90, 105, 106, X15	X15	390	7105, 7115, 7120, 7125, 7130, 7135, 7140, 7920, 7930, 7935, 7940	4597, 4601, 4620, 7500, 7506	7000, 7001	M12, T6500, T6505, UM84I, UM92I
.45	8045	3.7	6D, 7, 59, 100, 105, 106, X15	X15		7105	4620, 4750, 7500, 7506, 7700	7000, 7001	
BERSA									
.380	Thunder 380	3.5	3S, 5, 6, 6D, 7, 19L, 59, 100, 105, 106	19L			4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	
BROWNING									
.380	BDA	3.7	6, 6D, 19L, 215, X15	19L, X15			4601, 4620, 4750		
9mm	Hi-Power	4.6	3S, 5, 6D, 7, 19, 19L, 82, 83, 100, 105, 106, X15, X16, X16L	19, 19L, X15	19L-2	7105	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	
COLT									
.357	KING COBRA, PYTHON	4.0	5, 5BH, 5BHL, 6, 6D, X15	5BH, 5BHL, X15	5BHL-2	7105, 7905	4597, 4601, 4620, 7500, 7506	7000, 7001	UM84R
.357	KING COBRA, PYTHON	6.0	5BH, 5BHL, 111, X15	5BH, 5BHL, 111, X15	5BHL-2		4601, 7506	4100, 4101, 7000, 7001	
.357	PYTHON, MKIII SERIES	6.0	5BH, 5BHL, 111, X15	5BH, 5BHL, 111, X15	5BHL-2		4601, 7506	4100, 4101, 7000, 7001	
.357	PYTHON	8.0	111, X15	111, X15				4100, 4101	
.36	SD2020	2.0	3S, 5, 5BH, 5BHL, 6, 6D, 7, 100, 105, 106, 111, 215, X16, X16L	5BH, 5BHL			4601, 4620, 4750, 7500, 7506	7000, 7001	
.38	DETECTIVE SPECIAL	2.0	3S, 5, 5BH, 5BHL, 6, 55L, 105, 106, X15, X16, X16L	5BH, 5BHL, X15	5BHL-2		4597, 4601, 4750, 7500	7000, 7001	
.38	MUSTANG	3.0	6, 6D, 19L, 100	19L			7500, 7506, 7700	7000, 7001	
.38	PONY	3.0	19L, 100, 105, 106	19L			4750		
.38	GOVERNMENT	3.5	6, 6D, 19L, 100, 105, 106, 215, X15	19L, X15			4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	
.38S, .45	GOVERNMENT, GOLD CUP NATIONAL MATCH (Will not fit Para Ordnance LDA)	5.0	3S, 5, 6, 6D, 7, 19, 19L, 59, 82, 83, 84, 100, 105, 106, 111, X15, X16, X16L	19, 19L, 111, X15	19L-2	7105	4597, 4601, 4620, 7500, 7506, 7700	7000, 7001	T6500, T6505, UM84I, UM92I
.44	ANACONDA	4.0	5BHL, 111, X15	5BHL, 111, X15	5BHL-2			7001	UM84R
.44	ANACONDA	6.0	5BHL, 111, X15	5BHL, 111, X15	5BHL-2			4100, 4101	
.44	ANACONDA	8.0	111, X15	111, X15				4100, 4101, 7000	
.45	OFFICERS' ACP (Will not fit Para Ordnance LDA)	3.25	3S, 5, 6, 6D, 19L, 59, 82, 84, 100, 105, 106, X16, X16L	19L			4597, 4601, 4620, 4750, 7506, 7700		
.45	COMMANDER, COMBAT COMMANDER (Will not fit Para Ordnance LDA)	4.25	3S, 5, 6, 6D, 59, 84, 100, 105, 106, X15, X16, X16L	X15			4597, 4601, 4620, 4750, 7506, 7700		UM84II, UM92II
.45	SINGLE ACTION ARMY	4.6		1L				4100, 4101	
.45	SINGLE ACTION ARMY	5.5, 7.5	X15	1L, X15				4100, 4101	
10mm	Delta Elite	5.0	3S, 5, 7, 19, 19L, 111, X15, X16, X16L	19, 19L, 111, X15	19L-2		4601		UM84I, UM92I
CZ									
9mm	75, T275	4.5	5, 6, 6D, 82, 105, 106, X15, 215	X15		7105	4597, 4601, 7506	7000	UM84II, UM92II
9mm	75 COMPACT	3.9	5, 6, 100, 105, 106						
GLOCK									
.40, 9mm	26, 27	3.25	3S, 5, 6, 6D, 7, 19, 19L, 59, 82, 83, 84, 100, 105, 106	19, 19L			4597, 4750, 7500, 7506	7000, 7001	UM84II, UM92II
.40, 9mm	19, 23	4.0	3S, 5, 6, 6D, 7, 19, 19L, 59, 82, 83, 84, 100, 105, 106, X15, X16, X16L	19, 19L, X15	19L-2, 390	7105, 7115, 7120, 7125, 7130, 7135, 7140, 7920, 7930, 7935, 7940	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	UM92II
.40, 9mm	17, 22	4.5	3S, 5, 6D, 7, 19, 19L, 59, 82, 83, 84, 100, 105, 106, X15, X16, X16L	19, 19L, X15	19L-2, 390	7105, 7115, 7120, 7125, 7130, 7135, 7140, 7920, 7930, 7935, 7940	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	T6500, T6505, UM84II, UM92II
.40, 9mm	34, 35	5.3	5, 19, 105, 106	19			7500, 7506		T6500
.40, 9mm	GLOCK 19, 23 (WITH STREAMLIGHT M3/M6)	4.0	90			7145, 7945			
.40, 9mm	GLOCK 17, 22 (WITH STREAMLIGHT M3/M6)	4.5	90			7145, 7945			
.45	36	3.8	3S, 5, 6, 6D, 7, 59, 82, 83, 100, 105, 106, X15	X15			4601, 4620, 4750, 7500, 7506	7000, 7001	
.45	37	4.5	82, 83						
.45, 10mm	29, 30	3.25	3S, 5, 6, 6D, 7, 59, 100, 105, 106			7105	4620, 4750, 7500, 7506, 7700	7000, 7001	UM84III, UM92II
.45, 10mm	20, 21	4.5	5, 6D, 7, 19, 19L, 59, 82, 83, 84, 105, 106, X15, X16, X16L	19, 19L, X15	19L-2	7105, 7115, 7120, 7125, 7130, 7135, 7140, 7920, 7930, 7935, 7940	4597, 4601, 4620, 7500, 7506, 7700	7000, 7001	T6500, T6505, UM84II, UM92II

CALIBER	GUN MODEL	BARREL LENGTH	LEATHER CONCEALMENT	LEATHER SPORTSMAN	LEATHER DUTY	ACCUMOLD, ELITE™ / ACCUMOLD® DUTY	ACCUMOLD®/RANGER™ CONCEALMENT	ACCUMOLD®/RANGER™ SPORTSMAN	MILITARY / TACTICAL
HECKLER & KOCH									
9mm	P7-M8, M13	4.0	19L, X15	19L, X15					UM84III
.40	P2000	3.5	5, 6, 82, 100					7120, 7140, 7920, 7940	T6505, UM84III
.40	USP COMPACT	3.5	3S, 5, 6, 6D, 59, 100, 105, 106, X15	X15				7105, 7120, 7920	T6505, UM84III
.40, .45	USP	4.0	5, 6, 6D, 7, 19, 19L, 105, 106, X15	19, 19L, X15	19L-2			7105, 7115, 7120, 7125, 7130, 7135, 7920, 7930, 7935	T6500, UM84II, UM92II
KAHR									
9mm	MK9	3.0	3S, 5, 6D, 7, 59, 100, 105, 106						4597, 4750, 7500, 7506
9mm	K9 DA, K40, K40 COVERT	3.5	3S, 5, 6D, 7, 59, 100, 105, 106						4597, 4750, 7500, 7506
.40	T40	4.0	6D, 7, 105						4597, 4601, 4750, 7506
KEL TEC									
9mm	P-11	3.1	100, 105, 106						
KIMBER									
.45	ULTRA 10	3.0	100						4601, 4620, 4750, 7506, 7700
.45	ULTRA CARRY II	3.0	3S, 5, 19L, 59, 82, 84, 105, 83, 106, X16	19L					4597, 4601, 4620, 4750, 7506, 7700H
.45	COMPACT	4.0	105, X15, X16	X15					4601, 4620, 4750, 7506, 7700
	BP TEN II	5.0	6, 6D, 100						4597, 4601, 7506
.45	CUSTOM II	5.0	3S, 5, 6, 6D, 19, 19L, 82, 100, 105, 106, 111, X15, X16, X16L	19, 19L, 111, X15	19L-2	7105			4597, 4601, 4620, 7500, 7506, 7700
.45	CUSTOM TLE / RL II	5.0							7105
PARA ORDNANCE * NOT LDA MODELS / LDA MODELS FIT HAMMERLESS VERSIONS ONLY									
.357	MARTIAL, COMANCHE	4.0	5, 5BH, 5BHL, 6, 7, 111, 215, X16, X16L	5BH, 5BHL, 111	5BHL-2	7105			4597, 4601, 4620, 7500, 7506
.357	MARTIAL, COMANCHE	6.0	5BH, 5BHL, 111	5BH, 5BHL, 111	5BHL-2				4100, 4101, 7000, 7001
.45	IXA LARGE FRAME	5.0	3S, 5, 7, 19, 19L, 59, 111, X16, X16L	19, 19L, 111	19L-2	7105			4597, 4601, 7500, 7506, 7700
.45, 9mm	945 COMPACT	4.5	3S, X16, X16L						4601
.40	P16*40*	5.0	3S, 5, 6, 6D, 7, 19, 19L, 111, X15, X16, X16L	19, 19L, 111, X15	19L-2	7105			4597, 4601, 4620, 7500
.40 9mm	P16 LDA , P18 LDA	3.5, 5.0	3S, 5, 7, 59, 100						7120
.40, .45	P10*	3.0	100						4750
.45	P12*45*	3.5	3S, 5, 6, 6D, 19L, 100, 105, 106, X15, X16, X16L	19L, X15		7105			4597, 4601, 4620, 4750
.45	P13*45*	4.5	3S, 5, 6, 6D, 100, X15, X16, X16L	X15		7105			4597, 4601, 4620, 7500
.45	P14 LDA	5.0	3S, 5, 7, 59, 82, 100						7120
.45	P14*45*	5.0	3S, 5, 6, 6D, 7, 19, 19L, 59, 100, 111, X15, X16, X16L	19, 19L, 111, X15	19L-2	7105			4597, 4601, 4620, 7500
RUGER									
9mm	P95	4.0	5, 6D, 7, 59, 105, 106, 215, X15, X16	X15		7105, 7115			4750, 7500, 7506, 7700
9mm	P94	4.3	5, 7, 59, 105, 106, 215, X16, X16L			7105, 7115, 7120, 7125			4597, 4620, 4750, 7506, 7700
.22	AUTO STANDARD, MKII TARGET	4.3, 5.5							7000
.22	SINGLE SIX, SUPER SINGLE SIX	5.5							4100
.22	SINGLE SIX, SUPER SINGLE SIX	6.5	X15	1L, X15					4100
.357	SP101	2.5, 3	3S, 5, 5BH, 5BHL, 6, 6D, 7, 55L, 100, 105, 106, 215, X15, X16, X16L	5BH, 5BHL, X15	5BHL-2				4597, 4601, 4620, 4750, 7500, 7506
.357	GP100	3.0	5, 6, 6D, 111, X16, X16L	111					4597, 4620, 7506
.357	GP100	4.0	5, 5BH, 5BHL, 6, 6D, 7, 111, X15	5BH, 5BHL, 111, X15	5BHL-2	7905			4597, 4601, 4620, 7506
.357	GP100	6.0	5BH, 5BHL, 111, X15	5BH, 5BHL, 111, X15	5BHL-2				4100, 4101, 4601, 7000, 7001
.357, .41, .44	BLACKHAWK	6.5, 7.5	X15	1L, X15					4100, 4101
.357, .41, .44	BLACKHAWK	10.5							4100, 4101
.40, .45, 9mm	P85, P89 P90, P91	4.0, 4.3	5, 6D, 7, 19, 19L, 105, 106, 215, X15, X16, X16L	19, 19L, X15	19L-2	7105, 7115			4597, 4601, 4620, 4750, 7500, 7506, 7700
.44	SUPER BLACKHAWK	4.6		1L					
.44	REDHAWK	5.5	5BHL	5BHL	5BHL-2				4100, 4101
.44	REDHAWK	7.5	5BHL, 111	5BHL, 111	5BHL-2				4100, 4101
.44	SUPER REDHAWK	7.5, 9.5	111	111					4100, 4101
.45	KP97D	4.0	7, 59, 105, 106						7500, 7700
.45	VAQUERO	4.6	X15	1					

HOLSTER SELECTOR CHART

CALIBER	GUN MODEL	BARREL LENGTH	LEATHER CONCEALMENT	LEATHER SPORTSMAN	LEATHER DUTY	ACCUMOLD_ELITE™ / ACCUMOLD® DUTY	ACCUMOLD®/RANGER™ CONCEALMENT	ACCUMOLD®/RANGER™ SPORTSMAN	MILITARY / TACTICAL
SIGARMS (CONTINUED)									
.38	P230, P232	3.25	3S, 5, 6, 6D, 7, 19L, 59, 100, 105, 106, 215, X15	19L, X15			4597, 4601, 4620, 4750, 7500, 7506	7000, 7001	
.357, .40, 9mm	P239	3.5	3S, 6D, 7, 100, 105, 106				4597, 4620, 4750, 7500, 7506	7000, 7001	
.40, 9mm	P228, P229 (WITHOUT RAILS)	3.9	3S, 5, 6, 6D, 7, 19, 19L, 59, 82, 84, 100, 105, 106, 215, X15, X16, X16L	19, 19L, X15	19L-2	7105, 7115, 7120, 7125, 7130, 7135, 7920, 7930, 7935	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	UM92II
.40, 9mm	SP2009, SP2340	3.9	7, 19, 19L, 59, 105, 106, X15	19, 19L, X15		7105, 7125, 7130, 7135 (not 2009), 7930, 7935	4597, 4750, 7500, 7506, 7700	7000, 7001	T6500
.45	P245	3.9	59, 82				7500, 7506, 7700		UM84I, UM92I
.45, 9mm	P220R*, P226R* (WITH RAILS)	4.4	5, 6D, 7, 59, 82, 83, 84, 100, 105, 106, 215, X15	X15	19L-2, 90, 390	7105, 7115, 7120, 7125, 7130, 7135, 7140, 7920, 7930, 7935, 7940	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	T6500, T6505, UM84I
.45, 9mm	P220, P226 (WITHOUT RAILS)	4.4	5, 6D, 7, 19, 19L, 59, 82, 83, 84, 105, 106, 100, 215, X15, X16, X16L	19, 19L, X15	19L-2	7105, 7115, 7120, 7125, 7130, 7135, 7920, 7930, 7935	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	T6505, UM84I, UM92II
.45, 9mm	P220R*, P226R* (WITH STREAMLIGHT M3/M6)	4.4	90			7145, 7945			
.45, .357	P2022	3.9	19, 59	19	19L-2	7105, 7125, 7130	4597, 4601, 4750, 7500, 7506, 7700	7001	T6500
SMITH & WESSON									
9mm	CS9	3.0	7, 100, 105, 106				4597, 4601, 4750, 7500, 7506, 7700	7000, 7001	
9mm	6904/6906	3.2, 4.0	5, 19, 82, 105, 106, X15, X16, X16L	19, X15		7105, 7115, 7120	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	UM84III
9mm	3913, 3913LS, 3914	3.5	5, 6, 6D, 19, 105, 106, X15, X16, X16L	19, X15		7105, 7115	4597, 4620, 4750, 7500, 7506, 7700	7000, 7001	UM84III
9mm	3953, 3954	3.5				7105, 7115	4597, 4620, 4750, 7500, 7506, 7700	7000, 7001	
9mm	6924/6926	3.5	100, 106		19L-2	7105, 7115	4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	
9mm	6944, 6946	3.5	100, 106			7105, 7115	4601, 4620, 7500	7000, 7001	
9mm	3906, 3913TSW (WITH RAILS)	4.0	6D, 105, 106, X15	X15			7506		
9mm	5943 (ROUND TRIGGER ONLY)	4.0	3S, 6, 6D, 82, 100, X15	X15			4620, 4750, 7506, 7700	7000, 7001	UM92II
9mm	5944/5946 (ROUND TRIGGER ONLY)	4.0	6, 6D, X15	X15			4597, 4601, 4620, 4750, 7506, 7700	7000, 7001	UM92II
9mm	909, 910, 915, 3904/3906, 5904/5906 (ROUND TRIGGER ONLY)	4.0	3S, 5, 6, 6D, 7, 19, 19L, 59, 100, 105, 106, 215, X15, X16, X16L	19, 19L, X15	19L-2	7105, 7115, 7120, 7125, 7920	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	UM92II
9mm	SW99	4.0	5, 7, 59, X15	X15		7120, 7920	4750, 7500, 7506	7001	T6500
10mm	1066, 1076, 4566, 4576	4.2	5, 6, 6D, 82, 106, X16			7105, 7115, 7120, 7920	4601, 4620, 7506	7000, 7001	UM84II, UM92II
10mm	1086, 4586	4.2	6				4620, 7506	7000, 7001	UM84I, UM92II
10mm	610, N	5.0	5BHL, X15	5BHL, X15	5BHL-2			4100, 4101	
.22	41, 422 AUTO	4.0, 5.0					7000		
.22	617, K	4.0, 6.0	5BH, 5BHL, 111, X15	5BH, 5BHL, 111, X15	5BHL-2		4601, 7506	4100 (6"), 4101 (6"), 7000, 7001	
.38	BODYGUARD, CENTENNIAL 38, 49, 442, 640, 649, 940, J	2.0	6, 6D, 55L, 100, 105, 106, X15	X15			4597, 4601, 4620, 4750	7000, 7001	
.38	CHIEFS SPECIAL 36, 36LS, 37, 60, J	2.0	3S, 5, 5BH, 5BHL, 6, 6D, 7, 55L, 100, 105, 106, 111, 215, X15, X16, X16L	5BH, 5BHL, 111, X15	5BHL-2		4597, 4601, 4620, 4750, 7500, 7506	7000, 7001	
.38	CHIEFS SPECIAL 36, 37, 60, J	3.0	5, 5BHL, 6, 7, 215, X15, X16, X16L	5BHL, X15	5BHL-2		4597, 4601, 4620, 4750, 7506		
.38	SIGMA	3.0	100, 105, 106				4597, 4750		
.38	KIT GUN 30, 31, 34, 63, J	4.0	5BHL	5BHL	5BHL-2		4601, 7506		
.38	MILITARY & POLICE 10, 12, 13, 15, 64, 65, K	4.0	5, 5BH, 5BHL, 6, 6D, 7, 106, 111, 215, X15, X16, X16L	5BH, 5BHL, 111, X15	5BHL-2	7105	4601, 4620, 4750, 7500, 7506	7000, 7001	UM84R
.38	K38 14, 17, 48, K	8.3	X15	X15				4100, 4101	
.38, .357	MILITARY & POLICE 10, 12, 15, 64, K	2.0	5, 6, 6D, 7, 106, 111, 215, X16, X16L	111			4601, 4620, 4750, 7506	7000, 7001	
.38, .357	MILITARY & POLICE 10, 13, 64, 65, K	3.0	5, 6, 7, 215, X16, X16L				4597, 4601, 4620, 4750, 7500, 7506	7000, 7001	
.357	640-1	2.1	6, 55L, X15	X15			4597, 4750, 7500		
.357	COMBAT MAGNUM 13, 19, K	2.5	3S, 5, 5BH, 5BHL, 6, 7, 100, 105, 106, 111, 215, X16, X16L	5BH, 5BHL, 111	5BHL-2		4597, 4750, 7500, 7506	7000, 7001	
.357	586 L	2.5, 3.0					4620, 7500, 7506	7000, 7001	
.357	COMBAT MAGNUM 15, 18, 19, 48, 66, 67, K	4.0	5, 5BH, 5BHL, 6, 6D, 7, 105, 106, 111, 215, X15, X16, X16L	5BH, 5BHL, 111, X15	5BHL-2	7105	4601, 4620, 7500, 7506	7000, 7001	UM84R
.357	DIST. COMBAT MASTER 581, 585, 681, 686, L	4.0	5, 5BH, 5BHL, 6, 7, 111, X15	5BH, 5BHL, 111, X15	5BHL-2	7105	4601, 4620, 7500, 7506	7000, 7001	UM84R
.357	COMBAT MAGNUM 14, 16, 17, 19, 48, 66, K	5.0	5, 5BH, 5BHL, 111, X15	5BH, 5BHL, 111, X15	5BHL-2		4100, 4101, 7506	7000, 7001	
.357	DIST. COMBAT MASTER 581, 585, 681, 686, L	6.0	5BH, 5BHL, 111, X15	5BH, 5BHL, 111, X15	5BHL-2			4100, 4101, 7000, 7001	
.357, .41, .44	27, 28, 29, 57, 25, 45, 629, 25-5, N MAGNUM	6.0, 6.5	5BHL, X15	5BHL, X15	5BHL-2			4100, 4101, 7000	
.357, .41, .44	27, 29, 57, 529, 255, N MAGNUM	8.3	X15, 111	111, X15				4100, 4101, 7000, 7001	
.357, .41, .44	27, 28, 29, 57, 58, 629, 25-5, N MAGNUM	4.0	5BHL, 111	5BHL, 111	5BHL-2			7001	
.40	4013, 4053, 4054	3.5	5, 6D, X16, X16L				4597, 4601, 4620, 4750, 7506, 7510	7000, 7001	

CALIBER	GUN MODEL	BARREL LENGTH	LEATHER CONCEALMENT	LEATHER SPORTSMAN	LEATHER DUTY	ACCUMOLD_ELITE™ / ACCUMOLD® DUTY	ACCUMOLD®/RANGER™ CONCEALMENT	ACCUMOLD®/RANGER™ SPORTSMAN	MILITARY / TACTICAL
SMITH & WESSON (CONTINUED)									
.40	4013TSW	3.7	105, 106					7105, 7125	
.40	4003, 4004/4006	4.0	3S, 5, 6, 6D, 7, 19L, 59, 82, 100, 105, 106, X15, X16, X16L	19L, X15	19L-2	7115, 7125, 7920	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	T6500, UM92II
.40	4006TSW (WITH HAMMER), 5903/5906TSW (WITH RAILS)	4.0	5, 7, 59, X15	X15		7130, 7135, 7930, 7935	4601, 4620, 7506	7001	T6500, T6505
.40	4043, 4044/4046	4.0	106, X15	X15		7115, 7120	4597, 4601, 4620, 4750, 7506, 7700	7000, 7001	UM92II
.40	M&P	4.25	6D, 19, 19L, 82, 100, 106	19, 19L		7115, 7120	4750, 7700		UM84II
.40, 9mm	SW40F, SW9F, SW40V	4.2	6D, 105, X15	X15		7105, 7115	4597, 4601, 4750, 7500, 7506, 7700	7000, 7001	
.40, .45	CS40, CS45	3.2	7, 100, 105, 106, X16, X16L				4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	
.45	1016, 4516	3.7	5, 6, 6D, 100, 105, 106, X15, X16, X16L	X15			4597, 4601, 4620, 4750, 7506, 7700	7000, 7001	
.45	4513TSW	3.7	7, 100, 105, 106, X15	X15			7506	7001	
.45	4526, 4536	3.7					4620		
.45	4556	3.7	106			7105	4620, 4750, 7506		
.45	4563TSW, 4566TSW (WITH RAILS)	3.7	X15	X15			4601, 4620, 7506		T6500
.45	411	4.0	3S, 5, 6, 6D, 7, 19, 19L, 59, 82, 100, 105, 106, 215, X16, X16L	19, 19L	19L-2	7105, 7115, 7120, 7125, 7920	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	UM92II
.45	1006, 4506	5.0	3S, 5, 6, 6D, 105, 106, X15, X16, X16L	X15		7105, 7115, 7120, 7130, 7135, 7920, 7930, 7935	4597, 4601, 4620, 7500, 7506, 7700	7000, 7001	UM84I, UM92I
.45	1046, 4544	5.0				7105	4620		
SPRINGFIELD ARMORY									
.40, 9mm	XD-9, XD-40	4.0	6, 6D, 19, 19L, 59, 82, 90	19, 19L				4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001
.45	V10	3.5	100, 105, 106						
.45	1911-A1	5.0	3S, 5, 6, 6D, 7, 19, 19L, 59, 82, 100, 105, 106, 111, X15, X16, X16L	19, 19L, 111, X15	19L-2	7105	4597, 4601, 4620, 7500, 7506, 7700	7000, 7001	T6500, T6505, UM84I, UM92I
.45	TRP OPERATOR	5.0	6, 6D, 105				4597, 4601, 4620		T6500
TAURUS									
.22, .32, .22 Mag	94, 741, 941	3.0, 4.0							UM84R
9mm	PT-111	3.3	3S, 5, 7, 82, 83, 100				4750		
9mm	PT-92, PT-92C, PT-99	4.0, 5.0	3S, 5, 6, 6D, 7, 19, 19L, 59, 105, 106, 111, 215, X15, X16, X16L	19, 19L, 111, X15	19L-2	7105, 7115, 7120, 7125, 7920	4597, 4601, 4620, 4750, 7500, 7506, 7700	7000, 7001	UM84I, UM92I
.357	607	6.0	5BHL, 111, X15	5BHL, 111, X15	5BHL-2				
.357	66, 80, 89, 669, 689	6.0	5BH, 5BHL, 111, X15	5BH, 5BHL, 111, X15	5BHL-2	7105	7506	4100, 4101, 7000, 7001	
.357, .41, .44, .45	617T, 445T, 450T, 415T	2.0, 2.5	3S, 5BH, 5BHL, 6, 7, 100, 105, 106, 111, 6D, 215, X16, X16L	5BH, 5BHL, 111	5BHL-2		4597, 4601, 4620, 4750, 7500 (415, 450 only)	7000, 7001	
.38	85, 85T, 731	2.0	3S, 5, 5BH, 5BHL, 6, 6D, 7, 55L, 100, 105, 106, 111, 215, X15, X16, X16L	5BH, 5BHL, 111, X15	5BHL-2		4597, 4601, 4620, 4750, 7500, 7506	7000, 7001	
.38	PT-58	4.0	X15	X15			4601, 7506	7000, 7001	
.38, .357	65, 66, 80, 82, 83, 669, 689	2.5, 4.0	5, 5BH, 5BHL, 6, 6D, 7, 111, 215, X15, X16, X16L	5BH, 5BHL, 111, X15	5BHL-2	7105 (4")	4597, 4601, 4620, 4750, 7500, 7506	7000, 7001	UM84R
.40	PT-140	3.8	3S, 5, 7, 59, 100						
.40	PT-24/7	4.0	6			7105, 7125, 7135, 7935	4597, 4750, 7500, 7506	7001	T6505, UM92II
.40	PT-99, PT-100, PT-101	5.0	3S, 6, 105, 106, X15, X16, X16L	X15		7105, 7115, 7120, 7125, 7920	4597, 4601, 4620, 7500	7000, 7001	UM84I, UM92I
.41	425 TRACKER	4.0	5						

At Bianchi, our goal is to provide you with the finest quality holster products. Fitted and used properly, a holster facilitates firearm safety. All firearms, however, are potentially dangerous, and if misused, may cause great harm, injury or death. You are responsible for becoming thoroughly familiar with the safe and proper use of your firearm under all conditions. You are also responsible for making sure your firearm is in proper, safe operating condition. Please read these very important safety warnings prior to use of any Bianchi holster.

Consumer Safety Warnings

FIREARMS SAFETY

Bianchi continually strives to provide the finest quality holster products with an emphasis on safety, function, comfort and convenience. Fit and used properly, a holster is a valuable aid in carrying a firearm. Because holsters are used to carry firearms, however, any person purchasing or using a Bianchi holster should read and understand the following warnings and instructions, as well as being thoroughly familiar with the proper and safe use of his or her firearm in the circumstances in which he or she is using it.

All firearms are potentially dangerous. Their use may cause great harm, personal injury or death. For your own safety and the safety of others, it is your responsibility to carry and handle a firearm safely. Proper training is available through accredited firearms safety programs conducted through police departments, the military, state-run hunter safety programs, and other agencies such as the National Rifle Association. Do not carry or use a firearm without a thorough knowledge of its characteristics and safe use in the circumstances in which you intend to use it. It is also your responsibility to be certain that your firearm is in proper, safe operating condition.



Pin to rest on empty chamber



Be sure firearm is not cocked when placing in holster

CARRYING

Loaded Firearms

Carrying a firearm with a live cartridge in the chamber could result in an accidental discharge. Certain single-action revolvers and semiautomatic pistols should only be carried with the hammer or firing pin resting on an empty chamber. It is your responsibility to exercise extreme caution when handling or carrying any handgun, and to assume at all times that the gun is loaded.

Cocked Hammers

Be sure your firearm is uncocked before placing it in the holster. Carrying a cocked firearm in the holster or attempting to cock or uncock a firearm when it is in the holster can result in an accidental discharge.

Take-Away

Carrying a firearm is a serious responsibility and must be given constant attention and awareness at all times. It is not possible for any holster to be manufactured which is completely "take-away proof". It is your responsibility to exercise extreme caution at all times during any situation where another individual may attempt to take away your handgun and to strictly adhere to any procedure in which you have been trained.

Retention

Do not rely on your holster's retention capabilities to justify activity which may dislodge your firearm. Your firearm should be held in place by hand during vigorous physical activity to avoid the gun falling from the holster. Always make sure the firearm is firmly seated in its proper position in its holster.

HOLSTERING

Always point your handgun in a safe direction and use extreme caution when holstering or unholstering your handgun to avoid an accidental discharge. Never place your finger inside the trigger guard while holstering or removing your gun from the holster. Keep your thumb on the back of the hammer or the slide when inserting your gun into the holster to help prevent movement during insertion. Be certain that your handgun is securely seated in the holster and that any integral strap is properly engaged.

FIT

Your Bianchi holster should only be used with the specific gun model for which it was designed. After being certain your firearm is unloaded, you should test your holster for proper fit. Never place a loaded firearm in a holster without first testing it unloaded for proper fit. Use only the handgun for which your holster was designed. If there is any doubt, cease use immediately.

It is important for your own safety and protection that you physically check the compatibility of the handgun with the holster. Although Bianchi attempts to fit the most current model handguns, manufacturers of handguns constantly update their product specifications, often several times per year. Even the slightest changes can have important safety consequences with regard to the way in which a gun fits a particular holster. Bianchi will not be responsible for such changes or for typographical or other human errors which can and do occur despite diligent efforts.

It is also your responsibility to regularly check your holster, including any retaining strap, snap and spring or other retaining device, for precise fit and performance. Should your holster become ill-fitting, worn, loose, or defective at any time, cease use immediately.



Do not use trigger shoes

ALTERATION

Neither your gun nor your Bianchi holster should be modified in any way because alteration may increase the chance for accidental discharge. All Bianchi holsters are designed to function safely and efficiently with modern, high quality factory equipped handguns. Use of trigger shoes, target triggers or grip adapters may prevent the handgun from correctly fitting the holster. Trigger shoes, for example, are outmoded, removable devices that provide a trigger surface which is usually wider than the handgun's protective trigger guard. Trigger shoe equipped handguns should never be used with any holster, because an accidental discharge may occur which could cause great harm, personal injury, or death.

To Insure Your Satisfaction


Your Bianchi product is carefully crafted from the finest materials. For product longevity and your own safety, here are some common sense guidelines:

INSPECTING YOUR PRODUCT


1. Thoroughly read the safety information in this catalog and other information included with your purchase.
2. Make sure your handgun fits properly, safely and to your satisfaction.
3. Visually inspect for any defects in material or workmanship.
4. Check the retainer strap, spring or other retaining device and be certain that your handgun is properly and safely secured for your application.
5. Visually inspect all stitchings, snaps, springs, clips and rivets for looseness, breakage or other damage.
6. Pay special attention to points of strain and critical points such as belt loops, welts, retainer straps, springs or other retaining devices.
7. Look for any sign that leather or other materials have become dry or brittle.
8. Should your holster or other product become worn, loose, defective or ill-fitting, cease use immediately.

How to Measure Barrel Length

Before you order a holster, please be sure you have the correct barrel measurement for your handgun. This measurement is very easy to do and it will insure that you get the holster that's exactly right for your gun.



Revolvers – Measure barrel length from the face of the cylinder to the muzzle.



Semiautomatics – Measure barrel length from the rear portion of the ejection port to the muzzle.

Care and Storage

Storage

Store your leather in a cool, dry place. High humidity can cause mildew, while dry heat and direct sunlight can cause drying and cracking. If you leave your handgun in the holster or other product, check it daily for moisture, condensation or corrosion. Changing atmospheric conditions, heavy perspiration and other factors could create such conditions.

Care

Treat the interior of your holster with spray silicone to help protect against excess moisture. It also speeds the draw by reducing friction. If your product becomes water-soaked, reshape it as best you can and allow it to air-dry at room temperature. Do not use a hot oven - it will shrink, harden and crack the leather.

Because Bianchi leather is hand finished with our special leather dressing, should your leather product become dry or scratched, you can treat the exterior with a commercial leather dressing that does not contain lacquer. (Be careful when using Neat's foot oil; large amounts will soften the leather.)

Brass cartridges or other brass hardware when stored with leather will acquire a greenish residue called "verdigris". It is a natural product of a chemical reaction between brass and vegetable tanned leather, and it wipes off. (Using nickel-plated cartridges in belt loops will avoid this condition.)

Storage

AccuMold and AccuMold Elite products have been field-proven to withstand a wide variety of environmental conditions. AccuMold and AccuMold Elite products should be stored in a cool dry environment when not in use. We do not recommend storing these products in a vehicle trunk or other areas where extreme heat can exceed the outside environment.

Cleaning

AccuMold and AccuMold Elite products are best cleaned with a solution of warm soapy water and a soft brush. A toothbrush and dish soap work well. If decontamination is required, an antibacterial soap or 10% solution of household chlorine bleach may be used. After cleaning simply rinse off with fresh water and let air-dry. Be sure the product is completely dry inside and out prior to use.

When AccuMold and AccuMold Elite products are exposed to salt spray or immersed in salt water it is important to thoroughly rinse in warm water as soon as possible. Never use solvents such as acetone to clean AccuMold products, as this could result in damage to the product.

No Modifications or Customizing

It is not possible to alter or modify Bianchi products in any way. Please do not ask for custom modifications, as we can make sure of your satisfaction only by providing you with time-tested, proven designs. Bianchi reserves the right to improve its product designs and update specifications without notice.

Your Satisfaction is Important

Bianchi products are crafted with the utmost care by our expert artisans. If you have any questions about the use or function of your holster, please contact us so that we can make an evaluation of the product to ensure your satisfaction.

Conditions of Sale

In accordance with the provisions of the California Song-Beverly Consumer Warranty Act, the product is sold "as-is" and "with all faults." The entire risk as to the quality and performance of the product is with the buyer. Should the product prove defective following its purchase, the buyer and not the manufacturer, distributor, or retailer, assumes the entire cost and responsibility of all necessary servicing or repair. The implied warranties of merchantability and fitness for a particular purpose and all other warranties, express or implied, are excluded from the transaction and shall not apply to the product sold. The determination of the fitness or the suitability of any product for a specific use is the responsibility of the buyer. Some products which are manufactured by outside vendors for Bianchi carry their own manufacturer's warranty statements. All Bianchi prices, product designs, and availability are subject to change.

Customer Service

Bianchi products can be purchased through our worldwide network of authorized dealers and distributors. For information on a dealer nearest you, or to answer other questions you may have, please check out our web site or call our friendly, knowledgeable customer service staff between the hours of 7:30 AM and 4:30 PM Pacific Standard Time.

Phone: (951) 676-5621
Toll-Free: (800) 477-8545

Cordura® is DuPont's registered trademark for its air-textured, high-tenacity nylon fiber. Only DuPont makes Cordura®.

Advantage Timber® is a registered trademark of Jordan Outdoor Enterprises, Ltd.



NRA BIANCHI CUP

A world class event founded in 1979 by Bianchi International to establish practical pistol shooting as a professional sport. In 1984 the National Rifle Association made the event its national championship of action shooting. The 29th annual event will be held at the Green Valley Rifle & Pistol Club in Columbia, Missouri. Event dates are May 23-26, 2007. For participation details, contact:

National Rifle Association
Mr. Rudy Dufour
Program Coordinator, Action Pistol
11250 Waples Mill Road
Fairfax, VA 22030
Phone: 703-267-1478





BLANCHI.

