

**Applicability Data**

1

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Aerofab (1)**

LA-4	1963 and on	40-113X (4)(5)	164-04000	164-14000		30-75X (4)(5)	066-10500	N/A
		40-74 (2)(5)	164-00700	164-10700		30-51 (3)(5)	066-10600	
LA4-180, -200 Amphibian	1974 1975 1977 and on	40-113X (4)(5)	164-04000	164-14000		30-75X (4)(5)	066-10500	40-87C
		40-74A (5)	N/A	164-04700		30-51 (3)(5)	066-10600	
		40-74B (5)	164-00700	164-10700				
						30-51B (5)	066-10600	
LA-250 Renegade		40-418 (6)	164-24500	N/A		30-241 (6)	066-10500	40-87C
LA-270 Turbo Renegade		40-418 (7)	164-24500	N/A		30-241 (7)	066-10500	D-30500-1

- (1) Formerly Lake Aircraft, Inc. (2) 40-74 is interchangeable with 40-74B. (3) Superseded by 30-51B.  
 (4) Replacement for aircraft equipped with Gerdas Wheels & Brakes. Requires modifications prior to installation. See Airframe manufacturer. (5) For heavy duty option, order Main Wheel Assy 40-418 and Brake Assy 30-241, which is also high corrosion-resistant equipment.  
 (6) High corrosion-resistant, amphibious equipment. Replaces Main Wheel Assy 40-74B and Brake Assy 30-51B on new production aircraft. See Airframe manufacturer for applicability. (7) High corrosion-resistant, amphibious equipment. Replaces Main Wheel Assy D-30660-7 and Brake Assy D-30793-4 on new production aircraft. See Airframe Manufacturer for applicability.

**Aerospatiale / Socata**

100, 110, 125, 150, 180 Series		40-97D	164-02601	164-12601		30-63J	066-10500	40-77A
110ST Calopin, 160ST Garnement, 180T Galrien, 180GT Gailaard		40-97D	164-02601	164-12601		30-63J	066-10500	N/A
220, 235 Series, 235G Guerrier (1), 235 GT Gabriel, 235CA Gaucho		40-84 (5)	164-01900	164-11900		30-41B (3)	066-10600	
TB9 Tampico TB10 Tobago TB200		40-97E (4)	164-02601	164-12601		30-63J	066-10500	40-77B
TB20, 21 Trinidad		40-84 (5)	164-01900	164-11900		30-41B (3)	066-10600	40-77B
TB30 Epsilon		40-90B	164-02201	N/A		30-23B (3)	066-06500pp 066-06200bp	40-76C
TBM700	S/N 1 thru 204, 206 thru 239 241 thru 243	40-270	(2)	N/A		30-191	(2)	40-262A
	S/N 205, 240, 244 and up	40-434	(2)	N/A		30-191	(2)	40-262A

- (1) Was Rallye Series aircraft. (2) Internal Wheel & Brake, See Brake Section 4 for lining/heat stack components.  
 (3) Use with airframe supplied torque plate. (4) Upgrade to 40-97F per SB7050. (5) Upgrade to 40-84B per SB7059.

**Aerostar Aircraft (1)**

600, 601, 601P PA-600A, -601B, PA-601P,-60, -700P	S/N 171 and on	40-124	164-05006	N/A		30-88 (2)	066-02200	40-76B
	1975 and on							40-76F

- (1) T.C. formerly held by Piper Aircraft (2) Use with airframe supplied Torque Plate (075-10100 LH and 075-10150 RH)

**Cleveland**  
Wheels & Brakes



**Applicability Data**

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Ag-Cat Corp. (American Agviation) (1)**

G164 Ag-Cat	S/N 1 thru 399	40-47 (2)	N/A	164-01100		30-32C (2)	066-10600	40-112
G164A Super Ag-Cat 450_600	S/N 400 and on	40-101 (3)	N/A	164-03006		30-67 (3)	066-10800	
G164B, C G164D Turbine	S/N 1 and on	40-133 (4)	N/A	164-05806		30-84 (4)	066-10800	

(1) T.C. formerly held by Schweizer

(2) Aircraft equipped with 8.50-6 tires.

(3) Aircraft equipped with 8.50-10 tires.

(4) Aircraft equipped with 29 x 11.00-10 tires.

**Agusta / Caproni Vizzola**

C22J		40-151	164-08500	N/A		30-133 30-164	066-10500 066-06200	N/A
------	--	--------	-----------	-----	--	------------------	------------------------	-----

**Agusta / Siai Marchetti - See Siai Marchetti / Agusta / Aermacchi****Air Tractor**

AT-300		40-101 (1)	N/A	164-03006		30-67X	066-10800	N/A
AT-301, -302, -302A, -400A		40-101 (1)	N/A	164-03006		30-89	066-10800	40-168
AT-400, -402, -501, -502, -503, -503A		40-133 (2)	N/A	164-05806		30-98C	066-10800	40-168
AT-401, -401A		40-234 (3)	N/A	164-05606		30-184 LH (3) 30-184 RH (3)	066-10800 066-10800	40-168
AT-602		40-403	164-22202	N/A		30-231	066-06600	40-140C
AT-802		40-279 (4) 40-279A	164-23001 (5) 164-23002	N/A N/A		30-210 (4) 30-210A	066-13100 066-13100	40-140C

(1) 8.50-10 Tire.

(2) 29x11.00-10 Tire.

(3) Not TSO approved - order from airframe manufacturer only.

(4) Upgrade to 40-279A and 30-210A per SB7067 (TSO approved).

(5) Supersedes 164-23000.

**Cleveland**

Wheels &amp; Brakes



Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
<b>American Champion Aircraft (1)</b>								
7AC to 7EC, 7GC Traveller		3050 (2)	169-00201	N/A		C7000 (2)	066-00504 (6)	N/A
7GCA, 7GCB, 7JC, 7KC, 7GCBA		3040 (5)	169-00101	N/A		C2000 (5)	066-00504 (6)	
7EC, 7FC Tri-Traveller		3040 (5)	169-00101	N/A		C2000 (5)	066-00504 (6)	40-2 (4)
7ECA, 7GCAA, 7GCBC, 7KCAB, 7SRS	1964 and on	40-28D	164-00500	164-10500		30-19A	066-10600	N/A
7ACA Champ	thru 1970	40-28D	164-00500	164-10500		30-19A	066-10600	
	1971 and on	40-78B	164-01700	164-11700		30-9	066-10600	
8GCBC Scout		40-47 (3)	N/A	164-01100		30-32B	066-10600	
8KCAB Decathalon		40-28D	164-00500	164-10500		30-19A	066-10600	
T-250 Aries		40-75G	164-01501	164-11501		30-52S	066-10500	40-77C

(1) Formerly Bellanca/Champion.

(2) Mechanical Drum Brake.

(3) 8.50-6 Tire.

(4) Inactive.

(5) Hydraulic Drum Brake.

(6) Brake Shoe, Includes Rivets.

**American General - see Grumman American****Arctic Aircraft**

S1B2 Arctic Tern	S/N 001 thru 1021	40-28	164-00500	164-10500		30-18	066-10600	N/A
	S/N 1022 and on	40-86B	164-02000	164-12000		30-55	066-10500	

**Aviat / Pitts / Christen**

S-1, S-2 Pitts Special Series		40-78B	164-01700	164-11700		30-9	066-10600	N/A
A-1 Husky		40-60	164-06700	164-16700		30-60 (1)	066-10600	

(1) Inactive - superseded by 30-60A.

**Avions Pierre Robin (Constructions Aeromatiques De Bourgogne)**

140, 160		(1)	164-03601	164-13601		30-52T	066-10500	N/A
DR400 Series		40-97D	164-02601	164-12601		30-63E	066-10500	40-77A
HR100/120, 200		(1)	164-02601	164-12601		30-63D (2)	066-10500	N/A
						30-63E	066-10500	
HR100/200, 210		(1)	164-03601	164-13601		30-52N	066-10500	
HR400 Series		(1)	N/A	N/A		30-52T	066-10500	40-77A
R1000 Series		(1)	N/A	N/A		30-63E	066-10500	N/A
R2000 Series								
R3000 Series		(1)	N/A	N/A		30-63E	066-10500	40-77A

(1) Order complete main wheel from airframe manufacturer only.

(2) Inactive.

**Cleveland**

Wheels &amp; Brakes



**Applicability Data**

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
<b>Ayres (1)</b>								
S2R-600 Thrush	1939R thru 217R	40-129 (2)	N/A	164-05606		30-94 (2)	066-10800	40-112 (3)
	2173R thru 2529R	40-129	N/A	164-05606		30-94	066-10800	
		40-133 (2)	N/A	164-05806		30-98D (2)	066-10800	
	2530R and on	40-133	N/A	164-05806		30-98D	066-10800	
S2R-660 Turbo Thrush		40-403	164-22202	N/A		30-231	066-06600	40-76H
S2R-800	5000R thru 5082R	40-129 (2)	N/A	164-05606		30-94 (2)	066-10800	40-112 (3)
	5083R and on	40-133	N/A	164-05806		30-98	066-10800	
S2R-PZL600 S2R-R1340 S2R-R1820 S2R-T11		40-133	N/A	164-05806		30-98D	066-10800	40-112 (3)
S2R-T15	T15-001	40-133	N/A	164-05806		30-98	066-10800	
	T15-002 and on					30-98D	066-10800	
S2R-T34	6000 thru 6023	40-133	N/A	164-05806		30-98	066-10800	
	6024 and on					30-98D	066-10800	
S2R-T41 S2R-T65 S2R-T65HG	T41-089 and -090	40-133	N/A	164-05806		30-98D	066-10800	

(1) Applications may vary on all models due to manufacturer kit changes and field modifications.

(2) Heavy duty option.

(3) Tail Wheel - not original equipment until 1977 however, it is interchangeable on all models.

**Beech - see Raytheon Aircraft Company**

**Bell Helicopter**

AH-1T, 214								40-117A (3)
UH-1H								40-103 (3)
214ST (4)	1984 and on	40-181B	(5)	N/A		30-154A	(5)	40-115B (1)
222								40-115A (2)(6)
230		40-276	(5)	N/A		30-208	(5)	40-115B (1)
430		40-276	(5)	N/A		30-208A	(5)	40-115B (1)

(1) Nose Wheel, eligible to use 10 ply tire.

(2) Nose Wheel, use 6 ply tire only.

(3) Dolly wheel, 4 per helicopter - Not TSO approved.

(4) Helicopter equipped with optional landing gear.

(5) Internal Wheel & Brake, see Brake SectionIV for lining/heat stack components.

(6) Superseded for this application by 40-115B per SB7033

**Bellanca Aircraft Corporation**

17-30A, 17-31A 17-31ATC, 300A		40-75E	164-01501	164-11501		30-52M	066-10500	40-76C
----------------------------------	--	--------	-----------	-----------	--	--------	-----------	--------



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

Burkhart Grob - [see Grob](#)Caproni Vizzola - [see Agusta](#)

## Cessna

150A, B	1961 to 1962 150-59119 thru 59700	<a href="#">40-12</a> (1)	164-00400	N/A		<a href="#">30-9</a> (1)	066-10600	<a href="#">40-77</a> (1)
150C	1963	<a href="#">40-19</a> (1) (3)	164-00400	N/A		<a href="#">30-9</a> (1)	066-10600	<a href="#">40-77A</a> (1)
		<a href="#">40-57</a> (2) (3)	164-00500	164-10500		<a href="#">30-40</a> (2)	066-10600	
150D, E	1964 to 1965	<a href="#">40-78</a> (1)	164-01700	164-11700		<a href="#">30-9</a> (1)	066-10600	<a href="#">40-77</a> (1)
		<a href="#">40-79A</a> (2)	164-01600	N/A		<a href="#">30-40</a> (2)	066-10600	<a href="#">40-76A</a> (2) (4)
150F, G, F150F, G	1966 to 1967	40-97 (3) (6)	N/A	N/A		<a href="#">30-63</a> (3) (5)	066-10500	<a href="#">40-77</a> (1)
150H, J, K F150H, J A150K	1968 to 1970  1970	<a href="#">40-97A</a>	164-02601	164-12601		<a href="#">30-63A</a>	066-10500	
150L A150L F150K FA150K, L FRA150L 152 A152 F152, FA152	1971 and on 1971 and on 1970 and on 1970 to 1971 1972 and on 1978 and on 1978 and on 1978 and on	<a href="#">40-113</a>	164-04000	164-14000		<a href="#">30-75</a>	066-10500	<a href="#">40-77</a> (1)

(1) 5.00-5 Equipment.

(4) Starting with S/N 150-60477.

(2) 6.00-6 Equipment .....Optional.

(5) Superseded by 30-63A

(3) Inactive.

(6) Superseded by 40-97A

150, 152, A150	1971 to 1973	D-30063 (3)(4)	N/A	N/A		<a href="#">C-30018</a> (4)	066-30026	D-30053 (3)
F150, F152,	1973 to 1976	<a href="#">D-30260</a> (3)(4)	164-30195	N/A				C-30174 (3)
FA152 (Reims) (Aircraft equipped with McCauley)	1976	<a href="#">D-30580</a> (3)(4)	164-30195	N/A		<a href="#">C-30018-4</a> (4)	066-30026	<a href="#">D-30480</a> (3)
	1976 to 1977	<a href="#">D-30291-6</a> (4)	164-30440	164-23600				
	1977	D-30600-1 (3)(4)	N/A	N/A		<a href="#">C-30018-5</a> (4)	066-30026	<a href="#">D-30500</a>
	1978 to 1981 1982 and on	<a href="#">D-30660-1</a> (4)	164-30615-1	164-30804-1		<a href="#">C-30764-5</a> (4)	066-30026	

(1) 5.00-5 Equipment.

(4) Superseded equipment – refer to Cessna Service Bulletin SEB00-5 and Cessna Service Kit SK182-120 for replacement wheels and brakes.

(2) 6.00-6 Equipment .....Optional.

(3) Inactive.

Cleveland

Wheels &amp; Brakes



**Applicability Data**

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
<b>Cessna - continued</b>								
172, 172A, B, C Skyhawk	172-46421 thru 49544							40-77 (1)
172D	172-49545 thru 50572							40-55 (2)(5)
172E thru M	172-50573 thru 63458							40-76A (2)
172F	172-51823 thru 52808	40-97A	164-02601	164-12601		30-56 (3)(6)	066-10500	40-77 (1)
172F, G, H	172-52809 thru 56512	40-97A	164-02601	164-12601		30-63 (3)(6)	066-10500	40-77 (1)
172I, K	172-56513 thru 59223	40-97A	164-02601	164-12601		30-63A	066-10500	40-77 (1)
172L thru 172R	1971 and on 172-59224 and on	40-113	164-04000	164-14000		30-75A	066-10500	40-77 (1)
F172D 0018	F172-0001 thru							40-55 (2)(5)
F172E thru M	F172-0019 thru 01234							40-76A (2)
F172F	F172-0086 thru 0095							40-77 (1)
F172F, G	F172-0096 thru 0204	40-97A	164-02601	164-12601		30-56 (3)(6)	066-10500	
F172G, H	F172-0205 thru 00754	40-97A	164-02601	164-12601		30-63A	066-10500	
F172K	F172-00755 and on	40-113	164-04000	164-14000		30-75A	066-10500	
F172RG Cutlass	172RG0001 and on	40-113	164-04000	164-14000		30-75	066-10500	40-77 (1)
172, R172	1971 to 1973	D-30063 (3)(7)	N/A	N/A		C-30018-2 (7)	066-30026	D-30053 (3)
F172 (Reims)	1973	D-30260 (3)(7)	164-30195	N/A		C-30018-2 (7)	066-30026	D-30204 (2)(4)
FR172 (Reims)	1973 to 1974							C-30174 (1)(3)
(Aircraft equipped with McCauley)	1973 to 1975							D-30255 (2)(4)
	1976							D-30585 (2)(4)
	1976	D-30580 (7)	164-30195	N/A		C-30018-2 (7)	066-30026	D-30480 (1)(3)
	1977	D-30600-1 (3)(7)	N/A	N/A		C-30018-6 (7)	066-30026	D-30625 (2)(4)
	1978 to 1981	D-30660-1 (7)	164-30615-1	164-30804-1		C-30018-6 (7)	066-30026	D-30500 (1)
	1978							D-30665 (2)
	1982 and on					C-30764-6 (7)	066-30026	D-30500 (1)
172RG Cutlass	1980 to 1981	D-30660-1 (7)	164-30615-1	164-30804-1		C-30018-6 (7)	066-30026	D-30500 (1)
	1982 and on					C-30764-5 (7)	066-30026	

(1) 5.00-5 Equipment.

(2) 6.00-6 Equipment ..... Optional.

(3) Inactive.

(4) Superseded by D-30665.

(5) Superseded by 40-76A.

(6) Superseded by 30-63A

(7) Superseded equipment – refer to Cessna Service Bulletin SEB00-5 and Cessna Service Kit SK182-120 for replacement wheels and brakes.



# Applicability Data

# Aircraft/Product Directory Original Equipment

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
<b>Cessna - continued</b>								
175 Skylark	55876 thru 175-57119							40-18 (1)(3)
177A, B Cardinal	177-01165 thru 01530	40-97A	164-02601	164-12601		30-63 (5)	066-10500	40-77 (1)
177B 177A, B	177-01531 and on 177-01165 and on	40-113	164-04000	164-14000		30-75	066-10500	40-77 (1) 40-76A (2)
177RG, F177RG 177, 177RG	1971 and on 1972 to 1973	40-113	164-04000	164-14000		30-75	066-10500	40-77 (1) C-30053 (3)
F177RG (Reims) (Aircraft equipped with McCauley)	1973 to 1974 1975 1976 1977 1978 and on							C-30174 (1)(3) C-30018-4 (6) 066-30026 D-30480 (1)(3) C-30018-4 (6) 066-30026 D-30500 (1) C-30018-5 (6) 066-30026 D-30660-1 (6) 164-30615-1 164-30804-1
180G 180H 180H 180H	180-51313 and on 180-52011 thru 52195 180-52196 and on 180-51775 thru 51993	40-75B 40-75D 40-66 (3)	164-01501 164-03601 164-00700	164-11501 164-13601 N/A		30-52 30-52D (3) 30-52N 30-21 (3)	066-10500 066-10500 066-10500 066-10600	N/A
180 Series Skywagon (Aircraft equipped with McCauley)	1973 to 1974 1974 1974 to 1978 1978 and on	D-30063-1 (3)(6) D-30291-3 (6) D-30063-4 (3)(6) D-30291-1 (6) D-30660-2 (6)	N/A 164-30414 N/A 164-30388 164-30615-2	N/A 164-23900 N/A 164-24100 164-30804-2		D-30118-1, -2 (3)(6) D-30118-5, -6 (6)	066-30026 066-30026	D-30380
182B, C, D, E	182-51887 thru 54423							40-35 (3)
182E, F 55058	182-53599 thru						40-76A (2)	40-55 (2)(3) or
182G thru P	182-55059 thru 62465							40-77 (1)
182G thru N	182-55059 thru 60445	40-97A	164-02601	164-12601		30-56A 30-63 (5) 30-63A	066-10500 066-10500 066-10500	40-77 (1) 40-76A (2)
182N	182-60446 thru 67715	40-113	164-04000	164-14000		30-75	066-10500	40-77 (1)
182S	1996 and on	40-75B	164-01501	164-11501		30-52U	066-10500	40-77 (1)

(1) 5.00-5 Equipment.

(4) Superseded by D-30665.

(2) 6.00-6 Equipment .....Optional.

(5) Superseded by 30-63A.

(3) Inactive.

(6) Superseded equipment – refer to Cessna Service Bulletin SEB00-5 and Cessna Service Kit SK182-120 for replacement wheels and brakes.

# Cleveland

Wheels & Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel	
<b>Cessna - continued</b>									
182 Series F182 (Reims) (Aircraft equipped with McCauley)	1971 to 1973							D-30053 (3)	
	1973							D-30204 (2)(4)	
	1973 to 1974							C-30174 (1)(3)	
	1973 to 1975							D-30255 (2)(4)	
	1976	D-30291-6 (7)	164-30440	164-23600			C-30018-4 (7)	066-30026	D-30585 (2)(4)
							C-30018-4 (7)	066-30026	D-30480 (1)(3)
	1977	D-30600-1 (3)(7)	N/A	N/A			C-30018-5 (7)	066-30026	D-30625 (2)(4)
	1978 to 1980	D-30660-1 (7)	164-30615-1	164-30804-1			C-30018-5 (7)	066-30026	D-30500 (1)
1978								D-30665 (2)	
T182	1981 and on	D-30660-3 (7)	164-30615-3	164-30804-3		C-30118-3, -4 (7)	066-30026	D-30500 (1)	
R182, TR182, FR182 (Reims)	1978 and on	40-75B (8)	164-01501	164-11501		30-52U (8)	066-10500	D-30500 (1)	
185, 185A	185-0001 thru 0512	40-32 (3)	164-00700	164-10700		30-21 (3)	066-10600	N/A	
185B	185-0513 thru 0653	40-66 (3)	164-00700	N/A		30-21 (3)	066-10600		
185C, D, E	185-0654 thru 1095	40-75B	164-01501	164-11501		30-52	066-10500		
A185E, F	185-1096 and on	40-75B	164-01501	164-11501		30-52	066-10500		
A185E, F	185-1471 and on	40-75D	164-03601	164-13601		30-52D (3) (6)	066-10500		
A185E	185-1150 thru 1447	40-66 (3)	164-00700	N/A		30-21 (3)	066-10600		
185 Series Skywagon (Aircraft equipped with McCauley)	1973 to 1974	D-30063-1 (3)(7)	N/A	N/A		D-30118-1, -2 (3) (7)	066-30026	D-30380	
		D-30291-3 (7)	164-30414	164-23900		D-30118-5, -6 (7)	066-30026		
	1974	D-30063-4 (3)(7)	N/A	N/A					
	1974 to 1978	D-30291-1 (7)	164-30388	164-24100					
	1978 and on	D-30660-2 (7)	164-30615-2	164-30804-2					

(1) 5.00-5 Equipment.

(2) 6.00-6 Equipment ....Optional.

(3) Inactive.

(4) Superseded by D-30665.

(5) Superseded by 30-63A.

(6) Superseded to 30-52N.

(7) Superseded equipment – refer to Cessna Service Bulletin SEB00-5 and Cessna Service Kit SK182-120 for replacement wheels and brakes.

(8) Replaces Main Wheel Assembly D-30660-3 and Brake Assembly D-30118-3, -4 per Cessna Service Bulletin SEB00-5 and Cessna Service Kit SK182-120.

188, A188, 188A, A188A, 188B, A188B, T188C	1966 to 1972	40-75B	164-01501	164-11501		30-52B	066-10500	N/A	
		40-101A (2)	164-03106	N/A		30-67A	066-10800		
	1973 and on	40-101 (1) (2)	N/A	164-03006			30-67C	066-10800	D-30380
		40-98A (3)	164-02707	N/A			30-66A	066-11000	

(1) Chrome Disc is Standard Equipment.

(2) Aircraft equipped with 8.50-10 tire.

(3) Aircraft equipped with 22 x 8.00-8 tire.

205	205-0001 thru 0480	40-67 (3)	164-00700	164-10700		30-35 (3)	066-10600	40-55 (2)(3) 40-77 (1)
205A	205-0481 to 0577	40-75B	164-01501	164-11501		30-52	066-10500	40-76A (2)

(1) 5.00-5 Equipment.

(2) 6.00-6 Equipment.....Optional.

(3) Inactive.

# Cleveland

 Wheels & Brakes


**Applicability Data**



Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
<b>Cessna - continued</b>								
206 0275	206-0001 thru	40-75B	164-01501	164-11501		30-52	066-10500 40-77 (1)	40-76A (2) or
U206	U206-0276 thru 1256	40-75B	164-01501	164-11501		30-52	066-10500	40-77 (1)
	U206-1257 and on	40-75D (5)	164-03601	164-13601		30-52N (5)	066-10500	40-77 (1)
P206	P206-0001 thru 0566	40-75B	164-01501	164-11501		30-52	066-10500	40-77 (1)
	P206-0567 and on	40-75D (5)	164-03601	164-13601		30-52N (5)	066-10500	40-77 (1)
206H, T206H	1996 and on	40-75B	164-01501	164-11501		30-52U	066-10500	40-76A (2) or
		40-75T (5)	164-08300	164-18300		30-52W (5)	066-10500	40-77 (1)
206 Series (Aircraft equipped with McCauley)	1971 to 1973							D-30053 (3)
	1973							D-30204 (2)(4)
	1973 to 1974							C-30174 (1)(3)
	1973 to 1975							D-30255 (2)(4)
	1974	D-30063-2 (3)(6)	N/A	N/A		D-30118-3, -4 (6)	066-30026	N/A
	1974 to 1978	D-30291-2 (6)	164-30398	164-24000				
	1978 and on	D-30660-3 (6)	164-30615-3	164-30804-3				
	1974	D-30063-4 (3)(6)	N/A	N/A		D-30118-5, -6 (5)(6)	066-30026	
	1974 to 1978	D-30291-1 (5)(6)	164-30388	164-24100				
	1978 and on	D-30660-2 (5)(6)	164-30615-2	164-30804-2		D-30118-5, -6 (5)(6)	066-30026	D-30665 (2)
	1976							D-30585 (2)(4) D-30480 (1)(3)
1977							D-30625 (2)(4)	
	1976 and on							D-30500 (1)
207 Series	207-00001 and on	40-75B 40-75D (5)	164-01501 164-03601	164-11501 164-13601		30-52F 30-52E (5)	066-10500 066-10500	40-77 (1) 40-76A (2)
207 Series (Aircraft equipped with McCauley)	1971 to 1973							D-30053 (3)
	1973							D-30204 (2)(4)
	1973 to 1974							C-30174 (1)(3)
	1973 to 1975							D-30255 (2)(4)
	1976							D-30585 (2)(4)
	1977							D-30625 (2)(4)
	1974 to 1976							D-30480 (1)(3)
	1978 and on							D-30665 (2)
	1976 and on							D-30500 (1)

(1) 5.00-5 Equipment.

(4) Superseded by D-30665.

(2) 6.00-6 Equipment .....Optional.

(5) Optional - for 8.00-6 tire usage.

(3) Inactive.

(6) Superseded equipment – refer to Cessna Service Bulletin SEB00-5 and Cessna Service Kit SK182-120 for

replacement wheels and brakes.



**Applicability Data**

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Cessna - continued**

208 Caravan 1	1 thru 138	40-179	164-22201	N/A		30-163	066-03300	40-177A
	139 and on					30-182	066-03300	
208B	1 thru 53	40-179	164-22201	N/A		30-163	066-03300	40-177A
	54 and on					30-182	066-03300	
210A, B	210-57734 thru 58085							40-35 (2)
210C	210-58086 thru 58220	40-21 (2)	164-00900	164-10900		30-45 (2)	066-11100	40-68 (2)
210D thru M	210-58221 thru 62954	40-75B	164-01501	164-11501		30-52	066-10500	40-77 (1)
T210F	T210-0001 and on							
P210	1984	40-142	164-07800	N/A		30-127C	066-06200	
210N	210-62955 and on	40-75B	164-01501	164-11501		30-52V	066-10500	
P210N	1979 and on							

210 Series (Aircraft equipped with McCauley)	1971 to 1973							D-30053 (2)
	1973 to 1974							C-30174 (1)(2)
	1974	D-30063-2 (2)(3)	N/A	N/A		D-30118-3, -4 (3)	066-30026	N/A
	1974 to 1978	D-30291-2 (3)	164-30398	164-24000				
	1978 and on	D-30660-3 (3)	164-30615-3	164-30804-3				
	1976							
1976 and on								D-30500 (1)

(1) 5.00-5 Equipment

(2) Inactive.

(3) Superseded equipment – refer to Cessna Service Bulletin SEB00-5 and Cessna Service Kit SK182-120 for replacement wheels and brakes.

303, T303	1982 and on	40-142	164-07800	N/A		30-127A	066-06200	40-76A
		40-98H (1)	164-08406	N/A		30-66F	066-04400	N/A
305A, B, C, D, E (3), F	1951 and on	40-97E	164-02601	164-12601		30-63K	066-10500	
		40-75F	164-01501	164-11501		30-52L (2)	066-10500	

(1) 6.50-8 Equipment ....Optional.

(2)

Used with 075-07500 (Left Hand) and 075-07600 (Right Hand) Torque Plates - order from air-frame manufacturer only.

(3) Ref: USAF O-1A, -1E, -1G/-1D and -1F (for conversions) all except Model F.

# Applicability Data

# Aircraft/Product Directory Original Equipment

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
310 Series	1976 to 1981	40-40A	164-00806	N/A		30-28B	066-03300	N/A
	1981 and on	40-40D	164-20206	N/A				
	1976 to 1977							D-30288 (1)(4)
	1978 to 1980							D-30665 (4)
	1981 and on							D-30665-1 (4)
335	1979 and on	40-40A	164-00806	N/A		30-28B	066-03300	N/A
336 Skymaster	336-0001 thru 0098	40-67 (1)	164-00700	164-10700		30-35 (1)	066-10600	40-55 (1)
	336-0099 and on	40-75B	164-01501	164-11501		30-52	066-10500	40-76A
337, 337A	1965 to 1966 337-0001 thru 0525	40-96A (2)	164-02504	164-12504		30-61	066-10500	40-76A
337B	1967 337-0526 thru 0619	40-96A (2)	164-02504	N/A		30-61A (3)	066-03600	N/A
337B thru D	337-0620 thru 1193	40-96A (2)	164-02504	164-12504		30-61D	066-10500	
337E	337-01194 and on	40-98A	164-02707	N/A		30-69B	066-02200	
337 Series, F337 FT337 (Reims)	1973							D-30204 (4)
	1973 to 1975							D-30255 (4)
	1976							D-30585 (4)
	1977							D-30625 (4)
	1978 and on							D-30665 (4)

(1) Inactive.

(2) Superseded to 40-96E.

(3) Superseded by 30-61D for this application.

(4) Superseded by 40-140A.

340 Series	1972 to 1981	40-40A	164-00806	N/A		30-28B	066-03300	N/A
	1981 and on	40-40D	164-20206	N/A				
	1976 to 1977							D-30288 (1)(2)
	1978 to 1980							D-30665 (2)
	1981 and on							D-30665-1 (2)
401 Series	All	40-40A	164-00806	N/A		30-28B	066-03300	40-76A
402 Series	All	40-135 (1)	164-06406	N/A		30-100	066-06600	N/A
	1981 and on	40-135A	164-20306	N/A				
	1976 to 1977							D-30288 (1)(2)
	1978 to 1980							D-30665 (2)
	1981 and on							D-30665-1 (2)
404 Titan	404-00001 and on	40-132	164-09100	N/A		30-97	066-06400	N/A
	1976 to 1977							D-30288 (1)(2)
	1978 to 1980							D-30665 (2)
	1981 and on							D-30665-1 (2)
411, 411A	1965 to 1968	40-40A	164-00806	N/A		30-28B	066-03300	40-76A
414 Chancellor		40-40A	164-00806	N/A		30-28B	066-03300	40-76A
414A		40-135 (1)	164-06406	N/A		30-100	066-06600	
	1981 and on	40-135A	164-20306	N/A				
414 Series	1976 to 1977							D-30288 (1)(2)
	1978 to 1980							D-30665 (2)
	1981 and on							D-30665-1 (2)

(1) Inactive.

(2) Superseded by 40-140A.

# Cleveland

Wheels & Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc	Brake Assembly	Lining	Auxiliary Wheel
<b>Cessna - continued</b>							
421C	1976 to 1980	40-135 (1)	164-06406	N/A	30-100	066-06600	N/A
421 Series	1981 and on	40-135A	164-20306	N/A			
	1976-1977						D-30288 (1) (3)
	1978-1980						D-30665 (3)
	1981 and on						D-30665-1 (3)
425	425-0001 and on	40-138 (1)	164-05500	N/A	30-113 (1)	066-06400	D-30665 (3)
		40-138A	164-05500	N/A	30-113A	066-06400	
441	1978 and on						D30665-1 (3)
552 (T-47A)		40-202	(2)	N/A	30-161 (1)	(2)	N/A
S550 Citation SII		40-202	(2)	N/A	30-161A	(2)	
A-37, T-37							D-30570

(1) Inactive.

(2) Internal Wheel &amp; Brake. See Brake Section 4 for lining/heat stack components.

(3) Superseded by 40-140A.

## Christen - see Aviat

## Cirrus Design Corp.

SR-20		40-414 (1)	164-24400	N/A	30-239 (1)	066-14100	40-77
SR-20	1601 and on	40-75P	164-01501	164-11501	30-52AB	066-10500	
SR-22		40-75P (2)	164-01501	164-11501	30-52 (2)	066-10500	
SR-22	1740 and on	40-406	164-02504	N/A	30-233B	066-06200	

(1) Upgrade to 40-75P/30-52AB per Cirrus Service Bulletin SB2X-32-13. Reference Parker Service Bulletin SB7084.

(2) Upgrade to 40-406/30-233B per Cirrus Service Bulletin SB2X-32-13. Reference Parker Service Bulletin SB7085.

## Classic Aircraft

YMF-5 Waco	F5001 and on	40-223	164-03106	N/A	30-176	066-10800	40-199A (1)
------------	--------------	--------	-----------	-----	--------	-----------	-------------

(1) Not TSO approved - order from airframe manufacturer only.

## Commander - see Grumman American

## Daimler Benz / M.B.B.

B.O. 208		40-12	164-00400	N/A	30-9	066-10600	40-18 (1)
B.O. 209 Monsun		40-78B	164-01700	164-11700	30-9	066-10600	40-77A

(1) Inactive.

## Diamond Aircraft

DA20 Katana		40-78E	164-24200	N/A	30-9D	066-10600	N/A
DA40		40-414A	164-01700	164-11700	30-239A	066-10600	40-77
DA42 Twin Star		40-75Z	164-01501	N/A	30-52Z (1)	066-10500	N/A

(1) Use with 075-22800 (L.H.) or 075-22850 (R.H.) torque plate.

## Eagle Aircraft Co.

220, 300 Eagle (1)	S/N 1 and on	40-101	N/A	164-03006	30-89A (2)	066-10800	N/A
--------------------	--------------	--------	-----	-----------	------------	-----------	-----

(1) Originally produced by Bellanca Aircraft for Eagle Aircraft (1979 thru 1981).

## Cleveland

Wheels &amp; Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Ector Aircraft Co., Inc.**

Civil version of Cessna L-19 Bird Dog, Mountaineer, Super Mountaineer		40-97A	164-02601	164-12601		30-63A	066-10500	N/A
--	--	--------	-----------	-----------	--	--------	-----------	-----

**Edgley Aircraft Ltd. - see Lovaux****Emair AG Aircraft Co.**

MA-1B Diablo 1200	1978 and on	40-139 (1)	N/A	164-07306 (1)		30-111 (1)	066-10800	N/A
-------------------	-------------	------------	-----	---------------	--	------------	-----------	-----

(1) Not TSO approved - order from airframe manufacturer only.

**Embraer**

EMB-312 (T-27) Tucano		40-130	164-07906	N/A		30-95B (1)	066-06600	40-77B (2) or 40-77G
--------------------------	--	--------	-----------	-----	--	------------	-----------	-------------------------

(1) Specify LH or RH when ordering.

(2) Upgrade to 40-77G is required for 10 ply tire usage.

**Fairchild Aircraft (1)**

SA226, SA227 SA227CC	All models							40-212 (2)(3)
-------------------------	------------	--	--	--	--	--	--	---------------

(1) Formerly Swearingen

(2) Alternate, for spares only.

(3) Use existing aircraft axle spacers in place of  
067-08800 spacers furnished with the 40-212 wheel.**FFA Flugzeugwerke Altenrhein AG**

AS202-18A4	S/N 224 and on	40-97A	164-02601	164-12601		30-63A	066-10500	40-77B
------------	----------------	--------	-----------	-----------	--	--------	-----------	--------

**Found Brothers**

100 Centennial		40-75B	164-01501	164-11501		30-52	066-10500	N/A
----------------	--	--------	-----------	-----------	--	-------	-----------	-----

**GAF - Australia**

N22, N24, N22B		40-75T (1)	164-08300	164-18300		30-52Q	066-10500	40-140A (2)
N24A		40-143 (3)	164-08200	N/A		30-129 (3)	066-06200	

(1) Supersedes 40-75S

(2) Supersedes 40-76D

(3) Heavy-duty option.

**General Avia (Italy)**

F20, F20TP		40-75G	164-01501	164-11501		30-52P	066-10500	N/A
F22		40-151	164-08500	N/A		30-164	066-06200	40-77C
F1300		40-131	164-05700	N/A		30-96	066-06200	40-77C

**Cleveland**

Wheels &amp; Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Great Lakes Aircraft Co. (1)**

2T-1A, 2T-1A-1, 2T-1A-2		40-113	164-04000	164-14000		30-75	066-10500	N/A
----------------------------	--	--------	-----------	-----------	--	-------	-----------	-----

(1) Resumed production in 1984.

**Grob - Subsidiary of Grob Werke GMBH**

G103, G103C		40-97A	164-02601	164-12601		30-63A	066-10500	N/A
G109 Series		40-78B	164-01700	164-11700		30-9	066-10600	
G115, -A, -B, -C		40-78B	164-01700	164-11700		30-9	066-10600	40-77B
G115-T		40-84	164-01900	164-11900		30-41B (1)	066-10600	40-77B
G115-TA		40-84	164-01900	164-11900		30-41B (2)	066-10600	40-77B

(1) Use with 075-15600 torque plate.

Order from airframe manufacturer only.

(2) Use with 075-19700 (L.H.) or 075-19750 (R.H.) torque plate.

Order from airframe manufacturer only.

**Group Genesis Inc.**

Genesis 2		40-78B	164-01700	164-11700		30-9E	066-10600	N/A
-----------	--	--------	-----------	-----------	--	-------	-----------	-----

**Grumman American (Gulfstream Aerospace)**

AA1, A, B, TR-2	All models thru 1974	40-86A	164-02000	164-12000		30-55B	066-10500	40-77A
	1975 and on	40-88C	164-02000	164-12000		30-56B	066-10500	
AA-5	All models thru 1974	40-86A	164-02000	164-12000		30-55B	066-10500	40-77A
AA-5A, -5B (1)	1975 and on	40-88C	164-02000	164-12000		30-56B	066-10500	40-77A
GA-7		40-90	164-02201	N/A		30-23B (3)	066-06500pp 066-06200bp	40-76G
112, 112A, B (2)	S/N 1 thru 495	40-113A	164-04300	164-14300		30-79	066-10500	40-77A
	S/N 500 and on	40-75H	164-01501	164-11501		30-52H	066-10500	
112TC, 112TCA, 114, 114B (2)	S/N 13000 and on	40-75H	164-01501	164-11501		30-52H	066-10500	40-77A

(1) TC currently owned by American General Aviation

(2) TC currently owned by Commander Aircraft.

(3) Use with Airframe supplied Torque Plate (075-05801).

**Gulfstream Aerospace (1)**

690B, 690C, 695, 695A, (2) 840, 980, 1000	1980 and on	40-107A	164-07200	N/A		30-107 (3) 30-107B (3) 30-107A (3)(4) 30-107C (5) 30-107D (4)(6)	066-09000	N/A
700		40-128C	164-05006	N/A		30-93A	066-02200	40-76E

(1) Formerly Rockwell International

(2) TC Currently owned by Twin Commander.

(3) Inactive

(4) Uses Skydrol Fluid only.

(5) Supersedes 30-107 and 30-107B.

(6) Supersedes 30-107A.

**Cleveland**

Wheels &amp; Brakes



**Applicability Data**

1

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Helio Aircraft Ltd.**

H-250, H-295, 391, 395 Courier		<a href="#">40-75E</a>	164-01501	164-11501		<a href="#">30-52A</a>	066-10500	N/A
		<a href="#">40-75D</a>	164-03601	164-13601		<a href="#">30-52N</a>	066-10500	
		<a href="#">40-75T</a>	164-08300	164-18300				
		<a href="#">40-98A (1)</a>	164-02707	N/A		<a href="#">30-66A (1)</a>	066-11000	

(1) For aircraft equipped with 6.50-8 Main Wheels and Brakes.

**Hunting Firecracker Aircraft Ltd. (1)**

NDN 1T (2)		<a href="#">40-120C</a>	164-21600	N/A		<a href="#">30-83A</a>	066-06200	<a href="#">40-77B</a>
------------	--	-------------------------	-----------	-----	--	------------------------	-----------	------------------------

(1) Purchased design from NDN Aircraft Ltd.

(2) Military Trainer

**Industria Unidas SA (Mexico) (1)**

A-9B		<a href="#">40-99</a>	164-02800	N/A		<a href="#">30-41 (2) (3)</a>	066-10600	N/A
------	--	-----------------------	-----------	-----	--	-------------------------------	-----------	-----

(1) Produced by Aeronautica Mexicana S.A.

(2) Use with Airframe supplied Torque Plate (either 075-02900 or 075-00500).

(3) Inactive - Superseded by 30-41B.

**The Lancair Company (Certified Aircraft Division)**

Columbia Model 300		<a href="#">40-406A</a>	164-02504	N/A		<a href="#">30-233A</a>	066-06200	<a href="#">40-77G</a>
-----------------------	--	-------------------------	-----------	-----	--	-------------------------	-----------	------------------------

**LAVIASA (1)**

PA-25 Pawnee	25-1 thru 25-1999	<a href="#">3070</a>	159-00100 (2)	N/A		<a href="#">3000-250 (3)</a>	066-10600	N/A
PA-25-235, PA-25-235B	25-2000 thru 25-2136	<a href="#">40-61</a>	164-01300	N/A				
	25-2137 thru 25-4171	<a href="#">40-61</a>	164-01300	N/A		<a href="#">30-41 (3)(4)</a>	066-10600	
PA-25-235C, D PA-25-260C, D	25-4172 thru 25-7656119	<a href="#">40-84A</a>	164-03300	164-13300				
	25-7656120 and on	<a href="#">40-84A</a>	164-03300	164-13300		<a href="#">30-41B (3)</a>	066-10600	

(1) LAVIASA (Latino Americana de Aviacion S.A., Buenos Aires, Argentina) has purchased the Piper Pawnee Type Certificate, and now provides Spares Support.

(2) For replacement order 159-00104, includes rivets.

(3) Use with airframe supplied torque plate (075-02400).

(4) Superseded by 30-41B.

**Lovaux (1)**

EA7 Optica	S/N 1 and on	<a href="#">40-86</a>	164-02000	164-12000		<a href="#">30-55</a>	066-10500	<a href="#">40-77</a>
------------	--------------	-----------------------	-----------	-----------	--	-----------------------	-----------	-----------------------

(1) Formerly Edgley Aircraft Ltd.

**Cleveland**

Wheels & Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**M.B.B. - see Daimler Benz****Marsh Aviation Co.**

S2R-T		<a href="#">40-129</a>	N/A	164-05606		<a href="#">30-94</a>	066-10800	<a href="#">40-112</a>
		<a href="#">40-133</a> (1)	N/A	164-05806		<a href="#">30-98</a> (1)	066-10800	
G-164C-T		<a href="#">40-133</a> (1)	N/A	164-05806		<a href="#">30-84</a>	066-10800	<a href="#">40-112</a>

(1) Aircraft equipped with 29 x 11.00-10 tires.

**Maule Air Inc.**

M4 Series		<a href="#">3040</a> (1) <a href="#">40-97D</a>	169-00101 164-02601	N/A 164-12601		<a href="#">C2000</a> (1) <a href="#">30-63E</a>	066-00504 (3) 066-10500	N/A
M5, M6 Series		<a href="#">40-97D</a>	164-02601	164-12601		<a href="#">30-63E</a>	066-10500	
M7 Series		<a href="#">40-75D</a> (2)	164-03601	164-13601		<a href="#">30-52N</a> (2)	066-10500	
M9 Series		<a href="#">40-75D</a>	164-03601	164-13601		<a href="#">30-52AA</a> (4)	066-10500	N/A
MXT-180								<a href="#">40-76B</a>

(1) Aircraft Equipped with Drum-type brakes.

(2) Heavy duty option (2 piston brake).

(3) Brake shoes, includes rivets

(4) Use with 075-23100 (L.H.) or 075-23150 (R.H.) torque plate.

**McCulloch**

J-2 Helicopter		<a href="#">40-78B</a>	164-01700	164-11700		<a href="#">30-9</a>	066-10600	<a href="#">40-112</a> (1)
----------------	--	------------------------	-----------	-----------	--	----------------------	-----------	----------------------------

(1) Some models equipped with 40-77 nose wheel.

**Mitsubishi**

MU2B-20, -25, -26, -26A -30, -35, -36, -36A, -40, -60								<a href="#">40-87</a>
---	--	--	--	--	--	--	--	-----------------------

**Mooney Aircraft Corp.**

M10 Cadet (1)	S/N 690001 and on	<a href="#">40-97</a> (2)	164-02601	164-12601		<a href="#">30-63</a> (2)	066-10500	<a href="#">40-17</a> (3)
M20, M20A	S/N 1001 thru 1400	<a href="#">3040</a> (4)	169-00101	N/A		<a href="#">C2000</a> (4)	066-00504 (5)	N/A
M20A, M20B, Mark 20, M20C, M20D M20E Super 21	S/N 1401 thru 3466 S/N 101 thru 260 S/N 101 thru 1308	<a href="#">40-24</a> (3)	164-00900	164-10900		<a href="#">30-5</a> (3)	N/A	<a href="#">40-33</a> (3) (7)
M20C M20E M20F M20G M20J M20K	S/N 670001 & on S/N 670001 & on S/N 660003 & on S/N 680001 & on S/N 24-0001 & on S/N 25-0001 & on	<a href="#">40-86</a>	164-02000	164-12000		<a href="#">30-56A</a>	066-10500	<a href="#">40-87</a>
M20 Series All models listed above		<a href="#">40-86E</a> (6)	N/A	164-12000		<a href="#">30-56D</a> (6)	066-10500	
M20M	All S/N	<a href="#">40-90A</a>	164-02300	164-12300		<a href="#">30-65</a>	066-10500	<a href="#">40-87</a>

(1) Ercoupe

(2) 40-97/30-63 superseded by 40-97A/30-63A.

(3) Inactive.

(4) Drum-type brake.

(5) Brake shoe, includes rivets

(6) Chrome disc equipment

(7) Superseded by 40-87

**Cleveland**

Wheels &amp; Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

## NDN Aircraft Ltd. (1)

NDN6 Fieldmaster		40-175	164-21100	N/A		30-149	066-06600	N/A
---------------------	--	--------	-----------	-----	--	--------	-----------	-----

(1) TC currently held by Croplease PLC.

## Pacific Aerospace Corp., Ltd. (1)

FU24 Fletcher FU24-950 FU24-954 FU24A-954	1978 and on	40-47	164-01100	N/A		30-32 (2) 30-32C	N/A 066-10600	N/A
08-600 Cresco		40-101	164-03006	N/A		30-89E (3)	066-10800	40-140A
CT/4E Airtrainer	S/N 200 and on	40-97F	164-02601	164-12601		30-63S	066-10500	40-77
750XL		40-179A (4)	164-03006	N/A		30-182	066-10800	40-140A

(1) Formerly New Zealand Aerospace Ind. Ltd.

(2) Inactive, replaced by 30-32C (both brakes must be changed over).

(3) Supersedes 30-89

(4) Supersedes 40-179

## Partenavia

P.64B, P.66B	1970 and on	40-28	164-00500	164-10500		30-18	066-10600	40-77B
P.66C-160, P.66T		40-86B	164-02000	164-12000		30-55	066-10500	40-77B
P.68, P.68B, P.68C, P.68C-TC		40-96E 40-142 (1)	164-02504 164-07800	164-12504 N/A		30-61E 30-127 (1)	066-10500 066-06200	40-77B
Series 300		40-163	164-20500	N/A		30-139	066-06200	40-77B

(1) Heavy duty option.

## Pilatus Britten-Norman Ltd.

BN-2, BN-2A	1969 thru 1979	40-90 (6)	164-02201	N/A		30-23A (1) (2)	N/A	40-76C
BN-2B, BN-2T	1979 and on	40-90B (6)	164-02201	N/A		30-23C (2) (3) (6)	066-06500 066-06200	40-76D
BN-2 Series	ALL	40-90F (4)	164-01506	N/A		30-23D (2) (4)	066-06500 066-06200	
BN-2A Mk111 BN-2A Mk111-2 BN-2A Mk111-3		40-98F	164-02706	N/A		30-66H (5)	066-02200	40-76D
Defender 4000		40-128E	164-23300	N/A		30-93E	066-04400	40-76D

(1) Inactive.

(2) Used with 075-06800 (R.H.) or 075-06900 (L.H.) torque plate. Order from airframe manufacturer only.

(3) Supersedes 30-23A.

(4) For aircraft equipped with 7.00-6 tires.

(5) Supersedes 30-66D per Service Bulletin SB7053.

(6) 199-202 Wheel &amp; Brake Upgrade Kit converts 40-90 or 40-90B/30-23C to 40-90F/30-23D. TSO approved per PRM57.

Cleveland

Wheels &amp; Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Piper (The New Piper Aircraft, Inc.)**

PA-18-150, PA-18A-150	18-7609137 & on	<a href="#">40-60</a>	164-06700	164-16700		<a href="#">30-60</a> (3) (4)	066-10600	N/A
PA-22 Tri-Pacer		<a href="#">3040</a> (1)	169-00101	N/A		<a href="#">C2000</a> (1)	066-00504 (2)	<a href="#">40-8</a>
PA-22-108 Colt		<a href="#">40-28</a>	164-00500	164-10500		<a href="#">30-18</a>	066-10600	<a href="#">40-8</a>

(1) Aircraft equipped with Drum-type brakes.

(2) Brake Shoe, includes rivets.

(3) Inactive.

(4) Superseded by 30-60A. 30-60A superseded by 30-60B.

PA-23-150, -160		<a href="#">3080A</a>	159-00200 (1)	N/A		<a href="#">3000-500</a>	066-10600	<a href="#">38501</a> (2)
PA-23-235	27-1 thru 27-3737	<a href="#">3080B</a>	164-00206	N/A		<a href="#">37-200-2</a>	066-10600	<a href="#">38501</a> (2)
PA-23-250	27-3738 thru 27-7554137, 27-7554139, 27-7554141 thru 27-7554149	<a href="#">3080D</a>	164-03206	N/A		<a href="#">37-200A</a>	066-06500pp 066-06200bp	<a href="#">38501</a> (2)
	27-7554138	<a href="#">40-131</a>	164-05700	N/A		<a href="#">30-96</a>	066-06200	<a href="#">40-76B</a>

(1) For replacement order 159-00204, includes rivets.

(2) Aircraft manufactured after 1971 are equipped with 40-76B nose wheel.

PA-24-180, -250, Comanche -260	24-1 thru 24-3295	<a href="#">3070</a>	159-00100 (1)	N/A		<a href="#">3000-250</a> (5)	066-10600	<a href="#">38501</a> (2)
	24-3296 thru 24-3306	<a href="#">3070</a>	159-00100 (1)	N/A		<a href="#">30-41</a> (3) (4)	066-10600	
	24-3307 and on	<a href="#">40-58</a>	164-00900	164-10900				
		<a href="#">40-84</a>	164-01900	164-11900		<a href="#">30-41B</a> (3)	066-10600	
PA-24-400	24-130 and on	<a href="#">40-90</a>	164-02201	N/A		<a href="#">30-23</a> (3)	066-06500pp 066-06200bp	

(1) For replacement order 159-00104, includes rivets.

(2) Aircraft manufactured after 1971 are equipped with 40-76B nose wheel.

(3) Use with airframe supplied torque plate (075-02900).

(4) Inactive - superseded by 30-41B.

(5) Use with airframe supplied torque plate (075-02400)

PA-25 Pawnee Series (1)								
----------------------------	--	--	--	--	--	--	--	--

(1) See LAVIASA

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Piper (The New Piper Aircraft, Inc.) - continued**

PA-28-140 Cherokee/Crusier	28-20002 thru 20520	40-28	164-00500	164-10500		30-18	066-10600	38501
	28-20521 thru 7725334	40-86	164-02000	164-12000		30-55	066-10500	
	28-7725335 and on	40-86	164-02000	164-12000		30-55	066-10500	40-76B
	1974 and on	40-86B	164-02000	164-12000		30-55	066-10500	40-76F
PA-28-150 Cherokee	28-1 thru 1760	40-28	164-00500	164-10500		30-18	066-10600	38501
PA-28-160	28-1761 and on	40-86	164-02000	164-12000		30-55	066-10500	
PA-28-151 Cherokee/Warrior	1979 and on	40-86B	164-02000	164-12000		30-55	066-10500	40-77A
PA-28-161 Cherokee Warrior II	1977 and on (McCauley)	40-86B	164-02000	164-12000		30-55	066-10500	D-30500

(1) Heavy duty option.

(2) Superseded by 30-41B.

PA-28-180 Cherokee/Archer	28-1 thru 28-1760	40-28	164-00500	164-10500		30-18	066-10600	38501
	28-1761 thru -7205244	40-86	164-02000	164-12000		30-55	066-10500	
	28-7205245 and on	40-86	164-02000	164-12000		30-55	066-10500	40-76B
	1974 and on	40-86B	164-02000	164-12000		30-55	066-10500	40-76F
PA-28-181 Cherokee/Archer II	1979 and on	40-86B	164-02000	164-12000		30-55	066-10500	40-56
PA-28-235 Cherokee/Pathfinder	28-10487 and on	40-86	164-02000	164-12000		30-55	066-10500	40-76B
PA-28-236 Dakota	28-7911001 and on	40-86B	164-02000	164-12000		30-55	066-10500	40-76F
PA-28R-180 Cherokee/Arrow 180	28-8111001 and on	40-86B	164-02000	164-12000		30-55	066-10500	40-56
	28-8111001 and on	40-90A (1)	164-02300	164-12300		30-65 (1)	066-10500	
	28R-30005 thru -71300005	40-84	164-01900	164-11900		30-41 (2)	066-10600	40-77A
	28R-7130006 and on	40-86	164-02000	164-12000		30-55	066-10500	40-77A
PA-28R-200 Cherokee/Arrow 200	1974 and on	40-86B	164-02000	164-12000		30-55	066-10500	40-77B
	1977 and on (McCauley)	40-86B	164-02000	164-12000		30-55	066-10500	D-30500
	28R-35001 thru -7135109	40-84	164-01900	164-11900		30-41 (2)	066-10600	40-77A
	28R-7135110 and on	40-86	164-02000	164-12000		30-55	066-10500	
PA-28-201T, PA-28R-201, PA-28RT-201 PA-28R-201T	1974 and on	40-86B	164-02000	164-12000		30-55	066-10500	40-77B
	1977 and on (McCauley)	40-86B	164-02000	164-12000		30-55	066-10500	D-30500
	(McCauley)	40-86B	164-02000	164-12000		30-55	066-10500	D-30500

(1) Heavy duty option.

(2) Superseded by 30-41B.

# Cleveland

Wheels & Brakes



# Applicability Data

# Aircraft/Product Directory Original Equipment

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
PA-30 Twin Comanche	30-2 thru 30-845	40-34	164-01000	N/A		30-23 (1)	066-06500pp	38501
	30-845 and on	40-90	164-02201	N/A			066-06200bp	
	1971 and on	40-90	164-02201	N/A				40-76B

## Piper (The New Piper Aircraft, Inc.) - continued

(1) Use with Airframe supplied Torque Plate (075-02900).

PA-31-300, -310 Navajo	31-5 thru 31-7300962	40-102	164-03506	N/A		30-68	066-03300	40-76B or 40-140 (1)
PA-31-325 Navajo C/R	31-7300963 and on	40-102A	164-04406	N/A		30-68A (2)	066-03300	40-76B or 40-140 (1)
PA-31-350 Chieftain -7652075	31-5001 thru	40-102A	164-04406	N/A		30-68A (2)	066-03300	40-76B or 40-140 (1)
	31-7812001 and on	40-130 (1)	164-07906 (3)	N/A		30-95A (1) (4)	066-06600	
	31-7652076 and on	40-130	164-07906 (3)	N/A		30-95 (4) (5)	066-06600	
T-1020		40-130	164-07906	N/A		30-95A (4)	066-06600	40-140
PA-31T Cheyenne I, IA, II	31-780015 and on	40-106	164-03906	N/A		30-106	066-06800	40-140
		40-106A (6)	164-03906	N/A				
PA-31T2 Cheyenne IIXL								40-140
T-1040		40-167	164-20600	N/A		30-142	066-07300	40-140

(1) Heavy duty option.

(2) Inactive - superseded by 30-68B.

(3) 164-07906 supersedes 164-05200.

(4) When ordering, specify LH or RH.

(5) Inactive - superseded by 30-95A.

(6) 40-106A has provisions for attachment dust shield.

PA-32-260 Cherokee Six "260"	32-1 thru 32-7200029	40-90	164-02201	N/A		30-65	066-10500	38501
	32-7200030 and on							40-76B
	1974 and on	40-90A	164-02300	164-12300				40-76F
	All	40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	
PA-32-300 Cherokee Six "300"	32-40000 thru 32-7240100	40-90	164-02201	N/A		30-65	066-10500	38501
	32-7240101 and on	40-90	164-02201	N/A		30-65	066-10500	40-76B
	1974 and on	40-90A	164-02300	164-12300		30-65	066-10500	40-76F
	All	40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	
PA-32R-300 Cherokee/Lance	1976 and on	40-90A	164-02300	164-12300		30-65	066-10500	40-77B
	1977 and on (McCauley)	40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	D-30500
PA-32RT-300 Lance II	7885002 and on	40-90A	164-02300	164-12300		30-65	066-10500	40-77B
		40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	
	1978 and on (McCauley)	40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	D-30500
PA-32RT-300T Turbo Lance II	7887001 and on	40-90A	164-02300	164-12300		30-65	066-10500	40-77B
		40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	
	1978 and on (McCauley)	40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	D-30500

(1) Heavy duty option.

# Cleveland

Wheels & Brakes



Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
<b>Piper (The New Piper Aircraft, Inc.) - continued</b>								
PA-32-301, 301T Saratoga and SP Series		40-90A	164-02300	164-12300		30-65	066-10500	40-77B
		40-120C (1)	164-21600	N/A		30-83A	066-06200	
PA-34-200 Seneca	S/N -7250001 and on	40-90	164-02201	N/A		30-65	066-10500	38501
	S/N -7250217 and on	40-90	164-02201	N/A		30-65	066-10500	40-76B
	1974 and on	40-90A	164-02300	164-12300		30-65	066-10500	40-76F
	All	40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	
PA-34-200T Seneca II	S/N 7570001 and on	40-90A	164-02300	164-12300		30-65	066-10500	40-56B (2)
		40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	
PA-34-220T Seneca III		40-90A	164-02300	164-12300		30-65	066-10500	40-56B or
		40-120C (1)	164-21600	N/A		30-83A (1)	066-06200	40-77B
		(1) Heavy duty option.		(2) Supersedes D-30665 and D-30265				
PA-36 Pawnee Brave		40-101	N/A	164-03006		30-67B	066-10800	N/A
PA-38-112 Tomahawk		40-78B	164-01700	164-11700		30-9B (2)	066-10600	40-77C
		40-59D (1)	164-06900	N/A		30-53A (1)	066-11200	40-56 (1)
		(1) Used on early 1980 Aircraft - those equipped with 6.00-6 main and nose wheels.		(2) Inactive - superseded by 30-9.				
PA-39 Twin Comanche		40-90	164-02201	N/A		30-23 (1)	066-06500pp 066-06200bp	N/A
		(1) Use with airframe supplied Torque Plate (075-02900).						
PA-42 Cheyenne III, IIIA								40-140
PA-42-1000 (400LS) Cheyenne IV		40-176	(1)	N/A		30-150	(1)	40-140
		(1) Internal Wheel & Brake - See Brake Section 4 for lining/heat stack components.						
PA-44-180 Seminole	7995001 and on	40-90A	164-02300	164-12300		30-65	066-10500	40-77B or
		40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	D-30500
PA-44-180T	S/N 1 and on	40-120 (1)	164-21600	N/A		30-83 (1)	066-06200	
		(1) Heavy duty option.						
PA-46-310P, -350P PA-46-500 Meridian		40-120C	164-21600	N/A		30-83A	066-06200	40-77B
		40-142	164-07800	N/A		30-127D	066-06200	

**Piper Aerostar - see Aerostar Aircraft****Pitts - see Aviat****Cleveland**

Wheels &amp; Brakes



## Applicability Data

## Original Equipment

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
<b>Raytheon Aircraft Company (5)</b>								
23, 24	1971 and on	40-113C	164-04300	164-14300		30-79A	066-10500	40-87A (4) or 40-113B (2)
B19, C23, 24R	1974 to 1977					30-75B	066-10500	
	1978 and on	40-59	164-06900	N/A		30-59	066-11200	40-87A (4)
33, A33	CD-1 thru 387	40-1 (3)	164-00900	164-10900		30-1 (3)	066-11100	N/A
B33	CD-388 thru 639	40-37 (3)	164-00700	164-10700		30-24 (3)	066-10600	
G33, F33A, F33C, V35BTC, 36	CD-1272 thru 1304	40-83	164-02504	164-12504		30-54	066-10500	40-87D
	CE-301 thru 634 CJ-31 thru 124 D-9193 thru 9861 E-1 thru 824 D-9862 and on					30-54A	066-10500	40-77E
F33A, F33C	CE-635 thru 1071	40-83A	164-02505	164-12505		30-54A	066-10500	40-87D
A36, A36TC	CJ-125 thru 155 E-825 thru 1802 EA-1 thru 186							
F33A, F33C	CE-1072 and on CJ-156 and on					30-54C	066-10500	40-77E
A36, A36TC	E-1803 thru 2254	40-83B	164-02505	164-12505		30-54A	066-10500	40-77E
A36, B36TC	EA-187 thru 442 E-2255 and on EA-443 and on					30-54C	066-10500	
C55	TE-1 and on	40-98	164-02706	N/A		30-66	066-04400	N/A
D55	TE-452 and on							40-87A (4)
E55	TE-768 and on							
56TC	TG-1 thru TG-83					30-69A	066-02200	
A56T	TG-84 and on							
58	TH-1 and on					30-66	066-04400	
B55, E55, 58	1978	40-128 (1)	164-06106	N/A		30-93B (1)	066-04400	N/A
	1979 and on	40-98G	164-02706	N/A		30-66G	066-09700	
		40-128D (1)	164-06106	N/A		30-93C (1)	066-09700	
58P, 58TC	1984 and on	40-171	164-20806	N/A		30-145	066-09700	
B60	1984 and on	40-171	164-20806	N/A		30-145	066-09700	40-56C
76		40-83	164-02504	164-12504		30-54B	066-10500	40-87A (4)
77		40-59	164-06900	N/A		30-59D	066-11200	40-87A (4)
T34C		40-111A	164-06506	N/A		30-74B	066-06700	40-110

(1) Heavy duty option.

(2) 6.00-6 Equipment .....Optional.

(3) Inactive.

(4) 40-87D, equipped with rubber lip seals, is interchangeable. (5) Formerly Beech.

**Cleveland**

Wheels &amp; Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**RFB Rhein-Flugzeugbau GmbH (1)**

RFB 400/600 Fantrainer (2)		40-96E	164-02504	164-12504		30-61E	066-10500	N/A
-------------------------------	--	--------	-----------	-----------	--	--------	-----------	-----

(1) Subsidiary of MBB.

(2) Military Trainer.

**Saab-Scania**

MF1-15, MF1-17 Supporter AC, Mushshak		40-97D	164-02601	164-12601		30-63D (1)	066-10500	40-77A
---	--	--------	-----------	-----------	--	------------	-----------	--------

(1) Inactive - Superseded by 30-63E.

**Sadler Aircraft Corp.**

A-22 Lasa 18-100 OPV		40-78B	164-01700	164-11700		30-9	066-10600	40-77
-------------------------	--	--------	-----------	-----------	--	------	-----------	-------

**Schaefer Aircraft Modifications, Inc. (1)**

PA-31T Comanchero 750		40-106	164-03906	N/A		30-106	066-06800	N/A
PA-31-350 Comanchero 500		40-195	164-21900	N/A		30-158	066-06800	

(1) FAA STC approved modifications of Piper Navajo, Cheiftain, and Cheyenne II, currently manufactured by Embraer.

**Schleicher**

ASW20, 21, 22, 23 Sailplane		40-78B	164-01700	164-11700		30-9	066-10600	40-77C
--------------------------------	--	--------	-----------	-----------	--	------	-----------	--------

**Schweizer (1)**

SGS2-53, 2-33A		3050 (2)	169-00201	N/A		C7000 (2)	066-00504 (3)	40-112
Sailplane		3050A (2)	169-00201	N/A		C7000A (2)	066-00504 (3)	
I-36 Glider		40-78	164-01700	164-11700		30-9	066-10600	40-112

(1) For G-164 series Agricultural Aircraft, see Ag-Cat Corp.

(2) Aircraft equipped with Drum-type brakes.

(3) Brake Shoe, includes rivets.

**Siai Marchetti / Agusta / Aermacchi**

SE.205		40-97E	164-02601	164-12601		30-63M	066-10500	N/A
SE.260, SE.260C		3080A	159-00200	N/A		3000-500	066-10500	40-77A
SF.260M SF.260W SE.260TP		3040 (1)	169-00101	N/A		C2000	066-00504 (2)	40-77A
SE.260SW		40-90A	164-02300	164-12300		30-65A	066-10500	40-77A
S.211		40-205 (3)	(4)	N/A		30-165 (3)	(4)	40-152
SE.600TP		40-75G	164-01501	164-11501		30-52P	066-10500	40-113B

(1) Aircraft equipped with Drum-type brakes.

(2) Brake Shoe, includes rivets.

(3) Not TSO approved - order from airframe manufacturer only.

(4) Internal Wheel &amp; Brake, see Brake Section 4 for lining/heat stack components.

**Cleveland**

Wheels &amp; Brakes



**Applicability Data**

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Slingsby Aviation Ltd.**

T67C, T67M, 200 Firefly		40-86B 40-86F (1)	164-02000	164-12000		30-55	066-10500	40-77B
T-3A TR67GRP		40-407	164-24400	N/A		30-236	066-10500	40-77B

(1) Alternate wheel approved for use with 30-55 Brake – must be used with Slingsby Stock Code Numbers 126-35-623 Spacer and 126-35-622 Collar.

**S M E Aerospace**

MD3-160		40-113	164-04000	164-14000		30-75	066-10500	40-77
---------	--	--------	-----------	-----------	--	-------	-----------	-------

**Socata - see Aerospatiale****Sportavia (1)**

RF6C/RS180 Sportsman		40-86A	164-02000	164-12000		30-55B	066-10500	40-76A (2) 40-77A (3)
-------------------------	--	--------	-----------	-----------	--	--------	-----------	--------------------------

(1) Owned by RFB, Subsidiary of FVW-Fokker GmbH.

(2) Aircraft equipped with 6.00-6 nose wheel.

(3) Aircraft equipped with 5.00-5 nose wheel.

**Stol Aircraft Corp.**

UC-1 Twin Bee (1)		40-74	164-00700	164-10700		30-51A	066-10600	40-50
-------------------	--	-------	-----------	-----------	--	--------	-----------	-------

(1) Complete TC modification of Republic Seabee.

**Swearingen Aircraft**

SX300		40-151	164-08500	N/A		30-133	066-10500	40-87
-------	--	--------	-----------	-----	--	--------	-----------	-------

**Taylorcraft Aviation Corp.**

F-19 Sportsman 100		3050 (1) 40-86	169-00201 164-02000	N/A 164-12000		C7000A (1) 30-55	066-00504 (2) 066-10500	N/A
F-21, F-21A Trainer/Sport		40-86	164-02000	164-12000		30-55	066-10500	
F-22		40-86	164-02000	164-12000		30-55	066-10500	40-77

(1) Aircraft equipped with Drum-type brakes, mechanically operated. (2) Brake Shoe, includes rivets.

**Cleveland**

Wheels &amp; Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
<b>Univair</b>								
A2, A2A Alon (1)		<a href="#">40-97A</a>	164-02601	164-12601		<a href="#">30-63A</a>	066-10500	N/A
415-C, CD, D, E, G (1) Ercoupe F1, F1A Forney		<a href="#">40-41</a>	164-00300	N/A		<a href="#">30-30</a>	066-10500	
M10 Mooney Cadet (1)		<a href="#">40-97A</a>	164-02601	164-12601		<a href="#">30-63A</a>	066-10500	
J-3, PA-11, PA-12, (10) PA-14, PA-16, PA-18, PA-20 Piper Cub		<a href="#">40-60</a>	164-06700	164-16700		<a href="#">30-60 (2)</a>	066-10600	
PA-18, PA-20, PA-22/20 Piper Cub (10) (3)		<a href="#">40-84</a>	164-01900	164-11900		<a href="#">30-41 (4)</a>	066-10600	
108, 108-1, -2, -3, -5 (1) Stinson		<a href="#">3040 (5) (7)</a> <a href="#">40-28 (8)</a> <a href="#">40-97E (9)</a>	169-00101 164-00500 164-02601	N/A 164-10500 164-12601		<a href="#">C2000 (5)</a> <a href="#">30-18</a> <a href="#">30-63Q (9)</a>	066-00504 (6) 066-10600 066-10500	

(1) TC currently owned by Univair.

(4) Inactive - superseded by 30-41B.

(7) Aircraft equipped with 6.00-6 tires.

(10) STC Approved modification of original aircraft.

(2) Inactive - superseded by 30-60A.

(5) Aircraft equipped with Drum-type Brakes.

(8) Aircraft equipped with 7.00-6 tires.

(3) Aircraft equipped with 1 1/2 inch axles.

(6) Brake shoe, includes rivets.

(9) May be used to retrofit earlier models.

**Valmet**

L-70 Miliitrainer		<a href="#">40-75S (1)</a>	164-04800	164-14800		<a href="#">30-52K</a>	066-10500	<a href="#">40-77C</a>
L-90 TP Redigo		<a href="#">40-142</a>	164-07800	N/A		<a href="#">30-127</a>	066-06200	<a href="#">40-110B</a>

(1) Inactive - superseded by 40-75T.

**Varga**

2150A/2180 Kachina		<a href="#">40-97E</a>	164-02601	164-12601		<a href="#">30-63E</a>	066-10500	<a href="#">40-77B</a>
-----------------------	--	------------------------	-----------	-----------	--	------------------------	-----------	------------------------

**Waco**

Meteor, Minerva, Vela		<a href="#">40-97A</a>	164-02601	164-12601		<a href="#">30-63A</a>	066-10500	<a href="#">40-77</a>
--------------------------	--	------------------------	-----------	-----------	--	------------------------	-----------	-----------------------

**Cleveland**

Wheels &amp; Brakes



**Applicability Data**

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Weatherly Aviation Co.**

201A, 201B, 201C, 620		40-101	N/A	164-03006		30-67D (2)	066-10800	40-112
620A, 620TP, 620B	1520 thru 1584	40-101	N/A	164-03006		30-89B (1)	066-0800	40-112
620B	1585 and on	40-101E	N/A	164-03006				

(1) Order from airframe manufacturer only.

(2) 30-89B is heavy duty option for model 620

**Wing Aircraft**

D-1 Derringer		40-84	164-01900	164-11900		30-41B (1)	066-10600	40-77A
---------------	--	-------	-----------	-----------	--	------------	-----------	--------

(1) Use with airframe supplied torque plate.

**WTA Inc.**

PA-18-150, PA-18A-150 Super Cub (1)		40-60	164-06700	164-16700		30-60 (2)	066-10600	N/A
---	--	-------	-----------	-----------	--	-----------	-----------	-----

(1) Acquired rights from Piper Aircraft.

(2) Inactive - superseded by 30-60A.

**Cleveland**

Wheels &amp; Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Main Wheel Assembly	Standard Disc	Chrome Disc		Brake Assembly	Lining	Auxiliary Wheel
----------------	------------------------	------------------------	------------------	----------------	--	-------------------	--------	--------------------

**Aerocet, Inc.**

3500 Series	N/A	<a href="#">40-418A</a> (1)	164-24500	N/A		091-21600 (2)	066-10500	N/A
-------------	-----	-----------------------------	-----------	-----	--	---------------	-----------	-----

(1) Contains chrome-plated bearings.

(2) Brake cylinder assembly (part of [30-241](#) brake assembly).

Use with manufacturer supplied torque

plate.

**Baumann Floats, Inc.**

BF2150	199-103	<a href="#">40-78J</a>	164-01700	164-11700		<a href="#">30-9C</a>	06610600	N/A
BF2550								
BF2750	N/A	<a href="#">40-418A</a> (1)	164-24500	N/A		<a href="#">30-241</a>	066-10500	N/A

(1) Contains chrome-plated bearings.

**Wipaire, Inc.**

2100/2350 Series	N/A	<a href="#">40-78A</a>	164-01700	164-11700		<a href="#">30-9C</a>	066-10600	<a href="#">D-30380</a>
3730/4000 Series								
3000/3450 Series	N/A	<a href="#">40-418</a>	164-24500	N/A		<a href="#">30-241</a>	066-10500	<a href="#">D-30380</a>
6000/8000 Series	N/A							<a href="#">D-30500-1</a>
13000 Series	N/A	<a href="#">40-101D</a>	164-03006	N/A		<a href="#">30-67C</a>	066-10800	<a href="#">40-426</a>

**Cleveland**

Wheels &amp; Brakes



**Applicability Data**

Model/ Name	Year/ Serial Number	Master Cylinder		Parking Valve	
		Cleveland Part Number	Replaces OEM Part Number	Cleveland Part Number	Replaces OEM Part Number

**American Champion Aircraft Corp.**

8KCAB 8GCBC	All	N/A		60-5 (060-00500)	(A850-1)
----------------	-----	-----	--	---------------------	----------

**General Avia (2)**

F22	All	10-55B (1) (010-05502)	10-55B	N/A	
-----	-----	---------------------------	--------	-----	--

(1) Supersedes 10-55A (010-05501)

(2) Formerly General Avia Costruzioni Aeronautiche

**Grob Aircraft**

G115A, G115B G115C, G115C2 G115D, G115D2	All	N/A		60-5 (060-00500)	60-5
--	-----	-----	--	------------------	------

**Mooney Aircraft Corp.**

M20J, M20L, M20M	All	N/A		60-14 (060-01400)	(A-850-16) (880040-501) (88029-501)
------------------	-----	-----	--	-------------------	---

**Note: Manufacturer Code Numbers shown in Parenthesis ( ).****Cleveland**

Wheels &amp; Brakes



## Applicability Data

Model/ Name	Year/ Serial Number	Master Cylinder		Parking Valve	
		Cleveland Part Number	Replaces OEM Part Number	Cleveland Part Number	Replaces OEM Part Number
<b>Raytheon Aircraft Company (Beech)</b>					
F33A, F33C, G33 V35B 36, A36, A36TC, B36TC 77	All	N/A		60-10 (060-01000)	(A-850-8) (60-10) (060-01000)
<b>Slingsby Aviation</b>					
T67 GRP Series	All	10-30C (010-03003)	10-30C	N/A	
<b>The New Piper Aircraft, Inc. (Piper)</b>					
PA-31P	All	N/A		60-3A (060-00301)	060-00301 (492 152)
PA-31T PA-31T1 PA-31T2	All	N/A		60-3A (060-00301)	060-00301 (492 152)
PA-31-300 PA31-310	All	N/A		60-3A (0606-00301)	060-00301 (492 152)
PA-31-325	31-407 and up	N/A		60-3A (0606-00301)	060-00301 (492 152)
PA-31-350 PA-31P-350	All	N/A		60-3A (060-00301)	060-00301 (492 152)
PA-34-220T (III and IV)	All	N/A		60-3C (060-00301)	60-3C (491 978)
PA-42 PA-42-720 PA-42-1000	All	N/A		60-3A (060-00301)	060-00301 (492 152)
PA-44-180, PA-44-180T	All	N/A		60-3A (060-00301)	060-00301 (492 152)
PA-46-310P PA-46-350P	All	N/A		60-3C (060-00301)	60-3C (491 978)

Note: Manufacturer Code Numbers shown in Parenthesis ( ).

# Cleveland

Wheels & Brakes

