

16 CHANNEL MULTIPLEXER

WDM-1600C



WELDEX CORPORATION

13810 CERRITOS CORPORATE DRIVE

CERRITOS, CALIFORNIA 90703

USA

PH: 562-404-8736

FX: 562-802-0388


oem@weldex.com

16CH MULTIPLEXER (MODEL: WDM-1600C)

1. FEATURES

- ◆ Real Time Display
- ◆ Duplexer Function (Record and Playback)
- ◆ Full / Quad / PIP / Multi-Screen Display Mode Selectable)
- ◆ Programming the MENU in OSD (On Screen Display)
- ◆ Monitoring up to 16 Cameras at the same time
- ◆ Built-in Time / Date / Title Generator
- ◆ Programmable Dwell Time (1-99 sec)
- ◆ 16 Channel Full Motion Detection Function
- ◆ Alarm Status Record
- ◆ Auto Camera loss detection
- ◆ Motion detection
- ◆ Matching with DVR
- ◆
- ◆ Buzzer for Alarm In/Out
- ◆ Event Record in Alarm & Video Loss
- ◆ Freeze in Quad and Full Screen Mode
- ◆ Power on Record Display
- ◆ Sequential available in PIP Mode
- ◆ Y/C Input and Output to VCR for highest resolution
- ◆ RS-232C Full Function Remote control (option)
- ◆ NTSC / PAL user selectable
- ◆ Time laps VCR support
- ◆ 19" Standard Rack Mountable

< PICTURE MAP >



(AUTO) (FULL) (QUAD) (9i-TH) (16i-TH) (PIP)

2. SPECIFICATION

	DESCRIPTION
Video INPUT	16 camera loop through, 1 V p-p 75 Ohm, BNC
VCR INPUT	1V p-p, 75 Ohm, BNC
MONITOR OUTPUT	1V p-p, 75 Ohm, BNC
VCR OUTPUT	1V p-p, 75 Ohm, BNC
ALARM	16CH Individual On/Off OSD Display & Buzzer Time Zone Selectable Alarm Event Record & Display till 30 list (YY/MM/HH/SS, CH) Alarm Relay Out
Video Loss	16CH Individual On/Off OSD Display & Buzzer Loss Event Record & Display till 30 list (YY/MM/HH/SS, On/Off CH) Video Loss Relay Out (COM, NO, NC)
OSD Display	Camera ID Display : 8 Character Camera ID Display on/Off Selectable Time/ Date Display (YY/MM/DD, HH/MM/SS) Asian, America, European type
Zoom	2 X Zoom Mode VCR Play Back
Power On Event	Power On Event Record Display
Remote Supply	Rs-232C Connection (option)
Power Supply	DC 5V, 4A
Dimension / Weight	17"(W) x 1.75"(H) x 9.8"(D) - 6.2lbs