

Chem-Tech XP to Stenner Model Cross-Reference

Stenner Model #	GPD	PSI	Voltage/Hz	Chem-Tech XP Model #	GPD	PSI	Voltage/Hz
45MFH1A1S	3	100	115/60	XP004LFNX	4	100	115/60
S1N45MFH1A1S	3	100	115/60	XP004LFN1	4	100	115/60
S3N45MFH1A1S	3	100	115/60	XP004LFN3	4	100	115/60
Not Available				XP004LFNT	4	100	115/60
45MFH1B1S	3	100	220/60	XP004HFNX	4	100	230/60
S1N45MFH1B1S	3	100	220/60	XP004HFN1	4	100	230/60
S3N45MFH1B1S	3	100	220/60	XP004HFN3	4	100	230/60
Not Available				XP004HFNT	4	100	230/60
45MFH1C1S	3	100	230/50	XP0045FNX	4	100	230/50
S1N45MFH1C1S	3	100	230/50	XP0045FN1	4	100	230/50
S3N45MFH1C1S	3	100	230/50	XP0045FN3	4	100	230/50
Not Available				XP0045FNT	4	100	230/50
85MFH1A1S	5	100	115/60	XP007LFNX	7	100	115/60
S1N85MFH1A1S	5	100	115/60	XP007LFN1	7	100	115/60
S3N85MFH1A1S	5	100	115/60	XP007LFN3	7	100	115/60
Not Available				XP007LFNT	7	100	115/60
85MFH1B1S	5	100	220/60	XP007HFNX	7	100	230/60
S1N85MFH1B1S	5	100	220/60	XP007HFN1	7	100	230/60
S3N85MFH1B1S	5	100	220/60	XP007HFN3	7	100	230/60
Not Available				XP007HFNT	7	100	230/60
85MFH1C1S	5	100	230/50	XP0075FNX	7	100	230/50
S1N85MFH1C1S	5	100	230/50	XP0075FN1	7	100	230/50
S3N85MFH1C1S	5	100	230/50	XP0075FN3	7	100	230/50
Not Available				XP0075FNT	7	100	230/50
45MFH2A1S	10	100	115/60	XP009LFNX	9	100	115/60
S1N45MFH2A1S	10	100	115/60	XP009LFN1	9	100	115/60
S3N45MFH2A1S	10	100	115/60	XP009LFN3	9	100	115/60
Not Available				XP009LFNT	9	100	115/60
45MFH2B1S	10	100	220/60	XP009HFNX	9	100	230/60
S1N45MFH2B1S	10	100	220/60	XP009HFN1	9	100	230/60
S3N45MFH2B1S	10	100	220/60	XP009HFN3	9	100	230/60
Not Available				XP009HFNT	9	100	230/60
45MFH2C1S	10	100	230/50	XP0095FNX	9	100	230/50
S1N45MFH2C1S	10	100	230/50	XP0095FN1	9	100	230/50
S3N45MFH2C1S	10	100	230/50	XP0095FN3	9	100	230/50
Not Available				XP0095FNT	9	100	230/50
85MFH2A1S	17	100	115/60	XP015LFNX	15	100	115/60
S1N85MFH2A1S	17	100	115/60	XP015LFN1	15	100	115/60
S3N85MFH2A1S	17	100	115/60	XP015LFN3	15	100	115/60
Not Available				XP015LFNT	15	100	115/60
85MFH2B1S	17	100	220/60	XP015HFNX	15	100	230/60
S1N85MFH2B1S	17	100	220/60	XP015HFN1	15	100	230/60
S3N85MFH2B1S	17	100	220/60	XP015HFN3	15	100	230/60
Not Available				XP015HFNT	15	100	230/60
85MFH2C1S	17	100	230/50	XP0155FNX	15	100	230/50
S1N85MFH2C1S	17	100	230/50	XP0155FN1	15	100	230/50
S3N85MFH2C1S	17	100	230/50	XP0155FN3	15	100	230/50
Not Available				XP0155FNT	15	100	230/50
45MFH7A1S	22	100	115/60	XP023LFNX	23	100	115/60
S1N45MFH7A1S	22	100	115/60	XP023LFN1	23	100	115/60
S3N45MFH7A1S	22	100	115/60	XP023LFN3	23	100	115/60
Not Available				XP023LFNT	23	100	115/60
45MFH7B1S	22	100	220/60	XP023HFNX	23	100	230/60
S1N45MFH7B1S	22	100	220/60	XP023HFN1	23	100	230/60
S3N45MFH7B1S	22	100	220/60	XP023HFN3	23	100	230/60
Not Available				XP023HFNT	23	100	230/60
45MFH7C1S	22	100	230/50	XP0235FNX	23	100	230/50
S1N45MFH7C1S	22	100	230/50	XP0235FN1	23	100	230/50
S3N45MFH7C1S	22	100	230/50	XP0235FN3	23	100	230/50
Not Available				XP0235FNT	23	100	230/50

Chem-Tech XP to Stenner Model Cross-Reference

Stenner Model #	GPD	PSI	Voltage/Hz	Chem-Tech XP Model #	GPD	PSI	Voltage/Hz
Not Available				XP030LFNX	30	80	115/60
Not Available				XP030LFN1	30	80	115/60
Not Available				XP030LFN3	30	80	115/60
Not Available				XP030LFNT	30	80	115/60
Not Available				XP030HFNX	30	80	230/60
Not Available				XP030HFN1	30	80	230/60
Not Available				XP030HFN3	30	80	230/60
Not Available				XP030HFNT	30	80	230/60
Not Available				XP0305FNX	30	80	230/50
Not Available				XP0305FN1	30	80	230/50
Not Available				XP0305FN3	30	80	230/50
Not Available				XP0305FNT	30	80	230/50
85MFH7A1S	40	100	115/60	XP050LFNX	50	80	115/60
S1N85MFH7A1S	40	100	115/60	XP050LFN1	50	80	115/60
S3N85MFH7A1S	40	100	115/60	XP050LFN3	50	80	115/60
Not Available				XP050LFNT	50	80	115/60
85MFH7B1S	40	100	220/60	XP050HFNX	50	80	230/60
S1N85MFH7B1S	40	100	220/60	XP050HFN1	50	80	230/60
S3N85MFH7B1S	40	100	220/60	XP050HFN3	50	80	230/60
Not Available				XP050HFNT	50	80	230/60
85MFH7C1S	40	100	230/50	XP0505FNX	50	80	230/50
S1N85MFH7C1S	40	100	230/50	XP0505FN1	50	80	230/50
S3N85MFH7C1S	40	100	230/50	XP0505FN3	50	80	230/50
Not Available				XP0505FNT	50	80	230/50
85MFL5A1S	85	25	115/60	XP080LFNX	80	25	115/60
S1N85MFL5A1S	85	25	115/60	XP080LFN1	80	25	115/60
S3N85MFL5A1S	85	25	115/60	XP080LFN3	80	25	115/60
Not Available				XP080LFNT	80	25	115/60
85MFL5B1S	85	25	220/60	XP080HFNX	80	25	230/60
S1N85MFL5B1S	85	25	220/60	XP080HFN1	80	25	230/60
S3N85MFL5B1S	85	25	220/60	XP080HFN3	80	25	230/60
Not Available				XP080HFNT	80	25	230/60
85MFL5C1S	85	25	230/50	XP0805FNX	80	25	230/50
S1N85MFL5C1S	85	25	230/50	XP0805FN1	80	25	230/50
S3N85MFL5C1S	85	25	230/50	XP0805FN3	80	25	230/50
Not Available				XP0805FNT	80	25	230/50
45MJH1A1S	3	100	115/60	XP004LANX	4	100	115/60
S1N45MJH1A1S	3	100	115/60	XP004LAN1	4	100	115/60
S3N45MJH1A1S	3	100	115/60	XP004LAN3	4	100	115/60
Not Available				XP004LANT	4	100	115/60
45MJH1B1S	3	100	220/60	XP004HANX	4	100	230/60
S1N45MJH1B1S	3	100	220/60	XP004HAN1	4	100	230/60
S3N45MJH1B1S	3	100	220/60	XP004HAN3	4	100	230/60
Not Available				XP004HANT	4	100	230/60
45MJH1C1S	3	100	230/50	XP0045ANX	4	100	230/50
S1N45MJH1C1S	3	100	230/50	XP0045AN1	4	100	230/50
S3N45MJH1C1S	3	100	230/50	XP0045AN3	4	100	230/50
Not Available				XP0045ANT	4	100	230/50
85MJH1A1S	5	100	115/60	XP007LANX	7	100	115/60
S1N85MJH1A1S	5	100	115/60	XP007LAN1	7	100	115/60
S3N85MJH1A1S	5	100	115/60	XP007LAN3	7	100	115/60
Not Available				XP007LANT	7	100	115/60
85MJH1B1S	5	100	220/60	XP007HANX	7	100	230/60
S1N85MJH1B1S	5	100	220/60	XP007HAN1	7	100	230/60
S3N85MJH1B1S	5	100	220/60	XP007HAN3	7	100	230/60
Not Available				XP007HANT	7	100	230/60
85MJH1C1S	5	100	230/50	XP0075ANX	7	100	230/50
S1N85MJH1C1S	5	100	230/50	XP0075AN1	7	100	230/50
S3N85MJH1C1S	5	100	230/50	XP0075AN3	7	100	230/50
Not Available				XP0075ANT	7	100	230/50

Chem-Tech XP to Stenner Model Cross-Reference

Stenner Model #	GPD	PSI	Voltage/Hz	Chem-Tech XP Model #	GPD	PSI	Voltage/Hz
45MJH2A1S	10	100	115/60	XP009LANX	9	100	115/60
S1N45MJH2A1S	10	100	115/60	XP009LAN1	9	100	115/60
S3N45MJH2A1S	10	100	115/60	XP009LAN3	9	100	115/60
Not Available				XP009LANT	9	100	115/60
45MJH2B1S	10	100	220/60	XP009HANX	9	100	230/60
S1N45MJH2B1S	10	100	220/60	XP009HAN1	9	100	230/60
S3N45MJH2B1S	10	100	220/60	XP009HAN3	9	100	230/60
Not Available				XP009HANT	9	100	230/60
45MJH2C1S	10	100	230/50	XP0095ANX	9	100	230/50
S1N45MJH2C1S	10	100	230/50	XP0095AN1	9	100	230/50
S3N45MJH2C1S	10	100	230/50	XP0095AN3	9	100	230/50
Not Available				XP0095ANT	9	100	230/50
85MJH2A1S	17	100	115/60	XP015LANX	15	100	115/60
S1N85MJH2A1S	17	100	115/60	XP015LAN1	15	100	115/60
S3N85MJH2A1S	17	100	115/60	XP015LAN3	15	100	115/60
Not Available				XP015LANT	15	100	115/60
85MJH2B1S	17	100	220/60	XP015HANX	15	100	230/60
S1N85MJH2B1S	17	100	220/60	XP015HAN1	15	100	230/60
S3N85MJH2B1S	17	100	220/60	XP015HAN3	15	100	230/60
Not Available				XP015HANT	15	100	230/60
85MJH2C1S	17	100	230/50	XP0155ANX	15	100	230/50
S1N85MJH2C1S	17	100	230/50	XP0155AN1	15	100	230/50
S3N85MJH2C1S	17	100	230/50	XP0155AN3	15	100	230/50
Not Available				XP0155ANT	15	100	230/50
45MJH7A1S	22	100	115/60	XP023LANX	23	100	115/60
S1N45MJH7A1S	22	100	115/60	XP023LAN1	23	100	115/60
S3N45MJH7A1S	22	100	115/60	XP023LAN3	23	100	115/60
Not Available				XP023LANT	23	100	115/60
45MJH7B1S	22	100	220/60	XP023HANX	23	100	230/60
S1N45MJH7B1S	22	100	220/60	XP023HAN1	23	100	230/60
S3N45MJH7B1S	22	100	220/60	XP023HAN3	23	100	230/60
Not Available				XP023HANT	23	100	230/60
45MJH7C1S	22	100	230/50	XP0235ANX	23	100	230/50
S1N45MJH7C1S	22	100	230/50	XP0235AN1	23	100	230/50
S3N45MJH7C1S	22	100	230/50	XP0235AN3	23	100	230/50
Not Available				XP0235ANT	23	100	230/50
Not Available				XP030LANX	30	80	115/60
Not Available				XP030LAN1	30	80	115/60
Not Available				XP030LAN3	30	80	115/60
Not Available				XP030LANT	30	80	115/60
Not Available				XP030HANX	30	80	230/60
Not Available				XP030HAN1	30	80	230/60
Not Available				XP030HAN3	30	80	230/60
Not Available				XP030HANT	30	80	230/60
Not Available				XP0305ANX	30	80	230/50
Not Available				XP0305AN1	30	80	230/50
Not Available				XP0305AN3	30	80	230/50
Not Available				XP0305ANT	30	80	230/50
85MJH7A1S	40	100	115/60	XP050LANX	50	80	115/60
S1N85MJH7A1S	40	100	115/60	XP050LAN1	50	80	115/60
S3N85MJH7A1S	40	100	115/60	XP050LAN3	50	80	115/60
Not Available				XP050LANT	50	80	115/60
85MJH7B1S	40	100	220/60	XP050HANX	50	80	230/60
S1N85MJH7B1S	40	100	220/60	XP050HAN1	50	80	230/60
S3N85MJH7B1S	40	100	220/60	XP050HAN3	50	80	230/60
Not Available				XP050HANT	50	80	230/60
85MJH7C1S	40	100	230/50	XP0505ANX	50	80	230/50
S1N85MJH7C1S	40	100	230/50	XP0505AN1	50	80	230/50
S3N85MJH7C1S	40	100	230/50	XP0505AN3	50	80	230/50

Chem-Tech XP to Stenner Model Cross-Reference

Stenner Model #	GPD	PSI	Voltage/Hz	Chem-Tech XP Model #	GPD	PSI	Voltage/Hz
Not Available				XP0505ANT	50	80	230/50
85MJL5A1S	85	25	115/60	XP080LANX	80	25	115/60
S1N85MJL5A1S	85	25	115/60	XP080LAN1	80	25	115/60
S3N85MJL5A1S	85	25	115/60	XP080LAN3	80	25	115/60
Not Available				XP080LANT	80	25	115/60
85MJL5B1S	85	25	220/60	XP080HANX	80	25	230/60
S1N85MJL5B1S	85	25	220/60	XP080HAN1	80	25	230/60
S3N85MJL5B1S	85	25	220/60	XP080HAN3	80	25	230/60
Not Available				XP080HANT	80	25	230/60
85MJL5C1S	85	25	230/50	XP0805ANX	80	25	230/50
S1N85MJL5C1S	85	25	230/50	XP0805AN1	80	25	230/50
S3N85MJL5C1S	85	25	230/50	XP0805AN3	80	25	230/50
Not Available				XP0805ANT	80	25	230/50
*Materials of construction vary, chemical compatibility is the responsibility of the purchaser							



SeasonGear

www.eseasongear.com