

Issue date	March 1, 2015	Safety Data Sheet	
Reviewed date	October 1, 2020		
		SDS ID# 2040	
Section 1. IDENT 1.1. Product iden			
Product form	lunei	: Mixture	
Product name		: Carbon Monoxide (0.0001%-0.1199%) in Air (Oxygen 20.9% bal. Nitrogen)	
1.2. Relevant ide	ntified uses of the	e substance or mixture and uses advised against	
Product use		: Calibration gas/Bumptest gas/Function test gas	
Intermountain Sp 520 N. Kings Roa Nampa, ID 83687	d -466-9425 or Tol 144	safety data sheet II free 1-800-552-5003	
1.4 Emergency t	elephone numbe	r	
Emergency numb		: CHEMTREC: 1-800-424-9300	
Section 2 HA7A	RDS INDENTIFICA	TION	
	n of the substance		
Classification		: GASES UNDER PRESSURE - Compressed gas	
2.2. Label element Hazard pictogram			
Signal word		: WARNING	
Hazard statemen	ıts	: H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED : CGA-HG24 - MAY SUPPORT COMBUSTION : OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL	
Precautionary sta [General]	atements	: Read and follow all Safety Data Sheets (SDS's) before use. Read label before	use. Keep
EN (English US)		SDS ID# 2040	Page 1 of 10



Carbon Monoxide (0.0001%-0.1199%) in Air (Oxygen 20.9% bal. Nitrogen)

out of reach of children. If medical advice is needed, have a product container or label at
hand. Use equipment rated for cylinder pressure.[Prevention]: P202 - Do not handle until all safety precautions have been read and understood
: P271+P403- Use only outdoors or in a well-ventilated area[Response]: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.[Storage]: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)[Disposal]: Dispose of content and/or container in accordance with local, regional, national, and/or
international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	76.3801 - 80.4999
Oxygen	(CAS No) 7782-44-7	19.5 - 23.5
Carbon Monoxide	(CAS No) 630-08-0	0.0001 - 0.1199

Section 4. FIRST AID MEASUR	ES	
4.1. Description of first aid me	easures	
General	: IF exposed or concerned: Get medical advice/attention.	
Inhalation	: Remove to fresh air and keep at rest in a position comfortable	for breathing. If
	breathing has stopped, give artificial respiration or oxygen by tra	ained personnel. If
Chin contact	victim feels unwell, seek medical advice.	
Skin contact	: Immediately flush with copious amount of water for at least 15	
Eye contact	: Immediately flush with copious amount of water for at least 15	i minutes.
Ingestion	: Ingestion is not considered a potential route of exposure, refer	to the inhalation
	section.	
4.2. Most important symptom	ns/effects, acute and delayed	
Acute		
Inhalation	: May displace oxygen and cause rapid suffocation.	
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbit	e.
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbit	e.
Ingestion	: Ingestion is not considered a potential route of exposure, refer	to the inhalation
EN (English US)	SDS ID# 2040	Page 2 of 10



	section.
Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate
	medical advice/attention.
Symptoms/injuries upon intravenous	: Symptoms of overexposure are dizziness, headache, tiredness, nausea,
administration	unconsciousness, cessation of breathing.
Chronic symptoms	: Adverse effects not expected from this product.
Delayed	: Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASURES 5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known
5.2. Special hazards arising from the s	ubstance or mixture
Fire hazard	: The product is not flammable
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing
	risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for fire-fighters	
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6. ACCIDENTAL RELEASE MEA	SURES	
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Ensure adequate ventilation.	
6.1.1. For non -emergency personnel		
Protective equipment	: Wear protective equipment consistent with the site emergency plan.	
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and win	ndows of
	adjacent premises. Keep containers closed. Mark the danger area. Sea	l off low-lying
	areas. Keep upwind.	
6.1.12. For emergency responders		
Protective equipment : Standard protective clothing and equipment (e.g., Self Contained Breathing		athing
	Apparatus) for fire fighters. Equip cleanup crew with proper protection	۱.
Emergency procedures	: Evacuate and limit access. Ventilate area. See information above "For	r non-
EN (English US)	SDS ID# 2040	Page 3 of 10



	emergency personnel".
6.2. Methods and material for contain	ment and cleaning up
For containment	: Immediately contact emergency personnel. Try to stop gas leak if safe to do so.
Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national,
	and/or international regulations.
Section 7. HANDLING AND STORAGE	
7.1. Precautions for safe handling	
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inclue	ding any incompatibilities
Technical measures	: None known.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Nitrogen (7727-37-9)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
ppm	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C)Ceiling	(C) Ceiling
Not established	Not established	Not established	Not established	Simple asphyxiant
NULESLUDIISTIEU	ivot established			

Oxygen (7782-44-7)

OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
ppm	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling

There are no specific exposure limits for Nitrogen. Nitrogen is a simple asphyxiant (SA). Oxygen levels should be maintained above 19.5%.



Carbon Monoxide (0.0001%-0.1199%) in Air (Oxygen 20.9% bal. Nitrogen)

Carbon Monoxide (630-08-0)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
	mg/m ³	8-hour TWA	up to 10-hour TWA	8-hour TWA
nnm		(ST) STEL	(ST) STEL	(ST) STEL
ppm		(C) Ceiling	(C) Ceiling	(C) Ceiling
			(IDHL) Immediately Dangerous	
			to Life or Health	
50 ppm	55 mg/m ³	25 ppm	35 ppm	25 ppm
50 ppm		(C) 200 ppm	(C) 200 ppm	
			(IDLH) 1,200 ppm	

8.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures	
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved
	standard if a risk assessment indicates this is necessary.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section
	13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Exposure controls	
Appearance	: Clear, colorless gas.
Physical state	: Gas
Color	: Colorless
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Freezing point	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not Flammable - not combustible
Upper flammability	: Not Flammable - not combustible
Lower flammability	: Not Flammable - not combustible



Relative density	: No data available
Solubility	: No data available
Partition coefficient	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: Not applicable

	Carbon Monoxide	Oxygen	Nitrogen	
Molecular weight (grams)	58.12	32.00	28.013	
Boiling point	-0.5 °C	-182.9 °C	-196 °C	
Vapor pressure	2200 hPa @ 20	Above critical	Above critical	
vapor pressure	°C	temperature	temperature	
Vapor density at 20°C	2.11	1.11	0.97	
Relative gas density	2.52 @ 15 °C	1.331	1.153	
Critical Temperature	152.03 °C	-118.6 °C	-146.9 °C	

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.4. Conditions to avoid

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

None known

Section 11. TOXICOLOGICAL INFORMATION			
Acute toxicity			
Nitrogen (7727-37-9)			
LC50 inhalation rat (ppm)	410,000 ppm/4h		
Oxygen (7782-44-7)			
LC50 inhalation rat (ppm)	400,000 ppm/4h		
Carbon Monoxide (630-08-0)			



LC50 inhalation rat (ppm)	3,760 ppm/1h
LC50 inhalation rat (ppm)	1,807 ppm/4h

11.1. Information on routes of exposi-	Jre de la constante de la const
Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Adverse effects not expected from this product
Eye contact	: Adverse effects not expected from this product
Ingestion	: Ingestion is not considered a potential route of exposure

11.2. Symptoms related t	to physical, chemical and toxicological characteristics
Symptoms	Simple asphyxiant. May cause suffocation by displacing the oxygen in the air.
	Exposure to oxygen-deficient atmosphere (<=18%) may cause dizziness, drowsiness,
	nausea, vomiting, excess salivation, diminished mental alertness, loss of
	consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen
	will bring about unconsciousness without warning and so quickly that the individuals
	cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury
	or death.

11.3. Delayed and immediate effects		
Skin corrosion/irritation	: Contact with rapidly expanding gas may cause burns or fro	osthite
Serious eye damage/irritation	: Contact with rapidly expanding gas may cause burns of fro	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Genetic changes observed in mammalian cell assay system to 2,500 ppm of carbon monoxide for 10 minutes	ns at exposures of 1,500
Carcinogenicity	: Not classified	
Reproductive toxicity	: Category 1A. Overexposure to carbon monoxide may decr successful pregnancy. In rats treated with carbon monoxide pregnancy in the control group was 100% whereas the rest animals treated with 30 and 90 ppm of carbon monoxide w respectively.	e, the rate of successful of successful of successful pregnancy in
Developmental Toxicity	Mice exposed to concentrations of carbon monoxide at 65 demonstrated doe-dependent effects on the fetus (increase decreased weight) with no signs of maternal toxicity. Offspr ppm carbon monoxide had minor reductions in birth weight deficits which became more pronounced in adulthood.	ed mortality and ring of rats exposed to 150
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Genetic changes observed in mammalian cell assay system to 2,500 ppm of carbon monoxide for 10 minutes : Central vascular system (CVS), Lungs, Blood, Central nervo	
Aspiration hazard	: Not classified	
EN (English US)	SDS ID# 2040	Page 7 of 10



Not applicable for gases and gas-mixtures

11.4. Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Section 12. ECOLOGICAL INFORMATION

12.1. Aquatic Toxicity

Ecology - general

: No ecological damage caused by this product

12.2. Persistence and degradability

No information available for the product

12.3. Bioaccumulative potential

No information available for the product

12.4. Mobility in soil

No information available for the product

12.5. Other

No information available for the product

Section 13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Oxygen)			
Transport hazard class(es)	2.2	2.2	2.2 HOW FLAMMABLE GAS	2.2
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

Section 15. REGULATORY INFORMATION

15.1. US Federal regulations

SARA 311/312 hazard categories



Carbon Monoxide (0.0001%-0.1199%) in Air (Oxygen 20.9% bal. Nitrogen)

Acute Health	: No	
Chronic Health	: No	
Fire	: No	
Pressure	: Yes	
Reactive	: No	

SARA Title III Notifications and Information: None known

This product does not contain toxic chemicals subject to reporting requirements of section 313 of the Emergency planning
and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372.SARA 311/312Sudden Release of Pressure Hazard

15.2. US State regulations

Nitrogen (007727-37-9)
U.S Massachusetts - Right To Know List
U.S Minnesota - Right To Know Hazardous Substance List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
Oxygen (007782-44-7)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
Carbon Monoxide (630-08-0)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
U.S California Proposition 65 (Developmental)

Section 16. OTHER INFORMATION	
Date of issue/Date of revision	10/1/2020
Revision Note	
Hazardous Material Information St	ystem (USA)
Hazard Scale	: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe
Health	:1
Fire	: 0
Physical hazards	: 3

Key/Legend		
SARA	Superfund Amendments and Reauthorization Act	
OSHA	Occupational Safety and Health Administration	
DOT	Department of Transportation	
TSCA	Toxic Substance Control Act	
NTP	National Toxicology Program	
ACGIH	American Conference of Governmental Industrial Hygienists	
PEL	Permissible Exposure Limit	
EN (English US)	SDS ID# 2040	Page 9 of 10



STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TDG	Transportation of Dangerous Goods
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TWA	Time Weighted Average
Prop	Proposition
ATE	Acute Toxicity Estimate

DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for the information for the information for their particular purpose (s).