

Issue date	March 1, 2015	Safety Data Sheet
Reviewed date	October 1, 2020	SDS ID# 2060
Section 1. IDENT 1.1. Product ider		
Product form		: Mixture
Product name		: Carbon Monoxide (0.0001%-0.1199%); Oxygen (0.0001%-19.49%) in Nitrogen
1.2. Relevant ide Product use	entified uses of the	e substance or mixture and uses advised against : Calibration gas/Bumptest gas/Function test gas
Intermountain Sp 520 N. Kings Roa Nampa, ID 83687	d 7 3-466-9425 or Tol 144	a <mark>fety data sheet</mark> I free 1-800-552-5003
1.4. Emergency t Emergency numb	t elephone numbe per	r : CHEMTREC: 1-800-424-9300
	RDS INDENTIFICA n of the substance	
2.2. Label eleme Hazard pictogram	nts	
Signal word		: WARNING
Hazard statemer		: H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED : OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. : OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL



Precautionary statements	
[General]	: Read and follow all Safety Data Sheets (SDS's) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have a product container or label at hand. Use equipment rated for cylinder pressure.
[Prevention]	: P202 - Do not handle until all safety precautions have been read and understood : P271+P403- Use only outdoors or in a well-ventilated area
[Response]	: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3. Other hazards	

No additional information available

2.4. Unknown acute toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	80.3901 - 99.9998
Oxygen	(CAS No) 7782-44-7	0.0001 - 19.49
Carbon Monoxide	(CAS No) 630-08-0	0.0001 - 0.1199

Section 4. FIRST AID MEAS	SURES		
4.1. Description of first aid	l measures		
General	: IF exposed or concerned: Get medical advice/attention.		
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathin		
	breathing has stopped, give artificial respiration or oxygen by trained personnel. If		
	victim feels unwell, seek medical advice.		
Skin contact	: Immediately flush with copious amount of water for at least 15 minutes	: Immediately flush with copious amount of water for at least 15 minutes.	
Eye contact	: Immediately flush with copious amount of water for at least 15 minutes.		
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the in	halation	
	section.		
4.2. Most important symp	otoms/effects, acute and delayed		
Acute			
Inhalation	: May displace oxygen and cause rapid suffocation.		
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.		
EN (English US)	SDS ID# 2060	Page 2 of 10	



Carbon Monoxide (0.0001%-0.1199%); Oxygen (0.0001%-19.49%) in Nitrogen

Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.	
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation	
	section.	
Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate	
	medical advice/attention.	
Symptoms/injuries upon intravenous	: Symptoms of overexposure are dizziness, headache, tiredness, nausea,	
administration	unconsciousness, cessation of breathing.	
Chronic symptoms	: Adverse effects not expected from this product.	
Delayed	: Adverse effects not expected from this product.	

4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASURES 5.1. Extinguishing media		
Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.		
Unsuitable extinguishing media	: None known	
5.2. Special hazards arising from the s	ubstance or mixture	
Fire hazard	: The product is not flammable	
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing	
	risk of burns and injuries.	
Reactivity	: None known.	
5.3. Advice for fire-fighters		
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Exercise caution when fighting any chemical fire.	
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.	

Section 6. ACCIDENTAL RELEASE MEASURES				
6.1. Personal precautions, prot	ective equipment and emergency procedures			
General measures	sures : Ensure adequate ventilation.			
6.1.1. For non -emergency pers	onnel			
Protective equipment	: Wear protective equipment consistent with the site emergency plan.			
Emergency procedures: Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-ly areas. Keep upwind.				
6.1.12. For emergency respond	ers			



Carbon Monoxide (0.0001%-0.1199%); Oxygen (0.0001%-19.49%) in Nitrogen

Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing		
	Apparatus) for fire fighters. Equip cleanup crew with proper protection.		
Emergency procedures	: Evacuate and limit access. Ventilate area. See information above "For non-		
	emergency personnel".		
6.2. Methods and material for conta	inment and cleaning up		
For containment	: Immediately contact emergency personnel. Try to stop gas leak if safe to do so.		
Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.		
Section 7. HANDLING AND STORAG			
7.1. Precautions for safe handling			
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.		
Hygiene measures	: Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage, incl	uding any incompatibilities		
Technical measures : None known.			
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store use away from heat, sparks, open flame or any other ignition source. Store in we ventilated area.		
Incompatible products : None known.			
Incompatible materials : None known.			

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Nitrogen (7727-37-9)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
	···· - /··· ³	8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm	mg/m ³	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C)Ceiling	(C) Ceiling
Not established	Not established	Not established	Not established	Simple asphyxiant
	Not established			
Oxygen (7782-44-7)				
OSH	A PEL	Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
ppm	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling



There are no specific exposure limits for Nitrogen. Nitrogen is a simple asphyxiant (SA). Oxygen levels should be maintained above 19.5%.

Carbon Monoxide (630-08-0)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
			(IDHL) Immediately Dangerous	
			to Life or Health	
EQ ppm	FF (³	25 ppm	35 ppm	25 ppm
50 ppm	55 mg/m ³	(C) 200 ppm	(C) 200 ppm	
(IDLH) 1,200 ppm				

8.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures		
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.	
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.	
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.	
Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an app		
	standard if a risk assessment indicates this is necessary.	
Thermal hazard protection	: None necessary during normal and routine operations.	
Environmental exposure controls : Refer to local regulations for restriction of emissions to the atmosphere. See		
	13 for specific methods for waste gas treatment.	
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection	

Section 9. PHYSICAL AND CHEMICAL PROPERTIES		
9.1. Exposure controls		
Appearance	: Clear, colorless gas.	
Physical state	: Gas	
Color	: Colorless	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Freezing point	: No data available	
Flash point	: No data available	
Evaporation rate	: No data available	
EN (English US)	SDS ID# 2060	Page 5 of 10



- Flammability (solid, gas) Upper flammability Lower flammability Relative density Solubility Partition coefficient Auto-ignition temperature Decomposition temperature Viscosity
- es) : Not Flammable not combustible : Not Flammable - not combustible : Not Flammable - not combustible : Not Flammable - not combustible : No data available : No data available : No data available erature : No data available : No data available : Not applicable

	Carbon Monoxide	Oxygen	Nitrogen	
Molecular weight (grams)	58.12	32.00	28.013	
Boiling point	-0.5 °C	-182.9 °C	-196 °C	
Vapor pressure	2200 hPa @ 20	Above critical	Above critical	
	°C	temperature	temperature	
Vapor density at 20°C	2.11	1.11	0.97	
Relative gas density	2.52 @ 15 °C	1.331	1.153	
Critical Temperature	152.03 °C	-118.6 °C	-146.9 °C	

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.4. Conditions to avoid

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Nitrogen (7727-37-9)

LC50 inhalation rat (ppm)

410,000 ppm/4h

Oxygen (7782-44-7)



Carbon Monoxide (0.0001%-0.1199%); Oxygen (0.0001%-19.49%) in Nitrogen

LC50 inhalation rat (ppm)	400,000 ppm/4h
Carbon Monoxide (630-08-0)	
LC50 inhalation rat (ppm)	3,760 ppm/1h
LC50 inhalation rat (ppm)	1,807 ppm/4h
11.1. Information on routes of ex	kposure
Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Adverse effects not expected from this product
Eye contact	: Adverse effects not expected from this product
Ingestion	: Ingestion is not considered a potential route of exposure
11.2. Symptoms related to physi	cal, chemical and toxicological characteristics
Symptoms	Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-deficient atmosphere (<=18%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury

or death.

11.3. Delayed and immediate effects		
Skin corrosion/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.	
Serious eye damage/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Genetic changes observed in mammalian cell assay systems at exposure to 2,500 ppm of carbon monoxide for 10 minutes	s of 1,500
Carcinogenicity	: Not classified	
Reproductive toxicity	: Category 1A. Overexposure to carbon monoxide may decrease the likeli successful pregnancy. In rats treated with carbon monoxide, the rate of s pregnancy in the control group was 100% whereas the rest of successful animals treated with 30 and 90 ppm of carbon monoxide was 69% and 38 respectively.	uccessful pregnancy in
Developmental Toxicity	Mice exposed to concentrations of carbon monoxide at 65 ppm and high demonstrated doe-dependent effects on the fetus (increased mortality a decreased weight) with no signs of maternal toxicity. Offspring of rats exp ppm carbon monoxide had minor reductions in birth weight and persiste deficits which became more pronounced in adulthood.	nd posed to 150
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Genetic changes observed in mammalian cell assay systems at exposure to 2,500 ppm of carbon monoxide for 10 minutes	s of 1,500
EN (English US)	SDS ID# 2060	Page 7 of 10



: Central vascular system (CVS), Lungs, Blood, Central nervous system (CNS)

Aspiration hazard

: Not classified Not applicable for gases and gas-mixtures

11.4. Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Section 12. ECOLOGICAL INFORMATION 12.1. Aquatic Toxicity		
Ecology - general	: No ecological damage caused by this product	
12.2. Persistence and degrac No information available for		
12.3. Bioaccumulative poten No information available for		

12.4. Mobility in soil

No information available for the product

12.5. Other

No information available for the product

Section 13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Carbon Monoxide)			
Transport hazard class(es)	2.2 HON-FLAMMABLE BAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

Section 15. REGULATORY INFORMATION



15.1. US Federal regulations

SARA 311/312 hazard categories

Reactive	: No
Pressure	: Yes
Fire	: No
Chronic Health	: Yes
Acute Health	: No

SARA Title III Notifications and Information: None known

This product does not contain toxic chemicals subject to reporting requirements of section 313 of the Emergency planning
and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372.SARA 311/312Sudden Release of Pressure Hazard

15.2. US State regulations

Nitrogen (007727-37-9)
U.S Massachusetts - Right To Know List
U.S Minnesota - Right To Know Hazardous Substance List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
Oxygen (007782-44-7)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
Carbon Monoxide (630-08-0)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
U.S California Proposition 65 (Developmental)

Section 16. OTHER INFORMATION	
Date of issue/Date of revision	10/1/2020
Revision Note	
Hazardous Material Information Sys	stem (USA)
Hazard Scale	: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe
Health	: 1
Fire	: 0
Physical hazards	: 3
Key/Legend	
SARA	Superfund Amendments and Reauthorization Act
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
TSCA	Toxic Substance Control Act



NTP	National Toxicology Program
ACGIH	American Conference of Governmental Industrial Hygienists
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TDG	Transportation of Dangerous Goods
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TWA	Time Weighted Average
Prop	Proposition
ATE	Acute Toxicity Estimate

DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).