

Issue date	March 1, 2015	Safety Data Sheet	
Reviewed date	October 1, 2020	SDS ID# 2075	
Section 1. IDENT			
1.1. Product ident Product form		: Mixture	
Product name		: Ethane (0.0001%-1.5%) in Air (Oxygen 20.9% bal. Nitrogen)	
1.2. Relevant ider Product use		e substance or mixture and uses advised against : Calibration gas/Bumptest gas/Function test gas	
1.3. Details of the Intermountain Sp		afety data sheet	
520 N. Kings Road Nampa, ID 83687	466-9425 or Tol 44	l free 1-800-552-5003	
1.4. Emergency te			
Emergency numb	er	: CHEMTREC: 1-800-424-9300	
Section 2. HAZAR 2.1. Classification			
Classification		: GASES UNDER PRESSURE - Compressed gas	
2.2. Label elemen Hazard pictogram			
Signal word		: WARNING	
Hazard statement		: H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED : CGA-HG24 - MAY SUPPORT COMBUSTION : OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL	
Precautionary sta [General]		: Read and follow all Safety Data Sheets (SDS's) before use. Read label before u	se. Keep
EN (English US)		SDS ID# 2075	Page 1 of 9



	out of reach of children. If medical advice is needed, have a product container or label at hand. Use equipment rated for cylinder pressure.
[Prevention]	: P202 - Do not handle until all safety precautions have been read and understood : P271+P403- Use only outdoors or in a well-ventilated area
[Response]	: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	75.0 - 80.4999
Oxygen	(CAS No) 7782-44-7	19.5 - 23.5
Ethane	(CAS No) 74-84-0	0.0001 - 1.5

Section 4. FIRST AID MEAS	URES
4.1. Description of first aid	measures
General	: IF exposed or concerned: Get medical advice/attention.
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If
	breathing has stopped, give artificial respiration or oxygen by trained personnel. If victim feels unwell, seek medical advice.
Skin contact	: Immediately flush with copious amount of water for at least 15 minutes.
Eye contact	: Immediately flush with copious amount of water for at least 15 minutes.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation
	section.
4.2. Most important symp	toms/effects, acute and delayed
Acute	
Inhalation	: Adverse effects not expected from this product.
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation
EN (English US)	SDS ID# 2075 Page 2 o



	section.
Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate
	medical advice/attention.
Symptoms/injuries upon intravenous	: Symptoms of overexposure are dizziness, headache, tiredness, nausea,
administration	unconsciousness, cessation of breathing.
Chronic symptoms	: Adverse effects not expected from this product.
Delayed	: Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASURES	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: The product is not flammable
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing
	risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for fire-fighters	
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
Section 6. ACCIDENTAL RELEASE MEA	ASURES equipment and emergency procedures

o.1. Personal precautions, protective e	equipment and emergency procedures	
General measures	: Ensure adequate ventilation.	
6.1.1. For non -emergency personnel		
Protective equipment	: Wear protective equipment consistent with the site emergency plan.	
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and window	ws of
	adjacent premises. Keep containers closed. Mark the danger area. Seal off	low-lying
	areas. Keep upwind.	
6.1.12. For emergency responders		
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathi	ng
	Apparatus) for fire fighters. Equip cleanup crew with proper protection.	
Emergency procedures	: Evacuate and limit access. Ventilate area. See information above "For no	n-
EN (English US)	SDS ID# 2075	Page 3 of 9



	emergency personnel".
6.2. Methods and material for contain	iment and cleaning up
For containment	: Immediately contact emergency personnel. Try to stop gas leak if safe to do so.
Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national,
	and/or international regulations.
Section 7. HANDLING AND STORAGE	
7.1. Precautions for safe handling	
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, include	ding any incompatibilities
Technical measures	: None known.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
ppm		(as of 4/26/13)	(as of 4/26/13)	
	mg/m ³	8-hour TWA	up to 10-hour TWA	8-hour TWA
	mg/m	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C)Ceiling	(C) Ceiling
Not established	Not established	Not established	Not established	Simple asphyxia
Not established	Not established —			

OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
ppm	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling

There are no specific exposure limits for Nitrogen. Nitrogen is a simple asphyxiant (SA). Oxygen levels should be maintained above 19.5%.



Ethane (74-84-0)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
ppm	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C)Ceiling	(C) Ceiling
				1,000 ppm

8.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures	
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved
	standard if a risk assessment indicates this is necessary.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section
	13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

Section 9. PHYSICAL AND CHEMICAL PROPERTIES		
9.1. Exposure controls		
Appearance	: Clear, colorless gas.	
Physical state	: Gas	
Color	: Colorless	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Freezing point	: No data available	
Flash point	: -135 °C / -211 °F	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not Flammable - not combustible	
Upper flammability	: 12.5% (Ethane)	
Lower flammability	: 3.0% (Ethane)	
Relative density	: No data available	
Solubility	: No data available	
Partition coefficient	: No data available	



Auto-ignition temperature Decomposition temperature Viscosity : 472°C / 882°F

: No data available

: Not applicable

	Ethane	Oxygen	Nitrogen	
Molecular weight (grams)	30.06	32.00	28.013	
Boiling point	-88.6 °C	-182.9 °C	-196 °C	
Vapor pressure	3751 kPa @	Above critical	Above critical	
	21.1 °C	temperature	temperature	
Vapor density at 20°C	1.05	1.11	0.97	
Relative gas density	1.3 kg/m ³ @ 20 °C	1.331	1.153	
Critical Temperature	32.2 °C	-118.6 °C	-146.9 °C	

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions. May undergo explosive decomposition at elevated pressures when heated or ignited.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.4. Conditions to avoid

Under normal conditions of storage and use.

10.5. Incompatible materials

Under normal conditions of storage and use.

10.6. Hazardous decomposition products

Under normal conditions of storage and use.

Section 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Nitrogen (7727-37-9)		
LC50 inhalation rat (ppm)	410,000 ppm/4h	
Oxygen (7782-44-7)		
LC50 inhalation rat (ppm)	400,000 ppm/4h	
Ethane (74-84-0)		
LC50 inhalation rat (mg/L)	658 mg/L / 4 hours	



Ingestion

11.1. Information on routes of exposure			
Inhalation	: Adverse effects not expected from this product		
Skin contact	: Adverse effects not expected from this product		
Eye contact	: Adverse effects not expected from this product		

: Adverse effects not expected from this product : Ingestion is not considered a potential route of exposure

emical and toxicological characteristics
: May cause central nervous system depression with nausea, headache, dizziness,
vomiting and in coordination.
: Contact with rapidly expanding gas may cause burns or frostbite.
: Contact with rapidly expanding gas may cause burns or frostbite.
: Not classified
: Not classified
: Not classified
Not applicable for gases and gas-mixtures

11.4. Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Section 12. ECOLOGICAL INF	ORMATION	
12.1. Aquatic Toxicity		
Ecology - general	No information available for the product	
12.2 Development and degreed		
12.2. Persistence and degrad		
No information available for t	he product	
12.3. Bioaccumulative poten	ial	
Ethane (74-84-0)		
Partition coefficient	2.8	
12.4. Mobility in soil		
No information available for t	he product	

12.5. Other

No information available for the product



Section 13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Oxygen)			
Transport hazard class(es)	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

Section 15. REGULATORY INFORMATION

15.1. US Federal regulations

SARA 311/312 hazard categories

: No	
: No	
: No	
: Yes	
: No	
nd Information: None knowr	۱
in toxic chemicals subject to	reporting requirements of section 313 of the Emergency planning
ow Act (EPCRA) of 1986 and	l of 40 CFR 372.
Sudden Release	e of Pressure Hazard
i	: No : No : Yes : No nd Information: None known in toxic chemicals subject to ow Act (EPCRA) of 1986 and

15.2. US State regulations

Nitrogen (007727-37-9)	
U.S Massachusetts - Right To Know List	
U.S Minnesota - Right To Know Hazardous Substance List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	
Oxygen (007782-44-7)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right To Know Hazardous Substance List	



U.S Pennsylvania - RTK (Right To Know) List
Ethane (74-84-0)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List

10/1/2020
ystem (USA)
: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe
: 0
: 0
: 3

Key/Legend	
SARA	Superfund Amendments and Reauthorization Act
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
TSCA	Toxic Substance Control Act
NTP	National Toxicology Program
ACGIH	American Conference of Governmental Industrial Hygienists
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TDG	Transportation of Dangerous Goods
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TWA	Time Weighted Average
Prop	Proposition
ATE	Acute Toxicity Estimate

DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for the information for the information for their particular purpose (s).