

93

			<u></u>	
Issue date	March 1, 2015	Safety Data Sheet		
Reviewed date				
		SDS ID# 5045		
Section 1. IDEN [®] 1.1. Product ider				
Product form		: Mixture		
Product name		: Sulfur Dioxide (0.0001%-0.02%) in Nitrogen		
1.2. Relevant ide	entified uses of th	ne substance or mixture and uses advised against	_	
Product use		: Calibration gas/Bumptest gas/Function test gas		
1.3. Details of th	e supplier of the	safety data sheet		
Intermountain S 520 N. Kings Roa Nampa, ID 83687 Telephone 1-208 Fax 1-208-466-97 www.isgases.com	d 7 3-466-9425 or To 144	oll free 1-800-552-5003		
1.4. Emergency				
Emergency num	ber	: CHEMTREC: 1-800-424-9300		
Section 2. HAZA 2.1. Classificatio				
Classification		GASES UNDER PRESSURE - Compressed gas Simple asphyxiant - Yes		
2.2. Label eleme	nts			
Hazard pictogram	ms			
Signal word		: WARNING		
Hazard statemei	nts	: H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED : OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. : OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL		
Precautionary st	atements			
EN (English US)		SDS ID# 5045	Page 1 of 9	

Sulfur Dioxide (0.0001%-0.02%) in Nitrogen



[General]	: Read and follow all Safety Data Sheets (SDS's) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have a product container or label at hand. Use equipment rated for cylinder pressure.
[Prevention]	: P202 - Do not handle until all safety precautions have been read and understood : P308+P313 - If exposed or concerned: Get medical advice/attention. : P271+P403- Use only outdoors or in a well-ventilated area
[Response]	: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. : P313 - Get medical advice/attention.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3. Other hazards	

Sulfur Dioxide (0.0001%-0.02%) in Nitrogen

No additional information available

2.4. Unknown acute toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	99.98 - 99.999
Sulfur dioxide	(CAS No) 7446-09-5	0.0001 - 0.2

Section 4. FIRST AID MEASU	RES	
4.1. Description of first aid m	easures	
General	: IF exposed or concerned: Get medical advice/attention.	
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breath	ing. If
	breathing has stopped, give artificial respiration or oxygen by trained perso	onnel. If
	victim feels unwell, seek medical advice.	
Skin contact	: Immediately flush with copious amount of water for at least 15 minutes.	
Eye contact	: Immediately flush with copious amount of water for at least 15 minutes.	
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inh	alation
	section.	
4.2. Most important sympto	ms/effects, acute and delayed	
Acute		
Inhalation	: May displace oxygen and cause rapid suffocation.	
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.	
EN (English US)	SDS ID# 5045	Page 2 of 9

Intermountain Specialty Gases	Sulfur Dioxide (0.0001%-0.02%) in Nitrogen
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation section.
Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate medical advice/attention.
Symptoms/injuries upon intravenous administration	: Not known
Chronic symptoms	: Adverse effects not expected from this product.
Delayed	: Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASUR	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known
5.2. Special hazards arising from th	e substance or mixture
Fire hazard	: The product is not flammable
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing
	risk of burns and injuries.
Reactivity	: None known.
neactivity	
5.3. Advice for fire-fighters	
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of
	gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from
	area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water
	spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of
	material or combustion by-products. Stay upwind and keep out of low areas. Exercise
	caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing
6 6 6	Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective
	equipment, including respiratory protection.
Section 6. ACCIDENTAL RELEASE M	IEASURES
6.1. Personal precautions, protection	ve equipment and emergency procedures
General measures	: Ensure adequate ventilation.
6.1.1. For non -emergency personn	el
Protective equipment	: Wear protective equipment consistent with the site emergency plan.
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows of
- • •	adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying
	areas. Keep upwind.

6.1.12. For emergency responders	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing

Intermountain Specialty Gases	Sulfur Dioxide (0.0001%-0.02%) in Nitrogen
	Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emergency procedures	: Evacuate and limit access. Ventilate area. See information above "For non-
	emergency personnel".
6.2. Methods and material for contain	nment and cleaning up
For containment	: Immediately contact emergency personnel. Try to stop gas leak if safe to do so.
Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national,
	and/or international regulations.
Section 7. HANDLING AND STORAGE	
7.1. Precautions for safe handling	
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: None known.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

litrogen (7727-37-9)			-
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
2222	··· / ··· ³	8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm	mg/m ³	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
		Not established	Not established	Simple asphyxiant
Not established	Not established			
alfan Diavida (7000				
ulfur Dioxide (7446	-09-5)			1
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
	[up to 10-hour TWA	
ppm	mg/m ³	8-hour TWA	(ST) STEL	8-hour TWA
	-	(ST) STEL	(C) Ceiling	(ST) STEL
		(C) Ceiling	IDHL	(C) Ceiling



Sulfur Dioxide (0.0001%-0.02%) in Nitrogen

5 ppm	13 mg/m ³	2 ppm	2 ppm	(ST) 0.25 ppm
		(ST) 5 ppm	(ST) 5 ppm	
		IDHL 100 ppm		

8.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures	
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved
	standard if a risk assessment indicates this is necessary.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section
	13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

Section 9. PHYSICAL AND CHEMICAL PROPERTIES **9.1. Exposure controls** Appearance : Clear, colorless gas. Physical state : Gas Color : Colorless Odor : Odorless to pungent Odor threshold : 0.1 - 3 ppm (Sulfur Dioxide) : No data available pН : No data available Freezing point Flash point : No data available Evaporation rate : No data available Flammability (solid, gas) : Not Flammable - not combustible Upper flammability : Not Flammable - not combustible Lower flammability : Not Flammable - not combustible **Relative density** : No data available Solubility : No data available Partition coefficient : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : Not applicable

	Sulfur Dioxide	Nitrogen		
Molecular weight (grams)	64.06	28.013		
EN (English US)	SDS ID# 5045		Page	5 of 9



Boiling point	-10 °C	-196 °C	
Vapor pressure	3200 hPa@20 °C	Above critical temperature	
Vapor density at 20°C	2.26	0.97	
Relative gas density	2.697 @ 20 °C	1.153	
Critical Temperature	157.4 °C	-146.9 °C	

Sulfur Dioxide (0.0001%-0.02%) in Nitrogen

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Sulfur dioxide will react with water or moist air to form sulfurous acid.

10.4. Conditions to avoid

Contact with incompatible materials.

10.5. Incompatible materials

Sulfur dioxide is not compatible with strong bases, strong oxidizers, powdered metals, metal oxides, interhalogens, metal acetylides, sodium hydride, silver azide, cesium azide, fluorine, zinc, zinc compounds.

10.6. Hazardous decomposition products

Sulfur dioxide will react with water or moist air to form sulfurous acid.

Section 11. TOXICOLOGICAL INF Acute toxicity	FORMATION
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	410,000 ppm/4h
Sulfur Dioxide (7446-09-5)	
LC _{LO} inhalation rat (ppm)	993 ppm / 20 minutes
LC _{LO} inhalation rat (ppm)	611 ppm / 5 hours
11.1. Information on routes of e	xposure
Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Adverse effects not expected from this product
Eye contact	: May cause irritation.
Ingestion	: Ingestion is not considered a potential route of exposure
11.2. Symptoms related to phys	ical, chemical and toxicological characteristics
Symptoms	: No information available



11.3. Delayed and immediate effects	
Skin corrosion/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Serious eye damage/irritation	: Contact with rapidly expanding gas may cause burns or frostbite. Sulfur dioxide can cause irritation at relatively low levels (1-5ppm); however workers may become acclimated even to initially unbearable concentrations (25 ppm). Pure sulfur dioxide may damage the skin, eyes, and mucous membranes.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Developmental Toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Respiratory system, eyes, skin
Specific target organ toxicity (repeated exposure)	I : Respiratory system, eyes, skin
Aspiration hazard	: Not classified
	Not applicable for gases and gas-mixtures

Sulfur Dioxide (0.0001%-0.02%) in Nitrogen

11.4. Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Section 12. ECOLOGICAL INFORMATION

12.1. Aquatic Toxicity

No information available for the product

12.2. Persistence and degradability

No information available for the product

12.3. Bioaccumulative potential

No information available for the product

12.4. Mobility in soil

No information available for the product

12.5. Other

No information available for the product

Section 13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14. TRANSPORATION INFORMATION



Sulfur Dioxide (0.0001%-0.02%) in Nitrogen

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Sulfur Dioxide)			
	((((
Transport hazard class(es)	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON FLAMMABLE GAS
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

Section 15. REGULATORY INFORMATION 15.1. US Federal regulations

SARA 311/312 hazard categories

	Joneo	
Acute Health	: No	
Chronic Health	: No	
Fire	: No	
Pressure	: Yes	
Reactive	: No	
SARA Title III Notifications a	nd Information: None known	
This product does not cont	in toxic chemicals subject to reporting requirements of section 313 of the Emergency planning a	nd
Community Right-To-Know	Act (EPCRA) of 1986 and of 40 CFR 372.	
SARA 311/312	Sudden Release of Pressure Hazard	

15.2. US State regulations

Nitrogen (007727-37-9)	
U.S Massachusetts - Right To Know List	
U.S Minnesota - Right To Know Hazardous Substance List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	
Sulfur dioxide (7446-9-5)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	

Section 16. OTHER INFORMATION		
Date of issue/Date of revision	: New SDS 3/1/2015	
Revision Note	: Initial release	
Hazardous Material Information System (USA)		
Hazard Scale	: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe	



Health	: 1
Fire	: 0
Physical hazards	: 3

Key/Legend	
SARA	Superfund Amendments and Reauthorization Act
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
TSCA	Toxic Substance Control Act
NTP	National Toxicology Program
ACGIH	American Conference of Governmental Industrial Hygienists
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TDG	Transportation of Dangerous Goods
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TWA	Time Weighted Average
Prop	Proposition
ATE	Acute Toxicity Estimate
Repr. 2	Reproductive toxicity Category 2

Sulfur Dioxide (0.0001%-0.02%) in Nitrogen

DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).