



THE ULTIMATE CLIMBING EXPERIENCE™



THE ULTIMATE CLIMBING EXPERIENCE™

Working Hard Every Day to Bring You the Best Arborist Products in the Business!

Quality In, Quality Out

Over 40 years of manufacturing experience has taught us a thing or two about consistently producing the finest products. It's true that our craftsmanship must be second to none. However, even more important are the raw materials we use. They must be top-notch every time, no excuses! That's why we've searched the world over to find the best leather, webbing, rubberized belting, rope and hardware for arborist products that provide dependable performance when you're in the field. Plus, our craftspeople handle over 120,000 sides of leather annually sourced from the most premier tanneries. From choosing the right hide and cutting it efficiently to handcrafting it into a premium end product, we're committed to providing you with the ultimate climbing experience.

Attention to Detail

When you choose Weaver Arborist products, you can count on well-made products designed with details that make the difference. From high-end saddles with premium features like replaceable suspension bridges, leg straps with memory foam, and batten seats to scabbards with precision riveting, roomy cleanout holes, and stitching with weather-resistant bonded nylon thread, each product is packed with details that set them apart in the industry.





Unprecedented Value

The best materials...the best designs...the best craftsmanship...it all translates into products that offer the best value for your money. Competitively-priced for attractive margins, Weaver Arborist products help boost your bottom line while ensuring your customers get well-made products that withstand the test of time at prices that truly are an exceptional value.

Fast, Accurate Shipping

Our dedicated shipping team ensures you get the products you need when you need them. All in-stock orders are shipped within 24 hours.



Effective Marketing Initiatives

From a national ad campaign in leading industry publications to an informative website, we are committed to generating excitement and driving arborists to you asking for quality Weaver Arborist products. Our user-friendly website has over 1,000 hits a month... the retailer locator is where you want to be!

Arborist Catalog Index

Positioning Saddles	2 - 14
Saddle & Belt Accessories	15 - 17
Chain Saw Accessories.....	18 - 20
Curved Scabbards	21 - 27
Straight Scabbards	28
Pole Saw Scabbards	29
Throw Weights & Lines	30 - 32
Rope & Gear Bags	33 - 37
Climber Straps & Pads	38 - 41
Pruner Pouches & Axe Guards ...	42 - 44

Made by Weaver



Handcrafted in Mt. Hope, Ohio, products with the Made by Weaver symbol feature the finest materials, skilled American workmanship and finishing touches for years of dependable performance your customers can count on. These in-demand, domestically-produced products offer short lead times, quick turnarounds and increased turns. When you choose Made by Weaver products, you can count on unparalleled quality that will have your customers coming back again and again.



Positioning Saddles



Don't Just Climb. Elevate.

Introducing Our Premium WLC-760 and WLC-790 Saddles

WLC-760

08-01095 Front View



Weaver Arborist Positioning Saddles should not be repaired or altered in any way. Any repairs or alterations may affect the reliability and performance of the saddle and are prohibited. Weaver Arborist's Warranty will be void on all Weaver Positioning Saddles that have been repaired or altered.

08-01095 Rear View



WLC-790

08-01096 Front View



08-01096 Rear View



A - Forged aluminum dees with a black anodized finish are lighter weight than steel

B - Replaceable double rope suspension bridge is durably constructed from Endura Braid™ rope from New England Ropes that's the preferred choice of arborists and rock climbers

C - Diamond knot for elevated performance and security

D - A white core makes wear readily visible on this black and orange suspension bridge

E - Black anodized rigging plates offer the flexibility of multiple attachment points

F - Leg straps feature secure, quick-connect buckles for ease of use

G - Enhanced extra wide back pad extends further forward on hips for added comfort and support

H - Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold 15 lbs. of accessories.

I - Fixed position angled side dee rings allow you to snap in with just one hand!

J - Spaces at each hip for attachment of carabiner

K - Three dees for attachment of ditty bag or first aid kit

L - Spaces at back for attachment of carabiners to hold additional accessories

M - Features a training/rescue belay loop on back. Not to be used as a primary attachment point.



POSITIONING SADDLES

08-01095
Front View



NEW!
PRODUCT

08-01095
Rear View



08-98140



08-98126

WLC-760 Saddle

Setting the standard by which all industry saddles will be compared, this premium saddle's ultra-comfortable design is packed with high-performing features

- The preferred choice of arborists and rock climbers, the rope that constructs our double rope suspension bridge offers the perfect combination of durability and function.
- Suspension bridge features a diamond knot at one end for performance and security.
- Suspension bridge is constructed with Endura Braid™ rope from New England Ropes.
- White core on the black and orange suspension bridge makes wear readily visible at a glance, allowing for additional wear inspection.
- Lightweight black anodized rigging plates provide multiple attachment points, giving added flexibility to arborists.
- Enhanced extra wide back pad extends further forward on hips, giving you amazing comfort and support.
- The 4" wide leg pads and extra wide 7" back are constructed from memory foam that conforms to the legs and back, reduces pressure points, wicks away moisture and does not retain heat for cool, comfortable performance.
- Leg straps and bridge are replaceable.
- Features adjustable accessory leg straps that keep your memory foam leg pads positioned for maximum comfort.
- Roller buckle at waist helps reduce wear to waist belt and offers easy adjustment.
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools close at hand.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- Spaces at each hip for the convenient attachment of carabiners.
- Snap in with just one hand with the fixed position, angled side dee rings!
- **Not to be used for fall arrest.**
- Weighs approximately 6.8 lbs. (medium size).
- Available in extra small, small, medium, large and extra large sizes.
- **Important: Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.**

- 08-01095 with Leg Straps featuring Memory Foam Pads
- 08-98140 Replacement Double Rope Suspension Bridge
- 08-98126 Replacement Leg Straps, One Pair



POSITIONING SADDLES

08-01096
Front View

NEW!
PRODUCT



08-01096
Rear View



08-98128



WLC-790 Saddle

The best of the best, this premium saddle is designed for unsurpassed comfort and performance with a batten seat that's perfect for arborists who are in the saddle for longer periods of time

- The preferred choice of arborists and rock climbers, the rope that constructs our double rope suspension bridge offers the perfect combination of durability and function.
- Suspension bridge features a diamond knot at one end for performance and security.
- Suspension bridge is constructed with Endura Braid™ rope from New England Ropes.
- White core on the black and orange suspension bridge makes wear readily visible at a glance, allowing for additional wear inspection.
- Lightweight black anodized rigging plates provide multiple attachment points, giving added flexibility to arborists.
- Enhanced extra wide back pad extends further forward on hips, giving you amazing comfort and support.
- The extra wide 7" back is constructed from memory foam that conforms to the legs and back, reduces pressure points, wicks away moisture and does not retain heat for cool, comfortable performance.
- The 4" wide batten seat is reinforced with an aluminum bar covered in foam for extra support.
- Batten seat and bridge are replaceable.
- Features accessory batten seat straps that keep your batten seat positioned for maximum comfort.
- Roller buckle at waist helps reduce wear to waist belt and offers easy adjustment.
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools close at hand.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- Spaces at each hip for the convenient attachment of carabiners.
- Snap in with just one hand with the fixed position, angled side dee rings!
- **Not to be used for fall arrest.**
- Weighs approximately 8.2 lbs. (medium size).
- Available in extra small, small, medium, large and extra large sizes.
- **Important: Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.**

08-01096 with Batten Seat

08-98140 Replacement Double Rope Suspension Bridge
(see photo on page 4)

08-98128 Replacement Batten Seat

Weaver Arborist Positioning Saddles should not be repaired or altered in any way. Any repairs or alterations may affect the reliability and performance of the saddle and are prohibited. Weaver Arborist's Warranty will be void on all Weaver Positioning Saddles that have been repaired or altered.

SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.



POSITIONING SADDLES

08-01085
Front View



08-01085
Rear View



WLC-700 Saddle

High-end styling combines comfortable leg straps with an easy-to-inspect sewn webbing suspension bridge for a saddle that meets the demands of the professional arborist

- Suspension bridge has a striped white and dark orange Spectra fiber overlay for strength and abrasion resistance that surrounds a black webbing core to provide for additional wear inspection.
- Enhanced extra wide back pad extends further forward on hips, giving you amazing comfort and support.
- The 4" wide leg pads and extra wide 7" back are constructed from memory foam that conforms to the back, reduces pressure points, wicks away moisture and does not retain heat for cool, comfortable performance.
- Leg straps and straps attached to bridge are adjustable to provide a perfect fit.
- Leg straps and suspension bridge are replaceable.
- Adjustable accessory leg straps keep your memory foam leg pads positioned for optimum comfort.
- Replaceable sewn webbing suspension bridge features two rubber bumpers and can be used with forged aluminum rings.
- Buckle at waist features a roller for ease of use and to reduce wear to waist belt.
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools close at hand.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- **Not to be used for fall arrest.**
- Weighs approximately 6.8 lbs. (medium size).
- Available in extra small, small, medium, large and extra large sizes.
- **Important: Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.**

- 08-01085 with Leg Straps featuring Memory Foam Pads
- 08-98135 Replacement Sewn Webbing Suspension Bridge
- 08-98126 Replacement Leg Straps, One Pair

Aluminum "O" Ring

This ring is for attachment to the suspension bridge on our WLC-700 and WLC-730 Saddles and will accommodate a carabiner

- This forged aluminum ring has an overall diameter of 52 mm. (approximately 2") and an inner diameter of 27 mm. (approximately 1-3/32").
- Certified minimum breaking strength of 25 Kilonewtons (kN).

01041

Weaver Arborist Positioning Saddles should not be repaired or altered in any way. Any repairs or alterations may affect the reliability and performance of the saddle and are prohibited. Weaver Arborist's Warranty will be void on all Weaver Positioning Saddles that have been repaired or altered.

SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.



POSITIONING SADDLES

WLC-730 Saddle

With a sewn webbing suspension bridge for easier wear inspections and a comfortable batten seat, this high-end saddle offers all the features hard-working arborists are looking for

- Suspension bridge has a striped white and dark orange Spectra fiber overlay for strength and abrasion resistance that surrounds a black webbing core to provide for additional wear inspection.
- The 4" wide batten seat is reinforced with an aluminum bar covered in foam that provides extra support.
- Enhanced extra wide back pad extends further forward on hips, giving you amazing comfort and support.
- The extra wide 7" back is constructed from two layers of memory foam that conform to the back, reduce pressure points, wick away moisture and do not retain heat for cool, comfortable performance.
- Straps attached to bridge are adjustable to provide a comfortable fit for a variety of body types.
- Batten seat and suspension bridge are replaceable.
- Adjustable accessory batten seat straps keep your batten seat positioned for optimum comfort.
- Replaceable sewn webbing suspension bridge features two rubber bumpers and can be used with forged aluminum rings.
- Buckle at waist features a roller for ease of use and to reduce wear to waist belt.
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools close at hand.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- **Not to be used for fall arrest.**
- Weighs approximately 8.2 lbs. (medium size).
- Available in extra small, small, medium, large and extra large sizes.
- **Important: Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.**

08-01086 with Batten Seat

08-98135 Replacement Sewn Webbing Suspension Bridge (see photo on page 6)

08-98128 Replacement Batten Seat


08-01086
Front View



08-01086
Rear View



08-98128



POSITIONING SADDLES

Designed for the Ultimate Climbing Experience!

WLC-315
08-01035
 is shown on page 11




Sized for Optimum Fit

We make it easy to get the right fit! Our saddles are sized using a **Dee to Dee Measurement (Point A to Point B)** that ensures the dees are properly located in front of the hipbones for better positioning ability and added comfort while in the saddle.

Getting the Perfect Fit

- 1) Drop down approximately 4" from the top of each hipbone and measure the distance around the back from hipbone to hipbone using a tape measure. Add 2" to this measurement. This is the **Dee to Dee Measurement**. Please note: the added 2" will bring the dees in front of the hipbones for better positioning. (See Figure 1)
- 2) Find the user's **Dee to Dee Measurement** in the chart below. The user's correct positioning saddle size is listed to the left of the proper **Dee to Dee Measurement**.

Please remember to allow some room for adjustment for use with summer and winter clothing.



Saddle Size	Dee to Dee Measurement	Approximate Waist Size
XSmall	18"	26" to 34"
Small	20"	30" to 38"
Medium	22"	32" to 40"
Large	24"	36" to 44"
XLarge	26"	40" to 48"

Please refer to this size chart when ordering all Weaver Leather Positioning Saddles.

Tagged for Easy Inspection

All Weaver Arborist Positioning Saddles come with a plastic recommended use, wear, warning and maintenance tag riveted to the waist back. A leather manufacturer's tag with model number, size and date of manufacture is sewn to the waist back. A removable laminated paper tag is also attached to each saddle. This tag repeats the use, maintenance and warning instructions of the plastic tag. It also has space for recording dates of inspection and can be kept on file. All Weaver Arborist Positioning Saddles are for positioning and suspension use and not fall arrest.



POSITIONING SADDLES

WLC-500 Saddle

Padded nylon leg straps and an extra wide back make this saddle a comfortable choice

- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs.
- Three additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- An extra wide 6" waist back provides cushioning and back support.
- The waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Adjustable accessory leg straps keep your padded leg straps positioned for optimum comfort.
- Features a loop for holding carabiners and two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.
- Slip-on, foam filled, leather lined pads give the 2" nylon leg straps extra comfort.
- **Not to be used for fall arrest.**
- Weighs approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

08-01032 with Padded Nylon Leg Straps

08-01032
Front View



08-01032
Rear View



Shoulder straps offer hands-free carrying and are angled for a better fit



Carry All the Necessities

Comfortably carry all the necessary equipment from positioning saddle and helmet to hand saw, rope and accessories with our large, versatile All Purpose Gear Bag. Hands-free carrying is made easy with padded shoulder straps and a cross chest strap. See page 37 for more information about this bag that is an industry favorite.

POSITIONING SADDLES

WLC-530

08-01036
Front View



Features one floating dee

08-01036

Rear View



Weaver Arborist Positioning Saddles should not be repaired or altered in any way. Any repairs or alterations may affect the reliability and performance of the saddle and are prohibited. Weaver Arborist's Warranty will be void on all Weaver Positioning Saddles that have been repaired or altered.

WLC-530 and WLC-560 Saddles

One of our most comfortable saddle options, this saddle easily maneuvers and comes with one or two floating dees

- Floating dees provide more freedom of movement.
- Two floating dee style is designed specifically for split-tail climbing.
- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle backs feature two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Three additional dees are located at the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Feature adjustable accessory leg straps that keep your padded leg straps positioned for optimum comfort.
- Front strap is reinforced with neoprene for extra durability.
- Extra wide 6" rubberized belting back helps provide firm support.
- Waist back is foam filled and lined with soft oil tanned top grain steer hide leather for added comfort.
- Features a loop for holding carabiners and two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep to tools close at hand.
- The 2" nylon leg straps feature slip-on, foam filled, leather lined pads for extra comfort.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- **Not to be used for fall arrest.**
- Weigh approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

08-01036 WLC-530, One Floating Dee, with Padded Nylon Leg Straps

08-01038 WLC-560, Two Floating Dees, with Padded Nylon Leg Straps

WLC-560

08-01038
Front View



Features two floating dees

08-01038

Rear View



The Perfect Addition to Your Climbing Gear

Available in standard or bullet style, our Throw Weights feature an aerodynamic design to increase range of throw. Cordura® over a latex pouch for environmental protection and #8 shot that moves to help prevent the weights from hanging up in tree branches. Learn more about our Throw Weights on page 31.



POSITIONING SADDLES

WLC-300 Saddle

Nylon leg straps and extra wide back provide optimum comfort

- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs.
- Three additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Features a loop for holding carabiners and two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.
- Seat strap and leg straps are also lined with soft oil tanned top grain steer hide leather.
- **Not to be used for fall arrest.**
- Weighs approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

08-01033 with 2" Nylon Leg Straps

08-01033
Front View



08-01033
Rear View



WLC-315 Saddle

Extra wide back provides extra comfort and support where it is needed most

- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Leg straps help prevent slip-through and are made from heavy-duty coated webbing that is pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product.
- Three additional dees are located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- The 6" wide waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Seat strap floats on waist belt for easy positioning and comfort and is lined with soft oil tanned top grain steer hide leather.
- Features a loop for holding carabiners and two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.
- Features dees at front and back for easy attachment of suspenders (08-98122, sold separately).
- **Not to be used for fall arrest.**
- Weigh approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

08-01035 with 1" Heavy-Duty Coated Webbing Leg Straps

08-01035
Front View



08-01035
Rear View



POSITIONING SADDLES

WLC-330
08-01040
Front View



Features one floating dee

08-01040
Rear View



WLC-360
08-01041
Front View



Features two floating dees

08-01041
Rear View



WLC-330 and WLC-360 Saddles

Offer freedom of movement with a choice of one or two floating dees

- Floating dees provide easy maneuverability.
- Two floating dee style is perfect for split-tail climbing.
- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle backs feature two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Three additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Front strap is reinforced with neoprene for extra durability.
- Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Features a loop for holding carabiners and two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools close at hand.
- The 2" wide nylon leg straps are lined with soft oil tanned top grain steer hide leather for extra comfort.
- The 08-01040 features dees at front and back for easy attachment of suspenders (08-98122, sold separately).
- **Not to be used for fall arrest.**
- Weigh approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

08-01040 WLC-330, One Floating Dee, with 2" Nylon Leg Straps

08-01041 WLC-360, Two Floating Dees, with 2" Nylon Leg Straps



Recommended Additions to Your Positioning Saddle

The following items will help you personalize your saddle to meet your specific needs.

- Nylon Suspenders (08-98121)..... pg. 16
- Elastic Suspenders (08-98122) pg. 16**
- Ditty Bag (08-07133) pg. 17
- Ditty/First Aid Bag (08-07134) pg. 17
- Blood Stopper (08-07168) pg. 17

POSITIONING SADDLES

WLC-390 Saddle

With a comfortable, extra wide back and a batten seat, this saddle is ideal for arborists who are in the saddle for long periods of time

- Dees are made from forged aluminum with black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Leg straps help prevent slip-through and are made from heavy-duty coated webbing that is pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product.
- Three additional dees are located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- The 4" wide batten seat is reinforced with an aluminum bar covered in foam that provides extra support.
- The 6" wide waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Batten seat floats on waist belt for easy positioning and comfort.
- Features adjustable accessory batten seat straps that keep your batten seat properly positioned.
- Features a loop for holding carabiners and two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.
- **Not to be used for fall arrest.**
- Weighs approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

08-01078 with Batten Seat

08-01078
Front View



08-01078
Rear View



WLC-100 Saddle

A simple choice with a popular four dee design for more positioning options

- Dees are made from forged aluminum with black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Three additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Cotton webbing reinforced with nylon provides comfort and strength.
- Floating seat strap can easily be positioned for maximum comfort.
- Features a loop for holding carabiners and two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.
- **Not to be used for fall arrest.**
- Weigh approximately 5 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

08-01005 without Leg Straps

08-01005
Front View



08-01005
Rear View



Weaver Arborist Positioning Saddles should not be repaired or altered in any way. Any repairs or alterations may affect the reliability and performance of the saddle and are prohibited. Weaver Arborist's Warranty will be void on all Weaver Positioning Saddles that have been repaired or altered.



POSITIONING SADDLES

08-01010
Front View



08-01010
Rear View



08-01034
Front View



08-01034
Rear View



Weaver Arborist Positioning Saddles should not be repaired or altered in any way. Any repairs or alterations may affect the reliability and performance of the saddle and are prohibited. Weaver Arborist's Warranty will be void on all Weaver Positioning Saddles that have been repaired or altered.

WLC-130 Saddle

Four dees offer more positioning options and help add more stability

- Dees are made from forged aluminum with black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Three additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Heavy-duty coated webbing leg straps help prevent slip-through and are pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product.
- Cotton webbing reinforced with nylon provides comfort and strength.
- Floating seat strap can easily be positioned for maximum comfort.
- Features a loop for holding carabiners and two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.
- Leg straps are lockstitched and riveted to seat strap.
- **Not to be used for fall arrest.**
- Weigh approximately 5 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

08-01010 with Heavy-Duty Coated Webbing Leg Straps

WLC-160 Saddle

Constructed with four dees for extra stability

- Four dees provide greater positioning ability and stability.
- Dees are made from forged aluminum with black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Three additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Cotton webbing for comfort combines with nylon webbing for strength.
- Features a loop for holding carabiners and two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring to keep tools handy.
- Floating seat strap can easily be positioned for added comfort.
- Nylon leg straps are 2" wide and lined with soft oil tanned top grain steer hide leather.
- Leg straps are sewn and riveted to the seat strap.
- **Not to be used for fall arrest.**
- Weighs approximately 5.5 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

08-01034 with 2" Nylon Leg Straps



Saddle & Belt Accessories



SADDLE ACCESSORIES



08-98121

Attach to dees on select Weaver positioning saddles including 08-01035, 08-01036, 08-01038, 08-01040 08-01085, 08-01086, 08-01095, and 08-01096.



08-98122

Nylon Suspenders

Removable, adjustable 2" nylon suspenders help distribute the weight of saws, scabbards and other accessories

- Not to be used for fall arrest.
- Feature nickel plated snaps and black plastic sliders for convenient attachment and adjustment.

08-98121

Elastic Suspenders

Elastic webbing construction moves with you for added comfort

- Not intended for fall arrest.
- Removable, adjustable 2" elastic webbing suspenders offer extra give and help distribute the weight of saws, scabbards and other saddle accessories.
- Feature nickel plated snaps and black plastic sliders for convenient attachment and adjustment.

08-98122

Tool Holsters

Slip onto belt to keep tools handy

- Constructed of durable polypropylene with loop for attachment to belt (the 08-97231 also features slots to slide belt through).
- Available in three styles: one that holds a chain saw file and wrench, one that holds a wedge, wrench and chain saw file and a heavy-duty style that holds two large wedges, one small wedge, a wrench and a chain saw file.
- Chain saw file and wrench style features a chap leather chain saw file holder and a 2" wide pocket that holds a chain saw wrench.
- Wedge, wrench and chain saw file style features a 3" wide pocket for a small or large wedge. Also has two chap leather holders for a chain saw file and chain saw wrench.
- Heavy-duty style has a 3-1/2" wide pocket that will hold two large wedges and one small wedge, a 2" wide pocket that holds a chain saw wrench and a chain saw file holder.
- The 08-97230 and 08-97231 feature nickel plated rivets and are 11-1/2" long.
- The 08-97235 is 13" long.

08-97230 Chain Saw File and Wrench, Red

08-97231 Wedge, Wrench and Chain Saw File, Red

08-97235 Heavy-Duty, Two Large Wedges, One Small Wedge, Chain Saw File and Wrench, Orange

08-97230



Features slots to slide your belt through



08-97231



08-97235



08-98240

NEW!
PRODUCT



08-98241

NEW!
PRODUCT

Available in Red or Blaze Orange

Combination Accessory Tool Belt Loops

In adjustable and non-adjustable styles, these tool belt loops keep tools close at hand and offer the flexibility of both a ring and a snap

- Double box-stitched 1" nylon webbing tool belt loop easily slides or buckles over belt and features a 3-1/4" long chrome brass 200 snap and a 2" nickel plated ring attached with 3/4" nylon loops.
- Heat-sealed ends help prevent fraying.
- Adjustable option features a nickel plated slide buckle, making it easy to get just the right length.
- Adjustable option is 12" long at its longest length; non-adjustable option measures 10-1/4".
- Red or blaze orange.

08-98240 Adjustable

08-98241 Non-Adjustable



08-07168



08-07170



Blood Stopper Dressing

Multipurpose wound and trauma dressing is a must-have addition to our first aid bags

- Non-stick, expandable pad provides wound or burn coverage.
- Features an additional stretch gauze roll that can be used as a pressure bandage.
- Can also be used as an arm sling.
- Measures 3-1/2" x 5-1/2" folded and 9" x 5-1/2" open.

08-07168

First Aid Bag

Keep first aid necessities close at hand with this convenient first aid bag

- Handy 1,000-denier polyester bag measures 4" W x 5-1/2" H x 1-1/2" D.
- Attaches to middle back of saddle with a nickel plated snap.

08-07170



08-98200



Aerosol Can/Water Bottle Holder

Keeps can, water bottle or tape roll securely attached to belt loop

- Bright 1" fluorescent blaze orange nylon webbing secures around can or water bottle and through tape roll with hook and loop closure.
- Nickel plated bolt snap for attachment to a belt or other equipment.

08-98200

08-07133



Ditty Bag

Handy design features an elastic top that stretches for easy access

- Constructed from 630-denier nylon, this bag features three snaps on the back for attachment to our positioning saddles or the saddle of your choice.
- Elastic top provides easy and quick access to small tools, short throw lines, gloves and personal items you'd like to keep close at hand.
- Hole at bottom offers easy clean-out and is reinforced with a grommet.
- Measures 9" W x 9" H x 5" D.

08-07133

08-07134



Keeps your personal items and first aid necessities in one place



Ditty/First Aid Bag

Convenient design features a roomy ditty bag with a compact first aid bag attached to the front

- The 630-denier black nylon ditty bag features three snaps on the back for attachment to our positioning saddles or the saddle of your choice.
- Elastic top provides easy access to small tools, short throw lines, gloves and other personal items you'd like to keep close at hand.
- Hole at bottom offers easy clean-out and is reinforced with a grommet.
- The 1,000-denier red polyester first aid bag attached to the front features flaps that help protect contents from the elements.
- Measures 9" W x 9" H x 5" D with a 4" W x 5-1/2" H x 1-1/2" D first aid bag.

08-07134





CHAIN SAW ACCESSORIES

08-98212
10" with Ring



08-98213
13" with Ring

08-98211
15" with
225 Snap



08-98214
42"



08-98222



08-98219
49" with Ring
and 225 Snap

08-98220
49" with Two Rings



08-98221
47" with One Ring

Chain Saw Straps

Nylon straps with a half twist help keep equipment hanging straight

- Constructed of 1" wide double box-stitched nylon webbing with heat-sealed ends to prevent fraying.
- Available in four lengths (length includes hardware): 10" with ring, 13" with ring, 15" with 225 snap and 42" with a 3" loop of webbing at each end.
- Welded nickel plated rings are 2" in diameter. Non-rust manganese bronze 225 snaps are 4-1/4" long.
- Please specify color when ordering.

08-98212 10" with Ring, Red or Blaze Orange

08-98213 13" with Ring, Red or Blaze Orange

08-98211 15" with 225 Snap, Red or Blaze Orange

08-98214 42", Blaze Orange

Loop End Adjustable Chain Saw Strap

Customize with your favorite hardware

- This nylon webbing strap easily adjusts by attaching to saddle or belt with your choice of hardware.
- Half twist in loop end helps keep equipment hanging straight.
- Double box-stitched for added strength.
- Ends are heat-sealed to help prevent fraying.
- Welded nickel plated ring is 2" in diameter.
- Measures 3/4" x 50".
- Blaze orange.

08-98222

Adjustable Chain Saw Straps

Convenient adjustable design is available in three popular styles

- These 1" wide double box-stitched nylon webbing straps easily adjust by attaching the rings to a snap on a saddle or belt.
- Heat-sealed ends help prevent fraying.
- A half twist in the loop end helps keep equipment hanging straight.
- Available in three styles: 49" (overall length including hardware) with ring and 225 snap; 49" (overall length including hardware) with two rings; and 47" (overall length of strap) with one ring.
- The 47" strap is ideal for use with a carabiner (not included).
- Welded nickel plated rings are 2" in diameter. Non-rust manganese bronze 225 snap is 4-1/4" long.

08-98219 49" with Ring and 225 Snap, Blaze Orange

08-98220 49" with Two Rings, Yellow

08-98221 47" with One Ring, Red



CHAIN SAW ACCESSORIES



08-98225
with Ring and
225 Snap

08-98226
with Two Rings

08-98227
with One Ring

Bungee Chain Saw Straps

Bungee design easily stretches when you're using saw and retracts when hanging close to your saddle or belt

- These 1-3/16" wide double box-stitched nylon webbing straps with 1" elastic easily adjust by attaching the rings to a snap on a saddle or belt.
- Heat-sealed ends help prevent fraying.
- A half twist in the loop end helps keep equipment hanging straight.
- The ring and 225 snap style is 30" at rest and 45-1/2" long when fully extended.
- The two ring style is 33-1/2" at rest and 48" long when fully extended.
- The one ring style is 31-1/2" at rest and 44" long when fully extended.
- Welded nickel plated rings are 2" in diameter. Non-rust manganese bronze 225 snap is 4-1/4" long.
- **Not intended for breakaway.**
- Orange.

08-98225 With Ring and 225 Snap

08-98226 With Two Rings

08-98227 With One Ring


Light-Duty Nylon Slings

These nylon webbing slings come in three lengths perfect for a variety of light-duty lifting tasks


- Constructed from durable, pliable 1" nylon webbing with 3-1/2" loops at each end.
- Built with a 5 to 1 safety factor.
- Have a 1,200 lb. rating for vertical lifting, a 2,400 lb. rating for basket lifting and a 960 lb. rating for choke hold.
- Available in 30", 40" or 62" length in blaze orange.
- Please specify length when ordering.

08-98235 30", 40" or 62"

08-98235
Available in 30", 40" or 62"



08-98230, 08-98231,
08-98232, 08-98233
and **08-98234**



Yellow - Available in 12", 30" and 48" sizes

Orange - Available in 24", 36" and 48" sizes

Red - Available in 12", 24", 30", 36" and 48" sizes

Blue - Available in 24" and 36" sizes

Purple - Available in 36" and 48" sizes

Loop Runners

Constructed of tubular nylon webbing, our loop runners serve as medium-duty choker straps for tree work and climbing

- These lightweight loop runners are as strong and durable as rope.
- Circular construction distributes wear more evenly because you'll seldom clip into the same spot twice.
- Use for speed line chokers, line redirections, miniature false crotch support systems, a limb handle or providing a footstep where none exists.
- Safe working load information: 7,000 Ultimate Breaking Strength (UBS), 1,400 Safe Working Load (SWL), 31 Kilonewtons (kN).
- Available in 12", 24", 30", 36" or 48".

08-98230 12", Yellow or Red

08-98231 24", Orange, Red or Blue

08-98232 30", Yellow or Red

08-98233 36", Orange, Red, Blue or Purple

08-98234 48", Yellow, Orange, Red or Purple

Saw Scabbards



SCABBARD CHART

Protect valuable saws and carry them conveniently

Weaver Leather scabbards are constructed of quality materials. Our leather scabbards are made from top grain steer hide harness leather. This leather goes through a special tanning process that makes it durable and weather-resistant – a perfect leather for scabbards. Rubberized belting scabbards are also very durable and weather-resistant. All scabbards are sewn with heavy weather and mildew-resistant bonded nylon thread and riveted at stress points. They are designed for convenience and dependability.



Unique 3/8" nylon washer at blade entry point helps protect blade and scabbard from excessive wear.

Protection for Saws

A typical Weaver Leather scabbard has a heavy harness leather welt along the outer edge of either side between the front and back pieces of leather or belting. This welt is easy on the saw teeth, acts as a spacer between the front and back, and prevents a saw from cutting the thread along the sides of the scabbard.

Extended Scabbard Life

Nickel plated rivets secure the stress points at the bottom and sides of our scabbards. At the top, 3/8" nylon washers are copper riveted between the front and back pieces on the edge of the scabbard where the teeth rest. These washers help prevent cutting or tearing of the scabbard by saw teeth when a saw is inserted or removed. That means longer life for the scabbard.

Convenient Carrying

Most scabbards have a nickel plated dee attached to a loop of durable harness leather that is securely copper riveted to the back. Dees are 1" long on the straight edge and 1/2" across – big enough to attach to a sturdy snap on a saddle or work belt so saws can be carried conveniently.

Dual Carrying Capacity

Many of our larger scabbards have a nickel plated snap securely attached to the front with a harness leather loop and copper rivet. These snaps provide handy places to attach another sheath, scabbard, tool pouch, etc.

Special Features

Extended cleanout openings maximize the life of saws by allowing sawdust and wood chips to fall out. Look for the special features of individual scabbards on pages 23 - 29. We've also noted the dimensions of each scabbard and the saws that will fit in each of them.

Weaver Item #	Description	Fits These (And Similar) Saws	Catalog Page #
08-02001/08-03001	Curved Saw Scabbard with Snap Hook, #25	Fanno #20; Corona® #PS 4080; Bartlett Mfg. #127 - 22"; Bartlett Mfg. #127 - 24"; Bartlett Mfg. #124 - 24"; Seymour Smith #620	Page 23
08-02001/08-03001	Curved Saw Scabbard with Snap Hook, #27	Fanno #22; Fanno #24; Fanno #K-24; Fanno #FI-2200; Corona® #RS 7160; Nicholson #14N; Bartlett Mfg. #127 - 26"; Bartlett Mfg. #114 - 26"; Bartlett Mfg. #124 - 26"; Seymour Smith #624	Page 23
08-02004/08-03004	#1700 Saw Scabbard	Fanno #FI-1700; Ibuki 390	Page 24
08-02007/08-03007	#1700 Saw Scabbard with Pruner Pouch	Pouch holds a wide range of pruners; See above for #1700 Saw Scabbard	Page 24
08-03051	330 mm Curved Saw Scabbard	Samurai; Silky Zubat	Page 24
08-02008/08-03008	#14 Curved Saw Scabbard with Straight Back, Snap and Belt Slots	Fanno #4; Fanno #14; Fanno #FI-1311; Corona® #7010; Corona® #7120; Corona® #7130	Page 25
08-02009/08-03009	#14 Curved Saw Scabbard with Curved Back, Snap and Belt Slots	Fanno #4; Fanno #14; Fanno #FI-1311; Fanno #FI-K1500; Corona® #7010; Corona® #7120; Corona® #7130	Page 25
08-03036	Silky Ibuki/Sugoi Saw Scabbard	Silky Ibuki #275-39; Silky Sugoi #390-36; Silky Sugoi #390-42	Page 25
08-03016	Leg Style #14 Curved Saw Scabbard	Fanno #4; Fanno #14; Fanno #FI-1311; Corona® #7010; Corona® #7120; Corona® #7130	Page 26
08-02010/08-03010	#14 Curved Saw Scabbard with Straight Back & Snap	Fanno #4; Fanno #14; Fanno #FI-1311; Corona® #7010; Corona® #7120; Corona® #7130	Page 26
08-02011/08-03011	#14 Curved Saw Scabbard with Curved Back and Snap	Fanno #4; Fanno #14; Fanno #FI-1311; Fanno #FI-K1500; Corona® #7010; Corona® #7120; Corona® #7130	Page 26
08-02012/08-03012	#14 Curved Saw Scabbard with Straight Back & Attached Pruner Pouch	Pouch holds a wide range of pruners; See above for #14 Curved Saw Scabbard with Straight Back	Page 27
08-02013/08-03013	#14 Curved Saw Scabbard with Curved Back & Attached Pruner Pouch	Pouch holds a wide range of pruners; See above for #14 Curved Saw Scabbard with Curved Back	Page 27
08-03020	#12 Straight Saw Scabbard	Fanno #FI-1214; Felco #F-61	Page 28
08-03019	ARS Extra Wide Tricut Saw Scabbard	ARS Extra Wide Tricut Saw	Page 28
08-03023	Pole Saw Scabbard	Fanno #5s-B; Fanno #57s-B; Fanno #9s-B	Page 29
08-02025/08-03025	Pole Saw Scabbard	Fanno #FI-1125s-B; Seymour Smith #20-B; Bartlett Mfg. #4402	Page 29
08-03027	Pole Saw Scabbard	Fanno #FI-17s-B; ARS Super Turbocut CT-34 Hook Blade Saw with Pole Saw Handle	Page 29

Corona® is a registered trademark of Corona Clipper.



CURVED SCABBARDS

Curved Saw Scabbards

Durably-constructed scabbards hold a wide range of larger saws

- Crafted from top grain steer hide harness leather or black rubberized belting with a snap hook.
- A 3/8" nylon washer at blade entry point helps protect stitching, welt and saw teeth from wear.
- Dee on back for easy attachment to work belt or saddle.
- Handy, large openings on side and bottom for easy cleanout.
- The #25 style will hold the Fanno #20, Corona® #PS 4080, Bartlett Mfg. #127 (22" and 24") and Bartlett Mfg. #124 (24"), Seymour Smith #620 and similar saws.
- The #27 style will hold the Fanno #22, #24, #K-24 and #FI-2200, Corona® #RS 7160, Nicholson #14N, Bartlett Mfg. #127 (26"), #114 (26") and #124 (26"), Seymour Smith #624 and others.
- Nickel plated snaps and dees.

Leather

08-02001 #25 with Snap Hook

08-02001 #27 with Snap Hook

Rubberized Belting

08-03001 #25 with Snap Hook

08-03001 #27 with Snap Hook

Dimensions of 08-02001 and 08-03001

	Top Width	Bottom Width	Front Length	Back Length
#25	3-1/2"	1-3/4"	21-1/2"	24"
#27	4-1/4"	2"	24-3/4"	27-3/4"

See below for how scabbards are measured.

08-03001
#27 with
Snap Hook

08-02001
#25 with
Snap Hook

08-02001
#27 with
Snap Hook

08-03001
#25 with
Snap Hook

Scabbard Dimensions

We've provided the measurements of all scabbards in handy charts to help you choose the correct scabbard.

TOP WIDTH

measures width of top opening from nylon washer to welt or from welt to welt

BOTTOM WIDTH


measures width of bottom opening from welt to welt

FRONT LENGTH

measures length from highest point on top panel to rivets at bottom of scabbard

BACK LENGTH

measures length from highest point on back panel to rivets at bottom of scabbard



CURVED SCABBARDS

08-02004



08-02007
with Pruner Pouch

08-03004



08-03007
with Pruner Pouch

08-03051



#1700 Saw Scabbards

Fit the Fanno #FI-1700 Saw with Oversized Handle perfectly

- Constructed from top grain steer hide harness leather or black rubberized belting.
- The optional pruner pouch fits pruners 8" and smaller and is made from top grain steer hide harness leather on the leather style and black top grain steer hide leather on the rubberized belting style.
- Each pruner pouch is securely lockstitched and riveted separately and then attached to the scabbard by a copper rivet at the top and a nickel plated rivet at the bottom.
- A 3/8" nylon washer at blade entry point protects saw teeth and scabbard from wear.
- Convenient nickel plated dee on back for easy attachment to a work belt or saddle.
- Large openings on side and bottom for easy and convenient cleanout.
- Scabbards fit the Fanno #FI-1700, Ibuki 390 and similar saws while the pruner pouch will hold a large range of pruners.

Leather

08-02004

08-02007 with Attached Pruner Pouch

Rubberized Belting

08-03004

08-03007 with Attached Pruner Pouch

Dimensions of 08-02004, 08-02007, 08-03004 and 08-03007

Top Width	Bottom Width	Front Length	Back Length
2-3/4"	1-1/2"	14-3/4"	21"

Pruner Pouches are same as 08-97200 (fit 8" or smaller pruners) on page 43.

See page 23 for how scabbards are measured.

330 mm Curved Saw Scabbard

Designed to fit the Samurai and the Silky Zubat

- Constructed from black rubberized belting.
- Precisely and evenly lockstitched and riveted for durability.
- A 3/8" nylon washer at blade entry point helps protect saw and scabbard from wear.
- Convenient nickel plated dee on back for attachment to work belt or saddle.
- Large openings on side and bottom for easy and convenient cleanout.
- Fits the Samurai and Silky Zubat.

08-03051

Dimensions of 08-03051

Top Width	Bottom Width	Front Length	Back Length
2-1/8"	1-3/4"	14-5/8"	18"

See page 23 for how scabbards are measured.

CURVED SCABBARDS

#14 Curved Saw Scabbards with Snaps and Belt Slots

Perfect for ground workers, these scabbards feature 2" slots for quick and easy attachment to work belt

- Convenient saw scabbards are available in top grain steer hide harness leather or black rubberized belting with straight or curved backs.
- A handy snap on the front is perfect for attaching smaller tools.
- A 3/8" nylon washer at blade entry point protects saw and scabbard.
- Attach to a belt snap with the dee that's riveted to the top or use the 2" slots to slip over a belt.
- Convenient, large openings on side and bottom for easy cleanout.
- The scabbard with the straight back fits the Fanno #4, #14 and #FI-1311 and Corona® #7010, #7120 and #7130 saws and the scabbard with the curved back fits all of the above as well as the Fanno #FI-K1500.
- Nickel plated snaps and dees.

Leather

08-02008 Straight Back

08-02009 Curved Back

Rubberized Belting

08-03008 Straight Back

08-03009 Curved Back

Dimensions of 08-02008, 08-02009, 08-03008 and 08-03009

Top Width	Bottom Width	Front Length	Back Length
2-1/4"	1"	14-1/2"	19"

See page 23 for how scabbards are measured.

08-02008
Straight Back

08-02009
Curved Back

08-03008
Straight Back

08-03009
Curved Back

08-03036

Silky Ibuki/Sugoi Saw Scabbard

Specially designed to fit Silky Ibuki (#275-39) and Silky Sugoi (#390-36 and #390-42)

- Constructed from black rubberized belting.
- Nylon washer at blade entry point helps protect saw and scabbard.
- Nickel plated dee on the back for attachment to a belt snap.
- Large opening on side for easy and convenient cleanout.

08-03036

Dimensions of 08-03036

Top Width	Bottom Width	Front Length	Back Length
2-1/4"	2-1/4"	17-3/4"	25"

See page 23 for how scabbards are measured.



CURVED SCABBARDS

08-03016
Straight Back

Saw handle is secured with webbing strap backed with hook and loop closure

Designed for attachment to a positioning saddle



Convenient nickel plated dee for attachment to a positioning saddle and a leather tab that a work belt can be run through

08-02010
Straight Back



08-02011
Curved Back

08-03010
Straight Back

08-03011
Curved Back

Leg Style #14 Curved Saw Scabbards

Leg straps give these scabbards versatility, convenience and comfort

- Constructed from black rubberized belting.
- Lockstitched and riveted for durability.
- A 3/8" nylon washer at blade entry point helps protect saw and scabbard from wear.
- Black 1" webbing leg straps feature ladder lock buckles for a non-slip, secure fit.
- A riveted burgundy latigo leather strap on the front of the scabbard enables leg straps to be placed in just the right position and provides added stability.
- Webbing backed with hook and loop closure at top of scabbard helps hold saw in place.
- The back of the scabbard features a convenient nickel plated dee for attachment to a positioning saddle and a leather tab that a work belt can be run through.
- Can also be positioned on the calf with the straps.
- Large openings on side and bottom for easy cleanout.
- Straight back style fits the Fanno #4, #14 and #FI-1311 and Corona® #7010, #7120 and #7130.

08-03016

Dimensions of 08-03016

Top Width	Bottom Width	Front Length	Back Length
2-1/4"	1"	14-1/2"	19"

See page 23 for how scabbards are measured.

#14 Curved Saw Scabbards with Snaps

Handy snap on the front of these scabbards makes attachment of additional tools easy and convenient

- Carefully handcrafted from top grain steer hide harness leather or black rubberized belting, these scabbards are designed for attachment to a positioning saddle.
- Precisely and evenly lockstitched and riveted for maximum durability.
- A 3/8" nylon washer at blade entry point helps protect saw and scabbard from wear.
- Convenient dee on the back for easy attachment to work belt or saddle.
- Large openings on side and bottom for easy cleanout.
- Available in a straight back style that fits the Fanno #4, #14 and #FI-1311 and Corona® #7010, #7120 and #7130 and a curved back style that fits all of the above as well as the Fanno #FI-K1500.
- Nickel plated snaps and dees.

Leather

08-02010 Straight Back

08-02011 Curved Back

Rubberized Belting

08-03010 Straight Back

08-03011 Curved Back

Dimensions of 08-02010, 08-02011, 08-03010 and 08-03011

Top Width	Bottom Width	Front Length	Back Length
2-1/4"	1"	14-1/2"	19"

See page 23 for how scabbards are measured.



CURVED SCABBARDS

#14 Curved Saw Scabbards with Attached Pruner Pouches

Popular #14 Curved Saw Scabbards feature pruner pouches that hold a wide range of pruners 8" and smaller

- Constructed from top grain steer hide harness leather with a pruner pouch made from the same leather or black rubberized belting with a black top grain steer hide leather pruner pouch.
- Pruner pouches are lockstitched and riveted separately and then riveted to the scabbard.
- A 3/8" nylon washer at blade entry point protects saw and scabbard.
- Convenient nickel plated dee on the back for attachment to a belt snap.
- Handy, large openings on side and bottom for easy cleanout.
- The scabbard with the straight back fits the Fanno #4, #14 and #FI-1311 and Corona® #7010, #7120 and #7130 saws and the scabbard with the curved back fits all the above as well as the Fanno #FI-K1500.

Leather

08-02012 Straight Back

08-02013 Curved Back

Rubberized Belting

08-03012 Straight Back

08-03013 Curved Back

Dimensions of 08-02012, 08-02013, 08-03012 and 08-03013

Top Width	Bottom Width	Front Length	Back Length
2-1/4"	1"	14-1/2"	19"

Pruner Pouches are same as 08-97200 (fit 8" or smaller pruners) on page 43.

See page 23 for how scabbards are measured.

08-02012
Straight Back

08-02013
Curved Back

08-03012
Straight Back



08-03013
Curved Back



STRAIGHT SCABBARDS

08-03020



#12 Straight Saw Scabbards

Protect the teeth of smaller straight saws with these quality-constructed scabbards

- Constructed from lockstitched and riveted black rubberized belting
- A 3/8" nylon washer at blade entry point protects saw teeth and scabbard from wear.
- Attach to work belt or saddle quickly and easily with a nickel plated dee on the back.
- Large, convenient openings on side and bottom for easy cleanout.
- This scabbard will protect the Fanno #FI-1214, Felco #F-61 and similar straight saws.

08-03020

Dimensions of 08-03020

Top Width	Bottom Width	Front Length	Back Length
2"	1"	13-3/4"	19"

See page 23 for how scabbards are measured.

08-03019



ARS Extra Wide Tricut Saw Scabbard

Made especially for the ARS Extra Wide Tricut Saw

- Made of dependable black rubberized belting that's lockstitched and riveted for years of service.
- A 3/8" nylon washer at blade entry point helps protect saw and scabbard.
- Nickel plated dee on the back for easy attachment to a belt snap.
- Large openings on side and bottom for easy cleanout.

08-03019

Dimensions of 08-03019

Top Width	Bottom Width	Front Length	Back Length
2-1/2"	1-3/4"	13"	19"

See page 23 for how scabbards are measured.



SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.

Pole Saw Scabbards

Protect pole saw teeth with these strap-on scabbards

- Constructed of lockstitched and riveted top grain steer hide harness leather or black rubberized belting.
- Nickel plated dee ring for securing scabbard to saddle, allowing you to take a pole saw into a tree.
- Scabbards secure to blade with a 5/8" wide strap (made from top grain steer hide harness leather on the leather style and black top grain steer hide leather on the belting styles).
- Feature a clip and dee for easy attachment to saddle when working above ground.
- The 08-03023 fits the Fanno #5s-B, #57s-B and #9s-B and features a 14" strap with eight hole adjustments (maximum 4" opening).
- The 08-02025 and 08-03025 will accommodate the Fanno #FI-1125s-B, Seymour Smith #20-B and Bartlett Mfg. #4402 and feature an 18" long strap with eight hole adjustments (maximum 3-1/2" opening).
- The 08-03027 fits the Fanno #FI-17s-B and ARS Super Turbocut CT-34 Hook Blade Saw with Pole Saw Handle and has a 14" long strap with eight hole adjustments (maximum 3-1/2" opening).
- Large openings on side and bottom for easy cleanout.

Leather

08-02025

Rubberized Belting

08-03023

08-03025

08-03027

Dimensions of 08-03023, 08-02025, 08-03025 and 08-03027				
	Top Width	Bottom Width	Front Length	Back Length
08-03023	3-1/4"	1-1/4"	19"	19"
08-02025	2-3/4"	1-1/4"	15-1/2"	15-1/2"
08-03025	2-3/4"	1-1/4"	15-1/2"	15-1/2"
08-03027	2-3/4"	1-3/4"	14-3/4"	14-3/4"

See below for how scabbards are measured.

Scabbard Dimensions

We've provided the measurements of all scabbards in handy charts to help you choose the correct scabbard.

TOP WIDTH
measures width of top opening from nylon washer to welt or from welt to welt

BOTTOM WIDTH
measures width of bottom opening from welt to welt

FRONT LENGTH
measures length from highest point on top panel to rivets at bottom of scabbard

BACK LENGTH
measures length from highest point on back panel to rivets at bottom of scabbard



Throw Weights & Lines



THROW WEIGHTS

08-98318
12 oz.



Red

08-98319
14 oz.



Blaze Orange

08-98320
16 oz.



Neon Green

Due to customer requests, these throw weights have a large ring that will not pass through ring-style cambium savers

Throw Weights

Aerodynamic design helps increase the range of the throw

- The moving action of the #8 shot that fills these Cordura® weights helps prevent the weights from hanging up in tree branches.
- The coated lead shot is contained in a latex pouch for environmental protection.
- A 7/8" nickel plated ring for attachment of a rope or poly pilot line is box-stitched to each weight.
- Available in 12 oz., 14 oz. and 16 oz. sizes in bright, easy-to-spot red, blaze orange or neon green.
- Weight is screen printed on throw weight for easy identification.
- Please specify throw weight color when ordering.

08-98318 12 oz.

08-98319 14 oz.

08-98320 16 oz.

08-98322
8 oz.



Black/
Blaze Orange

08-98323
10 oz.



Black/
Neon Green

08-98324
12 oz.



Black/
Yellow

Bottom loop for an accessory carabiner offers easy rope attachment.

Size is screen printed onto weight for easy identification.

Bullet Throw Weights

Sleek, aerodynamic design features contrasting colors that are easy to see

- The moving action of the #8 shot that fills these Cordura® weights helps prevent the weights from hanging up in tree branches.
- The coated lead shot is contained in a latex pouch for environmental protection.
- Available in 8 oz., 10 oz. and 12 oz. sizes in black/blaze orange, black/neon green or black/yellow.
- A 7/8" welded nickel plated ring for attachment of a rope or poly pilot line is box-stitched to each weight. **These throw weights can also be made on a contract basis with a 5/8" nickel plated dee. Generally, lead time is 3-4 weeks on contract items.**
- Please specify throw weight color when ordering.

08-98322 8 oz.

08-98323 10 oz.

08-98324 12 oz.

Throw Weight and Line Kits

Convenient, aerodynamic throw weight and lightweight polyethylene line kits help position ropes perfectly

- Kits include the throw weights described above and a lightweight 150' 1/8" polyethylene line.
- Lightweight line is great for positioning heavier ropes.
- Throw weights are available in red, blaze orange or neon green.
- Please specify throw weight color when ordering.
- Replacement polyethylene throw line is also available separately and comes packaged with product information and barcode on the label.

08-98327 12 oz. Kit

08-98329 16 oz. Kit

08-98025 150' Replacement Throw Line Only



08-98327
12 oz., Neon Green



08-98329
16 oz., Blaze Orange



08-98329
16 oz., Red



08-98400



Protects climbing rope and tree bark from damage

A bull rope and cambium saver is available on a contract basis with a minimum order of 25. Generally, lead time is 3-4 weeks on contract orders.

Rope and Cambium Saver

Leather rope and cambium saver is a dependable and easy way to protect your climbing rope and tree bark from damage

- Leather is formed, sewn and riveted into a tube shape that's easy to feed the rope through.
- Effective device is durable, lightweight and easy to use.
- Easy to install and remove — simply pull end of rope to bring device down from tree.
- We suggest keeping this device installed on rope so it's ready every time the rope is used.
- Applying talcum powder inside the channel helps reduce friction.
- Accommodates lines 1/2" to 9/16" or 11 mm wide.

08-98400



THROW LINES



08-98025
Replacement
Throw Line

This is the same line featured in our Throw Weight and Line Kits on page 31



08-98028

Replacement Polyethylene Throw Line

Conveniently packaged in a bag with label that features a product description and barcode

- Lightweight design is ideal for positioning other ropes.
- Features an 8 carrier diamond braid polyethylene cover over a parallel polyethylene core.
- Minimum tensile strength of 190 lbs.

08-98025 1/8" x 150'

Bull's Eye™ Throw Line

Polyethylene and Dyneema® combine for added strength and a slick design

- Constructed from neon green polyethylene and white Dyneema® in a striped design that offers high visibility.
- Dyneema® core gives this throw line added strength.
- Rot-resistant line has good memory for recoiling.
- This 2.5 mm rope glides easily in the hands.
- Average tensile strength of 450 lbs.

08-98028 2.5 mm x 180'

Dyneema® is a registered trademark of DSM Corp.



08-98029



08-98030

Jet Set Throw Line

Durable coated polyethylene construction resists abrasion and allows for a smooth glide

- Constructed from 100% pre-stretched ultra-high molecular weight polyethylene (UHMWPE).
- Coated 8-strand twill braid for abrasion and snagging resistance and enhanced glide.
- International safety orange is easily visible.
- Popular among professionals.
- Average tensile strength of 450 lbs.

08-98029 1.75 mm x 180'

Target Throw Line

Polyethylene provides a line that resists rotting and is easy to see

- Braided 100% polyethylene construction resists abrasion and snagging.
- Highly visible neon orange and yellow striped pattern.
- Rot-resistant line.
- Average tensile strength of 250 lbs.

08-98030 3.175 mm x 180'



SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.

Rope & Gear Bags



ROPE & GEAR BAGS

08-07152

Blue



Exterior spiral wire keeps bag from collapsing

Red



Webbing straps with quick release buckles keep bag collapsed when not in use



Basic Rope Bags

Handy bags help keep rope coiled, tangle-free and protected

- Made from 1,200-denier polyester, these bags feature spiral wire that's attached to the exterior of the bag to help prevent it from collapsing.
- Feature webbing straps with quick-release buckles that can be used to adjust height of bag or collapse bag when not in use.
- A scissor snap offers easy attachment to belt.
- The convenient drawstring top closure provides quick and easy access.
- Measure 12" in diameter x 14" high and hold 150' of 1/2" or 9/16" rope.
- Red or blue.

08-07152



08-07156

Exterior spiral wire keeps bag from collapsing



Polyester flap covers leather reinforced grommet to keep weather out



Quick-release buckles keep bag collapsed when not in use



Deluxe Rope Bag

Durably-constructed bag stands up on its own for dependable performance

- Perfect for storing lifeline ropes measuring 1/2" or 9/16" x 150', this bag is constructed of 1,200-denier polyester.
- Designed with spiral wire attached to the exterior of the bag to help prevent it from collapsing.
- Handy quick-release buckles keep bag collapsed when not in use.
- A 1" ring offers easy attachment to a saddle.
- Features two outside pockets with convenient snap closures for storage of carabiners and other accessories.
- Top of bag features a zippered closure and a grommet for feeding rope through.
- The grommet is reinforced with leather for extra durability and is covered with a flap that keeps weather out.
- Measures 11" in diameter x 15" high.
- Red.

08-07156

Rope Washing Bag

Handy all mesh bag for use when washing your climbing/lifeline ropes

- Simply put rope in the bag, pull the drawstring tight, and you're ready to wash your rope with mild detergent or dishwashing liquid.
- Perfect to use when hand-washing and machine washing.
- Measures 23" W x 27" H and accommodates 1/2" ropes up to 200'.
- Black.

08-07135

08-07135



Stand up even when empty



08-07142
Medium

08-07141
Large

08-07140
Small

Blue

Red

Orange

Throw Line Storage Bags

Conveniently store and protect throw lines and weights

- Constructed of 600-denier coated polyester, these bags are available in small, medium and large sizes.
- Small size holds 150', medium size holds 200' and large size holds 250' of throw line.
- Large bag features piping around the bottom to help it stand up and maintain its shape and has an exterior handle for comfortable carrying.
- Convenient drawstring top closures for quick and easy access.
- Feature interior nickel plated rings to tie ropes to and exterior nickel plated rings for easy attachment to a work belt, saddle or rope.
- Small size (4" in diameter x 6" high) is red; medium size (7" in diameter x 9" high) is blue; large size (8" in diameter x 12" high) is orange.

08-07140 Small
08-07142 Medium
08-07141 Large

Throw Line Bucket Bag

Unique bag features separators that allow you to store and protect multiple throw lines and weights in one bag

- Constructed from 1,200-denier polyester, this bag will hold four various-sized bags and throw lines.
- Rain shield is generously-sized and features a convenient drawstring closure for easy access.
- Handy separators are included to ensure lines will not get tangled.
- Multiple inside pouches with hook and loop closures for easy storage of throw weights.
- Interior features four floating dees to help manage the line ends.
- Two handy external pockets offer added storage options.
- One external pocket has a clear pocket for easy labeling.
- Measures 12" in diameter x 8" high.
- Red.

08-07165

08-07165



One bag keeps multiple throw lines and weights organized and protected



ROPE & GEAR BAGS

08-07190



Collapses to a compact triangle for easy storage

Throw Line Storage Cube

Organize and store throw lines and weights with this roomy cube that folds down to a compact triangle

- Durably constructed cube offers plenty of storage with a roomy outside pocket and two smaller interior pockets.
- Great for both aerial and ground people.
- End of throw line secures with a hook and loop strap and dee ring.
- Cube measures 16-1/2" and collapses to a small triangle that is secured with a hook and loop strap.

08-07190

Bull Rope Deployment Bag

Durably-constructed bag stands up on its own, yet is flexible enough to collapse for convenient storage

- Constructed from 1,200-denier polyester, this bag is ideal for storing a 5/8" x 200' lowering line.
- Designed with spiral wire attached to the exterior to help prevent the bag from collapsing when rope is fed into it.
- Quick-release buckles keep bag collapsed when not in use.
- Convenient drawstring top closure for quick and easy access.
- A padded shoulder strap for easy and comfortable carrying.
- Two roomy outside pockets for handy storage of block and rope.
- Measures 15" in diameter x 18" high.
- Blue.

08-07161



Exterior spiral wire keeps bag from collapsing

Quick-release buckles keep bag collapsed when not in use

08-07180

Shoulder straps offer hands-free carrying



Back Pack Rope Bag

This handy bag is durably-constructed and easy to take to the work site

- Constructed of 1,200-denier polyester, this bag is perfect for storing 150' of 1/2" or 9/16" rope.
- Back pack rope bag features padded shoulder straps for comfortable hands-free carrying.
- A cross strap with a quick-release buckle attaches to two shoulder straps across the chest for added stability.
- Features two roomy outside pockets for added storage
- Convenient drawstring top closure for quick and easy access.
- Measures 12" in diameter x 14" high.
- Red.

08-07180



08-07185

All Purpose Gear Bag

This large, versatile bag allows you to comfortably carry all necessary equipment

- This convenient 1,200-denier polyester bag allows you to carry your positioning saddle, helmet, hand saw, rope and all accessories.
- A zipper down the side of the bag allows easy access to your equipment.
- A roomy, zippered outside compartment measures 13" W x 21" H x 2" D and offers added storage.
- A hand saw pouch measuring 5" W x 13" H x 2" D keeps your saw away from your climbing rope and features a hook and loop closure.
- Designed with mesh for breathability.
- Padded shoulder straps offer comfortable hands-free carrying and are angled for a better fit.
- A cross strap with a quick-release buckle attaches to two shoulder straps across the chest for added stability.
- Padded for comfort to back.
- Measures 15" in diameter x 29" high.
- Blue.

08-07185



Shoulder straps offer hands-free carrying and are angled for a better fit



Arborist Doctor-Style Tool Bags

With a roomy, doctor-style design, these bags feature a hard plastic bottom to help protect contents from mud and water

- As a result of rigorous field testing, we have designed these bags to perform above and beyond all others!
- Available in durable canvas or water-resistant, 1,000-denier polyester with a PVC coating, these bags have hinged mouths that open wide for easy access to the contents.
- Hard plastic bottom protects contents and helps prevent punctures from tools.
- Hinges feature rivets for added durability.
- Feature hook and loop closures at top for easy in and out, reinforced adjustable leather straps for added security and a rain shield cover for protection from the elements.
- Feature two 18" W x 12" H x 4" D side pockets with hook and loop closures.
- Elastic daisy chain in one side pocket securely stores carabiners.
- Feature webbing handles and an adjustable shoulder strap with pad for added comfort.
- Rings for attachment of shoulder strap are reinforced with webbing for durable performance.
- Main compartment measures 23" W x 19" H x 11" D.

08-07000 Canvas, Natural

08-07001 Polyester, Yellow

08-07000

Padded shoulder strap for comfortable carrying



08-07001



Hard plastic bottom protects contents and helps prevent punctures from tools



Climber Straps & Pads



#85 Upper Climber Straps

Latigo leather straps are pliable and comfortable

- Constructed of 1" wide pliable yellow top grain latigo steer hide leather that's riveted for extra strength.
- Roller buckles and leather wear pads reduce abrasions.
- Ten oblong holes for size adjustment.
- Overall lengths of straps are 23" and 26".
- Nickel plated hardware.
- Sold in pairs.

08-97001 26"



08-97001

Upper Climber Straps

Heavy-duty coated webbing offers the perfect combination of durability and comfort

- Riveted 1" heavy-duty coated webbing straps are extremely durable.
- Straps are pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product.
- **Neoprene version is available on a contract basis with a minimum order of 50 pairs. Generally, lead time is 3-4 weeks on contract items.**
- Roller buckles and top grain yellow latigo steer hide leather wear pads resist abrasion.
- Fourteen holes for perfect adjustment.
- Overall lengths of straps are 23", 26" and 28".
- Nickel plated hardware.
- Sold in pairs.

08-98001 23"

08-98001 26"

08-98001 28"



08-98001

Split Ring Lower Climber Straps

Long-lasting, durable heavy-duty coated webbing offers extra comfort to the user

- These 1" wide heavy-duty coated webbing straps are riveted with nickel plated rivets.
- Straps are pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product.
- **Neoprene version is available on a contract basis with a minimum order of 50 pairs. Generally, lead time is 3-4 weeks on contract items.**
- Yellow top grain latigo steer hide leather wear pads and roller buckles help extend the life of straps by reducing abrasion.
- Fourteen buckle holes for size adjustment.
- Overall length of strap is 26".
- Nickel plated hardware.
- Sold in pairs.

08-98050 26"



08-98050



08-97050

Split Ring Lower Climber Straps

Split rings allow for greater flexibility in wrapping straps around leg

- Yellow top grain latigo steer hide leather straps are 1" wide.
- Roller buckles and yellow top grain latigo steer hide leather wear pads help reduce wear.
- Ten oblong buckle holes allow buckle to lie flat and out of the way.
- Overall length of strap is 26".
- Nickel plated hardware.
- Sold in pairs.

08-97050 26"



CLIMBER PADS

08-97156



T-Shaped Climber Pads with Felt Liner

No tabs — these pads thread onto straps and climber shank for extra stability

- Pliable burgundy top grain latigo steer hide leather is lockstitched and riveted to soft brown oil tanned top grain steer hide leather to form a tunnel for the climber shank.
- Climber straps can be fed through 1" slots to help keep pads in place.
- Comfortable 1/2" thick felt is securely lockstitched and riveted to the soft brown oil tanned top grain steer hide leather to cushion the leg.
- Nickel plated rivets.
- Sold in pairs.

08-97156

08-97157



Super Climber Pads

Extra large design that distributes pressure more evenly for added comfort

- Constructed of durable, weather-resistant top grain steer hide harness leather lined with 1/2" black felt.
- Felt liner and smoothed leather edges help prevent rubbing and chafing.
- Lockstitched for long-lasting, dependable use.
- Measuring an extra large 9" x 12", these pads evenly distribute pressure over calf for comfort.
- A tunnel for the climber shank and 1-1/4" slots for climber straps help hold pad in place.
- Requires two 26" climber straps to secure pad and climber shank to leg.
- Nickel plated rivets.
- Sold in pairs.

08-97157

08-97158



#130 L-Shaped Climber Pads

Provide foam-cushioned comfort for the back of leg and calf

- Soft 1" thick foam liner is layered between an outer layer of yellow top grain latigo steer hide leather and an inner layer of soft brown oil tanned top grain steer hide leather to provide extra comfort and protection to the back of leg and calf.
- Securely lockstitched for durability.
- Sold in pairs.

08-97158

08-97159



#145 Climber Pads

No-tab slotted design with tunnel for climber shaft helps keep these foam-filled pads in place

- Design threads onto straps and climber shank.
- Soft 1" thick foam liner is layered between soft brown oil tanned top grain steer hide leather on the inside and pliable yellow top grain latigo steer hide leather on the outside to make these very comfortable climber pads.
- Nickel plated rivets.
- Sold in pairs.

08-97159



CLIMBER PADS



08-97145

08-97155

Steel Support Pads

Metal insert provides added support and helps ensure proper climber shank position

- Sunset harness leather construction with an English toast suede lining for no-slip comfort.
- Wrap around calf with a 4" wide hook and loop strap that offers a perfect fit and distributes pressure evenly.
- Climber shank runs through angled bracket and leather tunnel and secures with a brown Brahma Webb® strap.
- Sold per pair. Climbers and climber straps not included.
- Available in two metal bracket options to fit a variety of industry climbers.
- Stamped with item number for easy identification.

08-97145 Fits Climb Right and Klein Climbers

08-97155 Fits Buckingham and Bashlin Climbers



08-97160

08-97161

Shin Cup Pads

Constructed from durable burgundy latigo leather with a 3/4" thick black felt lining for added comfort and to prevent chafing

- Fits securely on calf with a built-in metal brace that provides added support and helps ensure proper climber shank position.
- Heavy-duty metal bracket helps keep climber shank in position.
- Sold per pair. Climbers and climber straps not included.
- Available in two metal bracket options to fit a variety of industry climbers.

08-97160 Fits Buckingham and Bashlin Climbers

08-97161 Fits Climb Right and Klein Climbers



08-97100

Gaff Guards

Hook and loop straps for easy on and off and a precise fit

- Pliable yellow top grain latigo steer hide leather is sewn and riveted to form these gaff guards.
- Hook and loop straps are riveted on.
- Nickel plated rivets.
- Sold in pairs.
- One size fits all.

08-97100

Gaff guards help prevent injuries and keep gaffs sharp



Easily slides on leg straps or climber shanks for extra comfort

08-98100

Padded Covers

These covers slide over 1" wide leg straps or over climber shanks for extra comfort

- Made from 1/2" thick foam padding layered between 2" wide heavy red webbing and a soft brown oil tanned top grain steer hide leather liner.
- Two webbing loops help secure these covers to saddle leg straps or climber shanks and allow for versatile positioning.
- Measure 2" x 8".
- Sold per pair.

08-98100



Pruner Pouches/Axe Guards



PRUNER POUCHES

Shaped Pruner Pouch

Versatile pouch keeps small tools handy

- Lockstitched and riveted natural top grain steer hide leather pouch with 5-3/4" pocket holds a variety of pruners or pliers 8" or smaller
- Attaches to belt with a 2" clip or belt can be slipped through 2" slots.

08-97200

Pistol Type Pruner Pouches

Hold hand pruners snugly in place without snaps or straps

- Lockstitched and riveted soft brown oil tanned top grain steer hide leather construction.
- The pouches that fit 8" or smaller pruners have a 5" deep pocket and the pouch that fits 9" pruners has a 6" deep pocket.
- The pouch that fits 9" pruners has an optional 3" knife pouch.
- Belt loop snaps over belts up to 2" wide.
- Nickel plated hardware.

08-97202 Fits 8" or Smaller Pruners

08-97202 Fits 9" Pruners

08-97202 Fits 9" Pruners, with Knife Pouch

ARS Folding Saw Pouches

Accommodate ARS and other 7"-10" folding saws

- Available with or without a pruner pouch.
- Feature a pliable, 3-1/4" x 7" soft oil tanned top grain steer hide leather front that holds folding saw inside scabbard.
- Lockstitched and riveted for added strength.
- The 12-1/4" natural top grain steer hide leather back has a 2" clip for quick attachment to work belt or 2" slots to slide belt through.
- Nickel plated hardware.
- Pouch is 7" deep and will fit the ARS Folding Saw, Fanno Gardener, #2A and #2 Sportsman and FI-106, Corona® #PS 4040 and #RS 7040 and other saws 7" to 10" long when folded. Optional pruner pouch will accommodate standard Corona® and Felco pruners.

08-02015 without Pruner Pouch

08-02018 with Pruner Pouch

Shaped Pruner Pouches with Shaped Knife Pouches

Versatile, dual-purpose cases hold a variety of pruners, knives and other tools

- Constructed from shaped, lockstitched and riveted natural top grain steer hide leather.
- The pouch that fits 8" or smaller pruners has a 5-3/4" deep pocket while the pouch that fits 9" pruners has a 7" deep pocket. Knife pouches on both sizes measure 6-1/4" deep.
- Knife pouch is riveted to pruner pouch and conveniently holds pocket knives or small folding knives.
- Knife pouch has a nickel plated snap-close flap that keeps knife in place.
- Feature 2" belt slots and a 2" belt clip.
- Nickel plated hardware.

08-97220 Fits 8" or Smaller Pruners

08-97220 Fits 9" Pruners

Cone-Shaped Pruner Pouch

Cone-shaped design offers quick and easy access

- Constructed from natural top grain steer hide leather with a 2" belt clip for attachment to a belt.
- Measures 6-1/4" high to accommodate most pruners.

08-97221

08-97200



08-97202

Available in two sizes, Fits 8" or Smaller Pruners or Fits 9" Pruners



08-97202

Fits 9" Pruners, with Knife Pouch



08-02015

without Pruner Pouch




08-02018

with Pruner Pouch



08-97220

Fits 8" or Smaller Pruners



08-97220

Fits 9" Pruners



08-97221



AXE GUARDS


08-02041



08-02043



08-02044



One-Piece Single Bit Axe Guard

Helps protect axe blades and keep them sharp

- Durable natural top grain steer hide leather guard is lockstitched and riveted.
- Features a 5/8" x 16" long strap with eight hole adjustments that buckles around axe handle.
- Guard has a 5/8" welt all around and fits blade edges up to 5-3/8" long.
- Nickel plated hardware.

08-02041

Full Length Double Bit Axe Guard

Snap open top makes this guard especially handy

- Weather-resistant top grain steer hide harness leather guard slips over a double bit axe and easily snaps closed.
- Lockstitched and riveted for extra durability.
- Measures 10" wide x 5-1/4" deep.
- Nickel plated hardware.

08-02043

Two-Piece Pulaski Axe Guard

Adjustable length guard helps prevent damage to a Pulaski axe

- Natural top grain steer hide leather guard is sewn and riveted for durability and features a 5/8" wide welt.
- A 5/8" x 8" strap has eight holes for length adjustment and adjusts to a maximum of 19".
- Curved pouch measures 5" on bit edge x 6" wide. Flat pouch is 3-1/2" deep x 4-1/2" wide.
- Nickel plated hardware.


08-02044



When Safety Matters Most...

In March of 2013, John Mast of Ohio, an experienced tree climber for Kidron Tree Service, LLC, was approximately 35-37 feet up in a tree and cutting a branch at 40-42 feet. Little did he know upon climbing the tree that there was a rotten portion about four feet from the ground. When John lopped off the branch, the back force was enough to snap the rotten portion and send the tree hurling to the ground.

John suffered major jarring and bruising of his internal organs as a result of the fall, but lots of factors came into play that day to prevent a more disastrous outcome... where he was strapped in above a bend in the tree... the way the tree fell... the proper equipment and, yes, probably some divine intervention. As Weaver Arborist positioning saddles are not for fall arrest, it was the flip line that caught John when the tree landed, preventing him from hitting the ground. However, Mark Hochstetler, owner of Kidron Tree Service, LLC believes it was the wide back on the Weaver Arborist positioning saddle that prevented John's injuries from being far worse. He is also grateful the D rings that the flip line was attached to performed properly.



Actual positioning saddle after the accident



John Mast climbing in Weaver Arborist positioning saddle shown above

“We feel that if he had a lesser quality saddle, his injuries would have been far greater. Climber safety and top quality climbing gear are very important no matter what the cost.”

“Our employee fell about 35 feet into his Weaver Arborist positioning saddle, stopping three feet from the ground. He was face up as he fell, with his back toward the ground. He did have some internal injuries but amazingly no broken back or other bones. We feel that if he had a lesser quality saddle, his injuries would have been far greater. Climber safety and top quality climbing gear are very important no matter what the cost,” commented Hochstetler.

At Weaver Arborist, we care about our customers. That's why we are committed to bringing you the safest products that adhere to strict industry standards. John Mast's experience, although terrifying, is a true testament to the pride and care we take in protecting arborists everywhere with only the highest quality products. Thank you, John and Mark, for sharing your experience with us and your fellow arborists.



Distributed By

WESTECH RIGGING SUPPLY

Visit Us Online at: www.WestechRigging.com

Call Us Toll Free at: 800-442-7475

Call Us or Visit Our Stores: Monday - Friday, 8:00am - 5:30pm Pacific

4140 West 11th Avenue
Eugene, Oregon 97402

2439 McGilchrist St SE
Salem, Oregon 97302

PRINTED IN USA

©Copyright 2013, Weaver Leather LLC, All rights reserved
CTA062513AR-1



Details Make the Difference

At Weaver Arborist, we're committed to exceeding your expectations in every way. From using the finest materials and craftsmanship to designing each product with an unsurpassed attention to detail, our products are designed to elevate your climbing experience in every way. Our skilled craftspeople also work diligently to ensure every product meets our strict quality control standards for products you can feel confident using when you're out in the field. From functional touches that just make the work day easier to enhancements to comfort that help you feel as good leaving work as when you arrived, we put details into our products that make a difference. Leg straps with memory foam pads... batten seats with a foam covered bar for added support... climber pads built for long-term comfort and durability... we're so excited to share with you all we have to offer! Weaver Arborist products are designed and manufactured to provide The Ultimate Climbing Experience™!