Material Safety Data Sheet May be used to comply with

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. This Standard must be consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY (As Used on Label and List)	Note: Blank spaces are not permitted. If any item
MAGIC GLUE	is not applicable, or no information is available,
	the space must be marked to indicate that.

Section I

Manufacturer's Name MAGIC GLUES	Emergency Telephone Number 800/424-9300
Address: 5277 Alhambra Ave.	Telephone Number for Information 800/941-2142
LOS ANGELES	Date Prepared 3/23/99
California 90032	Signature of Preparer (optional)

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity;	OSHA PEL	ACGIH	Other Limits	%
Common Name(s))		TLV	Recommended	(optional)
2-ETHOXYETHANOL	200PPM	5PPM		
	Skin	Skin		
Isopropyl Alcohol	400 PPM	400 PPM		
B-15J Emulsion	.75C	.3 B		

Section III - Physical/Chemical Characteristics

Boiling Point GREATER THAN	276.1F	Specific Gravity ($H_2O = 1$)	0.931
Vapor Pressure (mm Hg.)	4.1	Melting Point	30 F WATER
Vapor Density (AIR = 1)	1 WATER	Evaporation Rate (Butyl Acetate = 1)	1 WATER
Solubility in Water DILUTABI	LĖ		

Appearance and Odor MILKY/ACRYLIC ODOR		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits N/A	LEL N/A	UEL N/A
53-55% WATER			
Extinguishing Media			
PRODUCT IS NOT COMBUSTABLE			
Special Fire Fighting Procedures			
APPROPRIATE FOR SURROUNDIN	G FIRE		
Unusual Fire and Explosion Hazards			
NON COMBUSTABLE			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable X	Product is stable	
Incompatibility (Mater	rials to Avoid)		
Hazardous Decomposi	ition or Byproducts		
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur X		

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? Yes	Skin? Yes	Ingestion?
			Not Probable
Health Hazards (Acute ar	nd Chronic)		
Exposure to small quar	ntities is not expected to caus	se adverse health effects	
			_
Carcinogenicity:	NTP? N/A	IARC Monographs? N/A	OSHA Regulated?
			NO

Signs and Symptoms of Exp	oosure Skin irritation		
1. V. 1.0 V.			
Medical Conditions Generally Aggravated by	Exposure Prolonged contact n	nay cause local r	edness
Emergency and First Aid Prair.	rocedures Wash skin with wate	r. Flush eyes wi	th water. If inhaled, remove victim to fresh
Sadan VIII Danasada	and Con Code House Mines and	I TI	
	ons for Safe Handling and Material is Released or Spilled:		be flushed with water. Large spills chould
Waste Disposal Method Coregulations.	agulate by addition of lime. D	ispose in accorda	ance with local, state, and federal
Precautions to Be taken in F	Handling and Storing: Well ven	tilated area. Ke	ep from freezing.
Other Precautions Handle	and store in ventilated area		
Section VIII - Control			
Respiratory Protection (Spec	cify Type) MSHA/NIOSH HA	LF -MASK	
Ventilation	Local Exhaust YI	ES	Special N/A
	Mechanical (Gene	ral) YES	Other N/A
Protective Gloves NEOPR			1 LD OR PROTECTIVE GOGGLES
Other Protective Clothing o	r Equipment NEOPRENE APF	RON	
Work/Hygienic Practices WASH HANDS THORUG	GHLY AFTER HANDLING A	AND BEFORE F	EATING

Section IX - Special Precautions

Precautions to be taken in Handling and Storing				
Handle and store in ventilated area				
Other Precautions N/A				
Each MSDS must be reviewed for correctno	ess and completeness every three years			
Each Middle must be reviewed for correcting	ess and completeness every timee years.			
Reviewed by	Reviewed by			
Revision date 03/31/2010	Revision date			
100 101 date00/01/2010				