

Service parts MQ 3-45, Prod number 96515515
Model B valid from 1.1.2004 (0401)

Pos	Description	Annotation	Classification data	Partno	Qty.	Unit
-	Kit, clamp			96450697	1	PC
92	Clamp				1	PC
93	Screw		Length: 30 Thread: M6		1	PC
93a	Washer				1	PC
94	Nut		Thread: M6		1	PC
-	Kit, electronic parts			96526828	1	PC
181	Electronic unit				1	PC
-	Kit, end cover			96488398	1	PC
43	Cover				1	PC
51	End cover				1	PC
152	Screw				6	PC
152a	Washer				6	PC
152b	Screw				4	PC
152c	Washer				4	PC
-	Kit, fittings			96450695	1	PC
100	Union				1	PC
100.c	O-ring		Diameter: 36,0 Material type: NBR Thickness: 3,00		1	PC
100a	Fitting				1	PC
100b	O-ring		Diameter: 30,00 Material type: NBR Thickness: 4,00		1	PC
101	Non-return valve				1	PC
-	Kit, flow sensor			96450698	1	PC
184	Cover with sensor				1	PC
185	Turbine wheel				1	PC
185a	Washer		Inside diameter: 3 Outside diameter: 8 Thickness: 0,2		1	PC
186	Turbine shaft				1	PC
187	O-ring		Diameter: 49,21 Material type: NBR Thickness: 3,53		1	PC
-	Kit, motor			96489276	1	PC
40	O-ring		Diameter: 18.72 Material type: NBR Thickness: 2,62		2	PC
40a	O-ring retainer				1	PC
66	Washer		Inside diameter: 8,5 Outside diameter: 17,0		1	PC
66.a	Washer		Designation: DIN 127 B Inside diameter: 8,1 Outside diameter: 14,8 Thickness: 2		1	PC
67	Nut		Thread: M8		1	PC
-	Motor unit		Winding resistance, main (ohm 68dg.F): 5,76 - 7,04 Winding resistance, AUX (ohm 68dg.F): 15,03 - 18,37		1	PC
53	O-ring		Diameter: 88,27 Material type: NBR Thickness: 5,34		1	PC
160	Clip				1	PC
161	Capacitor				1	PC
-	Kit, non-return valve			96526663	1	PC
65	Non-return valve				1	PC
-	Kit, O-rings			96526628	1	PC
7	Plug				2	PC
10	Valve seat				1	PC
11	O-ring		Diameter: 12,29 Material type: NBR Thickness: 3,53		1	PC
11a	O-ring		Diameter: 13,10 Material type: NBR Thickness: 2,62		2	PC

Pos	Description	Annotation	Classification data	Partno	Qty.	Unit
11b	Spring				1	PC
13	O-ring		Diameter: 31,34 Material type: NBR Thickness: 3,53		1	PC
37	O-ring		Diameter: 105,0 Material type: NBR Thickness: 1,5		5	PC
37a	O-ring		Diameter: 164,46 Material type: NBR Thickness: 5,34		2	PC
37b	O-ring		Diameter: 110,7 Material type: NBR Thickness: 3,53		1	PC
38	O-ring		Diameter: 25 Thickness: 3		1	PC
40	O-ring		Diameter: 18,72 Material type: NBR Thickness: 2,62		2	PC
44	O-ring		Diameter: 36,0 Material type: NBR Thickness: 3,00		1	PC
52	O-ring		Diameter: 98,02 Material type: NBR Thickness: 3,53		1	PC
53	O-ring		Diameter: 88,27 Material type: NBR Thickness: 5,34		1	PC
61a	O-ring		Diameter: 9,92 Thickness: 2,62		2	PC
63	O-ring		Diameter: 28,24 Thickness: 3,53		1	PC
64	O-ring		Diameter: 31,34 Thickness: 3,53		1	PC
100.c	O-ring		Diameter: 36,0 Material type: NBR Thickness: 3,00		1	PC
100b	O-ring		Diameter: 30,00 Material type: NBR Thickness: 4,00		1	PC
101a	O-ring		Diameter: 17,04 Material type: NBR55 Thickness: 3,53		1	PC
165	O-ring		Diameter: 158,42 Material type: NBR Thickness: 2,62		1	PC
174b	O-ring		Diameter: 13,10 Material type: NBR Thickness: 2,62		1	PC
187	O-ring		Diameter: 49,21 Material type: NBR Thickness: 3,53		1	PC
-	Kit, plugs			96457923	1	PC
7	Plug				2	PC
11a	O-ring		Diameter: 13,10 Material type: NBR Thickness: 2,62		2	PC
-	Kit, sensor			96526653	1	PC
174a	Pressure switch				1	PC
175	Screw				3	PC
-	Kit, shaft seal			96450696	1	PC
37	O-ring		Diameter: 105,0 Material type: NBR Thickness: 1,5		5	PC
37a	O-ring		Diameter: 164,46 Material type: NBR Thickness: 5,34		1	PC
37b	O-ring		Diameter: 110,7 Material type: NBR Thickness: 3,53		1	PC
66	Washer		Inside diameter: 8,5		1	PC

Pos	Description	Annotation	Classification data	Partno	Qty.	Unit
66a	Washer		Outside diameter: 17,0 Designation: DIN 127 B Inside diameter: 8,1 Outside diameter: 14,8 Thickness: 2		1	PC
67	Nut		Thread: M8		1	PC
102	Washer		Outside diameter: 13		1	PC
103	Seal ring, stationary				1	PC
104	Seal ring, rotating				1	PC
107	Washer				1	PC
111	Retaining ring				1	PC
-	Kit, tank			96488403	1	PC
-	42	Pressure tank			1	PC
44	O-ring		Diameter: 36,0 Material type: NBR Thickness: 3,00		1	PC
-	Kit, terminal box			96488399	1	PC
164	Terminal box cover				1	PC
165	O-ring		Diameter: 158,42 Material type: NBR Thickness: 2,62		1	PC
-	Kit, hydraulic parts			96525931	1	PC
4	Chamber				3	PC
4a	Chamber, empty				1	PC
6	Inlet part				1	PC
10	Valve seat				1	PC
11	O-ring		Diameter: 12,29 Material type: NBR Thickness: 3,53		1	PC
11b	Spring				1	PC
13	O-ring		Diameter: 31,34 Material type: NBR Thickness: 3,53		1	PC
14	Self-priming part				1	PC
37	O-ring		Diameter: 105,0 Material type: NBR Thickness: 1,5		5	PC
37a	O-ring		Diameter: 164,46 Material type: NBR Thickness: 5,34		1	PC
37b	O-ring		Diameter: 110,7 Material type: NBR Thickness: 3,53		1	PC
49	Impeller		Outside diameter: 99		3	PC
66	Washer		Inside diameter: 8,5 Outside diameter: 17,0		1	PC
66.a	Washer		Designation: DIN 127 B Inside diameter: 8,1 Outside diameter: 14,8 Thickness: 2		1	PC
67	Nut		Thread: M8		1	PC
2	Motor stool complete			96526664	1	PC
4	Chamber			96470411	1	PC
4a	Chamber, empty			96475552	1	PC
6	Inlet part			96525907	1	PC
14	Self-priming part			96450237	1	PC
16	Pump sleeve			96590745	1	PC
26	Screw			96450676	10	PC
27	Washer			96450677	10	PC
91	Screw			96457112	3	PC
180	Stator housing			96526665	1	PC