

CLEAR WATER

LEADER
PUMPS**ECOSUB****PROSUB**

GENERAL DATA



Applications

Multi-purpose submersible pumps for drainage, emptying, pumping water between containers and small irrigation. Suitable to pump clear water containing particles with maximum diameter up to ¼".

Construction

- Anti-corrosive and rust-proof materials
- Motor with thermic overload protection
- Wear resistant shaft and impeller
- Excellent cooling of the motor that enables the pump to operate even when it is partially submerged
- Automatic version with start/ stop float switch and Manual version
- Supplied with power cable with plug and self-sealing fitting



ECOSUB



ECOSUB	P1 W-HP	H max Ft	Q max Gpm	min Inch	Inch	Inch
400	220-1/4	20	29	1/2	1 1/4"	1/4
410-410 A	300-1/3	23	37	1/2	1 1/4"	1/4
420-420 A	750-1/2	30	66	1/2	1 1/4"	1/4

ECOSUB	Inch	lb	Inch
400	5.5x5.5x10.5	7.5 8	72
410-410 A	5.5x5.5x10.5	8 8.5	72
420-420 A	5.5x5.5x11.9	11 11.5	72+48

PROSUB



PROSUB	P1 W-HP	H max Ft	Q max Gpm	↑ min Inch	g Inch	max Inch
430 A	220-1/4	20	29	1/4	1 1/4"	1/4

PROSUB	h Inch	lb	g
430 A	6x6x12.4	10	72+48