

SPORTABLE SCOREBOARDS®

PRODUCT SPECIFICATIONS FOR



MODEL SK-2 LED

www.sportablescoreboards.com

SPORTABLE SCOREBOARDS
106 Max Hurt Drive
Murray, KY 42071

Phone: 1-800-323-7745 Fax: 270-759-4112



SCOREBOARD SPECIFICATIONS

MODEL SK-2LED

Score every event anywhere with this portable scoreboard, large 9" & 6" high super-bright 100,000-hour rated LED numerals are the largest with the widest viewing angle in the industry and are visible over 300 feet. The 22-gauge galvanized steel cabinet with powder-coat finish means your scoreboard is the most durable on the market and will look brand new for many years! Scoreboard package includes: complete operation, service manual and warranty details on the CD shipped with the scoreboard. .

OVERALL DIMENSIONS

48" L x 24" W x 4" D

WEIGHT

Hanging weight: 40 lbs

Shipping weight: 60 lbs.

CONSTRUCTION

22-gauge galvanized steel cabinet with powder coat finish for strength, durability, and lasting appearance

POWER REQUIREMENTS

Scoreboard:

(1) 20-amp, 120-volt, 60-hertz, grounded AC circuit connected to an ON/OFF switch and/or circuit breaker

CONTROLLER

Handheld controller with "SPORTS TIMER" keypad insert

SCORING INFORMATION DISPLAYED

CLOCK: 4 - digit displays, counts up or down, 99:59-00:00 or 00:00-99:59

PERIOD: 1 - digit display, 0-9

HOME and GUEST: 2-digit displays, 0-99

B & P: dots

CAPTIONS (Height)

PERIOD: 1.5"

HOME and GUEST: 2.5"

Polymeric Calendered Vinyl Lettering

Home, Guest and Clock Displays

9" digits, 160° visibility, red, 100,000 hour-rated, indoor Super-Bright LED (light emitting diode) displays

Period displays

6" digits, 160° visibility, red, 100,000 hour-rated, indoor Super-Bright LED (light emitting diode) displays

APPROVALS

ETL/CSA listed

Scoreboard: Meets all FCC Class A requirements

900 MHz wireless transmitter: FCC Part 15 certified

900 MHz wireless receiver: Meets all FCC Part 15 requirements

WARRANTY

This product is warranted against defects in materials and workmanship for the period specified in the warranty the date of invoice. Complete warranty details are included in the Operation Manual shipped with each unit.

SERVICE

Technical Support is available 24 hours a day, 7 days a week @ 1-800-411-3136

INSTALLATION

This model is portable, no mounting is needed.

Support structure and mounting hardware supplied by installer/others

SCOREBOARD CONTROLLER

Dimensions: 2-1/4" X 1-1/4" tapered height X 6.0" width X 7.0" depth. **Weight:** 1lb.

Is powered from the scoreboard when connected directly to it, if using the wireless the controller will need 4 AA batteries