



WARRANTY INFORMATION AQUATOP 90-day Limited Warranty

Products are under warranty by AQUATOP Aquatic Supplies to the original purchaser against defective material and workmanship under normal use for a period of 90-days from the date of the original purchase. Products have no warranty if: 1) the product has been serviced, modified or tampered with by anyone other than AQUATOP Aquatic Supplies, 2) the product has been abused or damaged (including broken or cracked bulbs), and/or 3) the product has been transported without proper packaging.

For more information on tank maintenance and health, as well as other products available from AQUATOP, visit www.aquatop.com.

V1 / 2012

775 Columbia St | Brea, CA 92821
Tel: (888) 915-2782 | (562) 697-9860
www.aquatop.com



THE ZEN NANO AQUARIUM



ZN-3G / ZN-4G / ZN-5G OWNER'S MANUAL

INTRODUCTION

Thank you for purchasing AQUATOP's Zen Nano Series of Glass Aquariums. This high quality glass aquarium with seamless curved corners is easy to set up and maintain. Each unit includes an internal filter box complete with submersible pump and biological filtration media. The fully adjustable LED light fixture allows for convenient feeding and offers uninterrupted room for aquarium maintenance.


WARNINGS & SAFEGUARDS

Please read this instruction manual thoroughly before operating.

AQUATOP is not responsible for damage caused by failure to comply with correct set up procedures.

SAFETY & OPERATING INSTRUCTIONS

1. The product must be placed on a level surface at all times
2. Use specified voltage.
3. A drip loop must be used with all electrical aquarium devices. A drip loop is a self-made part of the cord hanging below the receptacle. (See Fig. 1)



4. A **GFCI** (Ground Fault Circuit Interrupter) should be used in the branch circuit supplying all power to water pumps and electrical aquarium equipment. If you do not have a **GFCI**, we strongly recommend having a qualified electrician install one prior to operating any aquarium component.
5. The aquarium is made of glass. Please handle with care.
6. When opening the box, use caution and beware of any broken glass that may have occurred during shipping.
7. The included water pump is pre-installed. Check the cable and plug for damage before plugging in an outlet. If damaged, do not operate.
8. For Indoor use only. Do not place the product in damp areas like yards or patios.
9. Please cut all power before installing, cleaning or performing maintenance. Make sure hands and plugs are dry before plugging in the power cord.
10. Keep children away from this product.
11. Do not use chemicals or solvents when cleaning; warm water only.


SETTING UP YOUR ZEN NANO AQUARIUM

The ZN Series comes pre-assembled and ready to install right out of the box, although the following is advised on initial set up.


1. Carefully remove the Zen Nano aquarium from packaging. Check for any signs of damage. If damage is found, please return to original place of purchase.
2. Remove the glass lid and set aside.
3. Inside the aquarium is a white box containing the LED aquarium light fixture and a plastic, all-purpose tool. (The all-purpose tool can be used to remove filter compartment.) Remove and set-aside.
4. Inside the internal filter box is the filtration compartment box filled with filtration media separated into different containers. Remove the filtration compartment box and set aside.




5. Choose the location for the Zen Nano carefully.
Be sure that the chosen surface is completely level.
AquaTop recommends using a professional grade level.
An unlevel surface may result in leakage and damage to your aquarium and its inhabitants not covered by warranty.
6. Perform a leak test by placing the unit in its chosen location and filling with water. If there are no leaks, drain the aquarium and begin the setup.
7. Rinse all filtration compartments with clean, freshwater and reinsert into the internal filter box.



8. Before adding chosen décor to the aquarium, rinse with clean, freshwater.
9. Fill the aquarium up to the water line mark located on the filtration compartment box and treat water accordingly.



10. Check that the drop-in filtration system and media are secure.



Rear View of Zen Nano

11. To start the filtration system, plug in the unit's motor.
12. Remove the LED Light from its box and clip it onto the rear of the aquarium. Plug the light in and use the toggle switch to turn on and off.
13. Place glass lid back onto the top of the unit.
14. You're now ready to build your aquatic scenery.



PRODUCT SPECIFICATIONS

Model	Volume	Dimensions	Pump	LED Lighting	Filtration Compartments	Filtration Media
ZN-3G	2.6 Gal	7.9"x9"x9.8"	63 GPH 3.5W	1.8W	3	Ceramic Rings & Bio-Balls
ZN-4G	3.7 Gal	9"x10.2"x11"	118 GPH 6.5W		3	
ZN-5G	5.3 Gal	10.2"x11.4"x12.2"	118 GPH 6.5W		4	