



2

1



NOTE: ALL HOLES ARE CENTERED ON PART



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF STAINLESS CABLE AND RAILING®. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF STAINLESS CABLE AND RAILING® IS PROHIBITED.

NOTES: UNLESS OTHERWISE SPECIFIED

1. DIMENSIONS SHOWN - INCHES [MM].
2. MACHINED SURFACES TO BE 63μIN MAX.
4. PART TO BE FREE OF BURRS AND SHARP EDGES.
5. ALL MATERIAL TO BE CLEAN, DEGREASED AND FREE OF ALL IMPURITIES.
6. ANY CHANGE MUST BE AUTHORIZED BY AN SC&R ENGINEER.

DIMENSIONS ARE IN INCHES [MM]
ANGULAR: MACH ± 0.1°
X.X ± 0.1 MM
X.XX ± 0.01 MM
X.XXX ± 0.005 MM

MATERIAL
6082-T6 ALU

FINISH
Powdercoat

DO NOT SCALE DRAWING

| | NAME | DATE |
|-----------|------|----------|
| DRAWN | JC | 2/2/2017 |
| ENG APPR. | | |
| MFG APPR. | | |

COMMENTS:

Powdercoating to meet or exceed AAMA2604 Salt Spray Resistance

TITLE:

Top Rail Plate 2"-6"

| SIZE | DWG. NO. | REV |
|------------|-----------|--------------|
| A | 03-016-01 | PR2 |
| SCALE: 1:2 | WEIGHT: | SHEET 1 OF 1 |

2

1