



TOPAZ SOLAR LAMP
With GS Solar LED Light Bulb

US Patent # 7172307

US Patent # 9458970

Instruction Manual

Model: GS-149-FPW



GS-149F



GS-149P



GS-149W

Introduction

Thank you for your purchase. **GAMA SONIC**® solar charged lighting eliminates the problems associated with most solar lighting available today. **GAMA SONIC**® solar charged lights are brighter and last all night with a typical solar charge. Unique design, superior light output and numerous installation options confirm the outstanding value of our product.

GAMA SONIC® has been recognized as a worldwide leader in the lighting industry for over 20 years. The company also offers unique products from multi-purpose solar lamps to emergency lighting products.

For technical assistance and more information call our Toll Free number: 800-835-4113 (only within the US) or visit our website at: www.gamasonic.com. Please read the instruction manual carefully to obtain the best results from your purchase. Tools that are needed but not supplied with the solar post lamps are: a screw driver and a power drill.

Visit our website or download the latest version of your instruction manual: www.gamasonic.com or www.gamasonic.com/user-guides

WARNING: GAMA SONIC® Light bulbs are built and designed for Gama Sonic products only. They are not designed to be used in other electrical sockets. For the same reason, regular AC and/or Low Voltage bulbs cannot be used in Gama Sonic products.

GAMA SONIC'S NEW MORPH TECHNOLOGY

Gama Sonic's NEW Morph Solar Panel Technology is a groundbreaking process in the way we capture more power from the sun. Our Morph technology still uses monocrystalline solar panels. However, instead of the standard limited sized solar panels, our new technology allows the solar panels to MORPH into the light fixture.



1. Solar Lamp Location:

For optimum light duration throughout the night, it is very important to place your solar lamp in a spot where it will receive the maximum amount of direct sunlight throughout the day.

NOTE: For best results, the solar lamp post must be charged for two sunny days in the "ON" position.

2. Assembly instructions (Fig. 1)




Fig.1

NOTE: The following steps are for reference only. Consult your local hardware store for the best installation method for your surface.

GS-149F (3" Fitter Mount)



NOTE: If you are replacing an existing gas/electric post light, you must consult a certified technician to disconnect them before installation.

1. Screw Part (D) on top of the existing 3" post using the screws provided.

GS-149P (Post Mount)



1. Use an electric drill to make four holes in the desired surface. Place provided anchors into holes, place the base of the lamp (E) in line with the holes and attach with the provided screws.
2. Screw part (C) into Part (E).

GS-149W (Wall Mount)

Note: Installing the light on a wall may limit the solar panel for sun exposure. Make sure the lamp is mounted so direct sun exposure is available.



3. Use an electric drill to make two holes in the wall, place provided anchors into holes, place the wall bracket in line with the holes and attach with the provided screws.
4. Screw part (F) into Part (C).

Solar LED Light Bulb Assembly

The GS Solar LED Bulb is designed to last up to 10 years, however if it doesn't work, or if you want to use different color temperature bulb, it can be easily replaced.

1. Detach the top of the lamp unit (B) by releasing the 2 screws. Make sure the Low/OFF/High switch is in the OFF (O) position.
2. Remove (if needed) the existing bulb by turning it counterclockwise.
3. Install the new GS Solar LED Bulb by turning into the bulb socket clockwise (Fig.2).
4. Reassemble the unit by reversing the above procedure




Fig.2

5. Operation Instructions (Fig. 3)

1. Remove the top **(B)** by unscrewing the two screw caps. Turn the operation switch to Low or High position **(Fig.3)** according your preferences:
 - a. (I) For softer light and longer duration.
 - b. (II) For brighter light output.
2. The solar lamp will automatically operate at dusk.
3. Reattach the top **(B)** and secure it with the two screw caps



Fig.3

6. Batteries

Read carefully the next section. Here you will learn how to add a secondary battery (optional), and how to replace your existing battery once it exceeds its life span.

a. Secondary Battery (Optional)

Our **GS-149** model features two (2) battery compartments **(Fig.4)**. This light comes with one (1) pre-installed battery (included), and you have the OPTION to add a second battery. This is a unique feature designed to give you more choices to prolong the duration of your solar light.

Use this option if your light is exposed to the sun for more than 4 hours a day. Shorter exposure will NOT charge the second battery and therefore it is not necessary.




Fig.4

b. Adding Secondary Battery

(This solar light allows you to add a secondary battery. Follow the below instructions to install it.)

1. Unscrew the two screw caps and detach the top **(B)**. Make sure the ON/OFF switch is in the OFF **(O)** position.
2. Unscrew the battery compartments screws located on the silver reflector and remove the compartment's door to locate the empty compartment **(Fig.4)**.
3. Make sure the battery is a [Gama Sonic - 3.2V/1,500mAh](#), Li-ion Rechargeable Battery with a connector.
4. Clip on the new additional battery and install it into the battery compartment. Screw back battery compartment screw. Reattach the top and secure it with the two screw caps.




Fig.4

c. Replacing the Battery

(After several years of use, the battery may need replacing.)

1. Unscrew the two screw caps and detach the top **(B)**. Make sure the ON/OFF switch is in the OFF **(O)** position.
2. Unscrew the battery compartment **(Fig.3)** screw located on the silver reflector and remove the compartment door.
3. Unclip the connector and remove the old battery **(Fig.4)**. Make sure the new battery is a Gama Sonic - 3.2V/1,500mAh, Li-ion Rechargeable Battery with a connector.
4. Clip on the new battery and install it into the battery compartment. Screw back battery compartment screw.
5. Reattach the top and secure it with the two screw caps.

**** Batteries are available at www.gamasonic.com**

You can purchase it directly at: <https://gamasonic.com/product-category/parts-and-accessories/> . Make sure the new battery is a [Gama Sonic - 3.2V/1,500mAh](#), Li-ion Rechargeable Battery with a connector.

WARNING: Do not dispose of Li-On battery in the regular trash, municipal waste stream or by fire as batteries may leak or explode. Do not open, short circuit, or mutilate batteries as injury may occur. Preserve our environment by recycling Li-Ion batteries or disposing of them in accordance with local, State and federal regulations. Do not mix old and new batteries.

Maintenance

Clean the solar module regularly with a damp towel to guarantee optimum performance of the solar panel. Do not use any type of solvent for cleaning and be careful not to put too much pressure on the module while cleaning.

Trouble Shooting

If your solar charged light does not come on at dusk despite observance of all the instructions, please try the following steps:

1. Make sure that the solar light is not being affected by any other light source.
2. Ensure the solar light is not positioned in the shade during the day.
3. Make sure the switch in the lamp head is in NOT on the "OFF" position.
4. Check that the batteries are installed correctly.
5. Check that the GS Solar LED Light Bulb is installed correctly.

NOTE: The performance of the solar light will vary with the time of year. It will deliver more light when it has had a full day in the sun rather than a day in overcast weather.

WINTERTIME TIPS: Keep snow and debris cleaned off the solar panels so the batteries can recharge. If the lights are covered with snow for an extended period of time, after the snow melts, allow all the batteries to charge in full, direct sunlight for at least 6 hours to their maximum capacity.

WARNING: Please keep out of reach of children.



Replacement Solar LED Bulb and batteries are available at
www.gamasonic.com or via our Toll free number: +1-800-835-4113