

Leica RTC360 Equipment List



- when it has to be **right**

Leica
Geosystems

Table of Contents

Leica RTC360	3
1 Scanner Set RTC360	3
Accessories for RTC360	4
2 Power Supply	4
2.1 Internal Battery	4
2.2 Battery Charger	4
2.3 External power	4
3 Data Storage and Data Transfer	4
4 Tripods	4
5 Tribachs	4
6 Adapter	4
7 Targets	5
7.1 Targets	5
7.2 Target Accessories	5
7.3 Target Pole	5
7.4 Magnetic Mount for Targets	5
7.5 Reflector Carriers	5
8 Transport Options	5
9 Software	6
Suggested Equipment Setups	7
10 Configuration for remote control using a tablet(on lightweight tripod)	7
11 Configuration for remote control using a tablet (on heavy duty tripod and tribrach)	8
Care Packages	9
12 Customer Care Packages	9
Trademarks & Technical Data	10
13 Trademarks	10
14 Technical Data	10

Leica RTC360

1 Scanner Set RTC360



6012673

LRTC360 Scanner Package, consisting of:

- 1x RTC360 Laser Scanner (838 300)
 - 1x RTC360 Transport Container (817 063)
 - 4x GEB361 Lithium-Ion Battery (799 191)
 - 1x GKL341 Multicharger Prof 5000 (799 187)
 - 2x RTC360 USB Flash Drive - 256 GB (842 065)
 - 1x RTC360 Rain Cover (636 767)
 - 1x RTC360 Quick Guide
 - 1x RTC360 System USB Card
-

Accessories for RTC360

2 Power Supply

2.1 Internal Battery



799 191	GEB361	Lithium-Ion battery, 11.1V, 5.6Ah, rechargeable.
---------	---------------	--

2.2 Battery Charger



799 185	GKL311	Single-bay charger Prof 3000. Charger for one Li-Ion battery including AC/DC adapter and car adapter cable.
799 187	GKL341	Multi-bay charger Prof 5000. Charges up to 4 batteries, including power cable.
734 389	GDC221	Car adapter for the GKL341 charger. Allows the use of the GKL341 with a cigarette lighter; 12V/24V DC/DC converter.

2.3 External power



864 640	GEV282	AC power supply. For indoor use only.
---------	---------------	---------------------------------------

3 Data Storage and Data Transfer



842 065	MS256	RTC360 USB Flash Drive - 256 GB.
---------	--------------	----------------------------------

4 Tripods



842 066	GST80	Lightweight Tripod for RTC360 Laser Scanner.
667 301	GST120-9	Heavy duty tripod, self-closing, with side clamp screws and carrying strap.
332 200	GST4	Tripod-star, for setting up tripods on hard and slippery surfaces.

5 Tribrachs



777 970	GDF323	Tribrach, without optical plummet, black.
---------	---------------	---

6 Adapter



842 067	GAD120	Tribrach Adapter for RTC360 Laser Scanner.
842 068	GAD121	Adapter plate for flexible mounting of the RTC360.
870 985	GAD122	Adapter to mount a RTC360 on top of a Leica tripod.

7 Targets

7.1 Targets



822 694	GZT21	4.5" circular black/white tilt & turn target for ScanStation. Leica standard stub fitting to mount on e.g. GLS12 pole. Centre height at Leica standard reflector height.
6009743		Target package, consisting of: <ul style="list-style-type: none"> • 4x GZT21 Scanning target (822 694) • 4x GAD50 Stub-to-Screw adapter (823 044) • 4x Flat magnet mount (670 229) • 1x GVP703 Soft bag (790 314)

7.2 Target Accessories



670 223		Target tripod.
670 224		Target tripod bag.
790 314	GVP703	Soft bag, for 4.5" circular black/white tilt & turn targets.
667 319		Dual Strut Support. With 2 telescopic legs, for rapid set-up. Suitable for poles of all diameters.

7.3 Target Pole



385 500		Reflector pole with stub. Quick release clamp for easy and rapid height adjustment. Graduated in cm and ft, minimum length 1.24 m (4.07 ft), extendible to 2.15 m (7.05 ft), weight 940 g (2.07 lb).
---------	--	--

7.4 Magnetic Mount for Targets

670 228		V-block magnetic mount for targets with 5/8" x 11 threaded post, for mounting on steel pipes.
670 229		Flat magnetic mount for targets with 5/8" x 11 threaded post, for mounting on flat steel surfaces.
823 044	GAD50	Adapter for mounting reflectors and target plates with stub fitting on 5/8" carriers.

7.5 Reflector Carriers



667 313	GRT144	Carrier with stub, pale green.
---------	---------------	--------------------------------

8 Transport Options



865 471	GVP736	Backpack for RTC360 Laser Scanner.
817 063	GVP730	Transport Container for RTC360 Laser Scanner and Accessories.

9 Software



864 515	Cyclone REGISTER 360 Permanent.
864 516	Cyclone REGISTER 360 15 day Evaluation.
864 517	Cyclone REGISTER 360 EnterpriseElite. 1yr license, includes 1yr CCP. Allows 100% overdraft on seat. Requires signed EnterpriseElite contract.
864 518	Cyclone REGISTER 360 TimeLimited. Orderable in variable durations. Must be fully paid in advance.
5308150	Cyclone Subscription base (1yr). Base product for Cyclone module subscriptions. Must be ordered with at least one module Option.
5308159	Cyclone REGISTER 360 Option (1yr Subscription). Optional add-on for base Cyclone 1yr Subscription base (5308150); base must be included.
6012199	Cyclone REGISTER 360 CCP 1yr. Technical support by telephone/email. Software updates.
6012200	Cyclone REGISTER 360 CCP 2yr. Technical support by telephone/email. Software updates.
6012201	Cyclone REGISTER 360 CCP 3yr. Technical support by telephone/email. Software updates.
6013216	Cyclone REGISTER 360 CCP 5yr. Technical support by telephone/email. Software updates.
5004425	Cyclone REGISTER 360 CCP Reactivation. Must be ordered with CCP if customer's previous CCP expired 6 or more months ago. CCP starts on new PO date.



There is no article number for the Cyclone FIELD 360 app. The app is free of charge, but an active Cyclone REGISTER 360 license is needed for activation. The Cyclone FIELD 360 app for iOS is available for download at Apple App Store and for Android on Google Play. Contact your Leica Geosystems sales representative for recommended technical specifications.

Suggested Equipment Setups

10 Configuration for remote control using a tablet(on lightweight tripod)



11 Configuration for remote control using a tablet (on heavy duty tripod and tribrach)



Care Packages

12 Customer Care Packages

The RTC360 standard package (6012673) includes a 1 year CCP Basic contract. Multi-Year CCP contracts are available, but can only be ordered with the initial purchase of an instrument.



6013561	1 year CCP Basic.
6013562	2 years CCP Basic.
6013563	3 years CCP Basic.
6013564	5 years CCP Basic.



6013565	1 year CCP Blue.
6013566	2 years CCP Blue.
6013567	3 years CCP Blue.
6013568	5 years CCP Blue.



6013572	1 year Ext. CCP Bronze.
6013569	2 years CCP Bronze.
6013570	3 years CCP Bronze.
6013571	5 years CCP Bronze.



6013573	1st year CCP Silver.
6013577	1 year Ext. CCP Silver.
6013574	2 years CCP Silver.
6013575	3 years CCP Silver.
6013576	5 years CCP Silver.



6013578	1st year CCP Gold.
6013582	1 year Ext. CCP Gold.
6013579	2 years CCP Gold.
6013580	3 years CCP Gold.
6013581	5 years CCP Gold.

	Customer Support	Extended Warranty	Hardware Maintenance incl. Calibration	Loaner Instrument
Basic	✓			
Blue	✓		✓	
Bronze	✓	✓		
Silver	✓	✓	✓	
Gold	✓	✓	✓	✓

Trademarks & Technical Data

13 Trademarks

The *Bluetooth*® word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Leica Geosystems AG is under license.

SD and microSD are trademarks of the SD-3C, LLC.

Other trademarks and trade names are those of their respective owners.

14 Technical Data

Scanner:

Laser class 1 in accordance with IEC 60825-1 resp. EN 60825-1



Revolutionising the world of measurement and survey for nearly 200 years, Leica Geosystems is the industry leader in measurement and information technologies. We create complete solutions for professionals across the planet. Known for innovative product and solution development, professionals in a diverse mix of industries, such as surveying and engineering, building and heavy construction, safety and security, and power and plant trust Leica Geosystems for all their geospatial needs. With precise and accurate instruments, sophisticated software, and trusted services, Leica Geosystems delivers value every day to those shaping the future of our world.

Leica Geosystems is part of Hexagon (Nasdaq Stockholm: HEXA B; hexagon.com), a leading global provider of information technology solutions that drive productivity and quality across geospatial and industrial landscapes.

Illustrations, descriptions and technical specifications are not binding and may change.
Printed in Switzerland - Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2018.
870514-1.0.0en - V.18



A TRADITION IN PRECISION

Seattle 425-771-7776 | Tacoma 253-922-6087
Portland 503-641-3388 | Salt Lake City 801-878-9763 | Las Vegas 702-586-1152
www.krinc.net

Leica Geosystems AG
Heinrich-Wild-Strasse
CH-9435 Heerbrugg
Switzerland
Phone +41 71 727 31 31
www.leica-geosystems.com

- when it has to be **right**

Leica
Geosystems